



Metals & Elements – Toxic + Essential (Hair)

Interpretation Guide

Page	Section	Page	Section
2	Introduction	9	Essential and Other Elements
3	Toxic Elements	9	Boron
3	Aluminum	10	Calcium
3	Antimony	10	Chromium
3	Arsenic	11	Cobalt
4	Barium	11	Copper
4	Beryllium	11	Germanium
4	Bismuth	12	Iron
5	Cadmium	12	Lithium
5	Gold	13	Magnesium
5	Lead	13	Manganese
6	Mercury	14	Molybdenum
6	Nickel	14	Phosphorus
6	Palladium	15	Potassium
7	Platinum	15	Rubidium
7	Silver	16	Selenium
7	Thallium	16	Sodium
8	Thorium	17	Strontium
8	Tin	17	Sulfur
8	Titanium	18	Vanadium
9	Uranium	18	Zinc
9	Elevated Toxin Indicator	19	Zirconium
		20	References Toxic Metals
		35	References Essential Elements



Introduction

This interpretation guide provides an overview of all analytes measured on the MosaicDX **Metals & Elements - Toxic + Essential (Hair)** test. The test evaluates concentrations of 19 toxic metals, 21 essential elements, and 7 important ratios utilizing a single, non-invasive hair sample collected from the privacy of the patient's home. The analytes measured are organized into:

Toxic Heavy Metals — elements with established or potential toxicological significance and no known essential biological role in humans

Essential & Other Elements — nutrients with recognized physiological functions, along with elements that lack an established essential role but may still carry biological, medicinal, environmental, or toxicological relevance

It is designed to support clinical interpretation by offering, for each analyte:

- Potential sources of exposure or intake
- Mechanisms of action
- Potential health impacts
- Specimen Type — an overview of the biological specimen types used to assess each element, along with the strengths and limitations of each matrix (e.g., blood, urine, hair)

Disclaimer: The preferred biomonitoring specimen varies by element; however, blood, serum, and urine remain the most extensively validated matrices for assessing exposure to many metals and metalloids, while hair analysis serves as a complementary tool for selected elements and longer-term exposure assessment. Metal results should always be interpreted in the context of clinical history, exposure assessment, and other laboratory findings, and confirmed with validated blood, serum, or urine testing when clinically indicated.

The information provided in this guide is intended solely for educational purposes and should not be construed as treatment recommendations. It is recommended that you consult with your healthcare provider for any necessary treatment.

Toxic Heavy Metals

Aluminum

Aluminum (Al) is the most abundant metal in the earth's crust and has no known biological function in humans. It is widely present in food, drinking water, medications, personal care products, and industrial materials, existing primarily in bound forms but becoming more biologically available as the trivalent Al^{3+} ion under certain environmental conditions. Although gastrointestinal absorption is normally very low, systemic exposure increases with more soluble aluminum (e.g., aluminum citrate) compounds, impaired renal function, iron deficiency, and citrate co-ingestion. Aluminum accumulates primarily in bone and, to a lesser extent, the brain and other tissues, where chronic accumulation has been associated with neurotoxicity, bone disease, various organ dysfunction, and oxidative stress.

Specimen type: Occupational and biomonitoring studies have found both serum/plasma and urine to be acceptable specimens for assessing aluminum exposure, depending on the clinical scenario. Hair has also been used in occupational and environmental biomonitoring studies to help identify aluminum exposures, but is limited in validation.

Antimony

Antimony (Sb) is a non-essential metalloid found in industrial and consumer products including plastics, flame-retardant textiles, and contaminated food and water. Exposure occurs primarily through inhalation and ingestion, with limited dermal absorption. Excess exposure may adversely affect the respiratory, gastrointestinal, cardiovascular, nervous, and renal systems.

Specimen type: Urinary antimony is the biomonitoring matrix used by the National Health and Nutrition Examination Survey (NHANES). Occupational, environmental, and epidemiological studies have used hair to evaluate exposures with variable results.

Arsenic

Arsenic (As) is a naturally occurring metalloid and one of the most abundant elements in the earth's crust, found in rocks, soil, water, air, and food. It exists in two primary forms: inorganic arsenic (iAs), which is the more toxic form and classified as carcinogenic, and organic arsenic (e.g. arsenobetaine), which is relatively nontoxic and excreted largely intact. Chronic arsenic exposure primarily affects the skin, cardiovascular, endocrine, nervous, hepatic, and renal systems and is a well-established risk factor for various cancers.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urinary arsenic for biomonitoring. The American College of Occupational and Environmental Medicine (ACOEM) guidance statement states hair can be an additional method to identifying exposures if arsenic exposure is suspected but not found in urine, however blood is not preferred because arsenic is rapidly cleared from it.

Barium

Barium (Ba) is a non-essential alkaline earth metal naturally found in soil, water, and certain minerals. Exposure occurs primarily through contrast media (barium sulfate), drinking water, dietary sources, and occupational or industrial settings. Soluble barium compounds interfere with potassium and calcium signaling, primarily affecting the cardiovascular, neuromuscular, respiratory, and skeletal systems.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine to evaluate barium exposures. Population studies have utilized hair for barium exposure, though validation is limited.

Beryllium

Beryllium (Be) is a non-essential alkaline earth metal and a known human carcinogen primarily used in aerospace, electronics, nuclear, and defense industries due to its strength, light weight, and heat resistance. Beryllium in the lungs can trigger immune-mediated inflammation leading to chronic beryllium disease, pulmonary fibrosis, and an increased risk of lung cancer.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine to evaluate beryllium exposures. Hair has been evaluated in animal models and some occupational biomonitoring studies, but validation remains a limitation. The beryllium lymphocyte proliferation test (BeLPT) is the preferred test for detecting beryllium sensitization and chronic beryllium disease.

Bismuth

Bismuth (Bi) is a non-essential metal widely used in gastrointestinal medications, including bismuth subsalicylate (Pepto-Bismol®) and colloidal bismuth subcitrate, for dyspepsia, peptic ulcer disease, and *Helicobacter pylori* treatment. Less than 1% of ingested bismuth is systemically absorbed, with most remaining in the gastrointestinal tract and being excreted in the feces; however, prolonged or excessive use may result in tissue accumulation. Although generally safe at recommended doses, chronic overexposure can potentially lead to neurotoxicity.

Specimen type: Clinical and biomonitoring studies generally utilize urine or blood (whole/plasma) to evaluate bismuth exposure. Hair has been used primarily in analytical method-development studies.

Cadmium

Cadmium (Cd) is a toxic, non-essential metal with no known physiological role and is classified as a Group 1 human carcinogen. Exposure occurs primarily through contaminated food, cigarette smoke, and occupational or industrial sources, where it gradually accumulates in the kidneys and liver over time. Cadmium disrupts essential metal-dependent enzymes, promotes oxidative stress and mitochondrial dysfunction, and primarily affects the kidneys and skeletal system, with additional effects on the respiratory, cardiovascular, reproductive, and metabolic systems.

Specimen type: The National Health and Nutrition Examination Survey (NHANES), The American Heart Association (AHA), The Occupational Safety and Health Administration (OSHA) utilize urine or blood for evaluation of cadmium exposure. Biomonitoring studies have used hair for evaluation of exposure.

Gold

Gold (Au) is a non-essential noble metal that is relatively inert in its elemental (metallic) form but becomes biologically active when ionized (Au(I), Au(III)). Exposure most commonly occurs through jewelry, dental restorations, medical devices, and historical therapeutic gold compounds used to treat rheumatoid arthritis. Gold accumulates primarily in the macrophages and immune cells and is one of the most common causes of metal contact allergies.

Specimen type: Blood/plasma and urine have been used in occupational and clinical studies to assess gold exposure. Occupational biomonitoring studies and analytical investigations have utilized hair, but with limited validation.

Lead

Lead (Pb) is a toxic, non-essential heavy metal with no known physiological role, and no level of exposure has been shown to be completely safe. Although environmental exposure has declined, lead remains a significant concern due to its persistence in older infrastructure and contaminated environments. Once absorbed, lead distributes to blood, soft tissues, and bone, where it can remain for decades and be remobilized during periods of increased bone turnover. Chronic lead exposure has been associated with neurodevelopmental impairment, cardiovascular disease, and kidney disease.

Specimen type: The Center of Disease Control (NIOSH and NAHANES), American Heart Association (AHA), The Occupational Safety and Health Administration (OSHA), and The American College of Occupational and Environmental Medicine (ACOEM) all utilize (whole) blood to evaluate lead exposure. Urine has been evaluated in occupational and biomonitoring studies as a complementary exposure matrix. Environmental, occupational, and population biomonitoring studies have shown hair to be an indicator of lead exposure, however if found in either urine or hair, whole blood should be used to confirm.

Mercury

Mercury (Hg) is a toxic, non-essential heavy metal with no known physiological role. It is encountered through seafood, dental amalgams, occupational and industrial exposures, and environmental contamination, and exists in elemental, inorganic, and organic forms that differ in their absorption and distribution within the body. Mercury primarily affects the nervous system and kidneys by disrupting antioxidant defenses, mitochondrial function, and cellular signaling through high-affinity binding to sulfur- and selenium-containing proteins.

Specimen type: The Center of Disease Control, through NHANES and the Agency for Toxic Substances and Disease Registry (ATSDR) utilizes blood to evaluate methylmercury and total mercury and urine for elemental or inorganic mercury. The Environmental Protection Agency (EPA) utilizes blood for methylmercury exposures. The World Health Organization (WHO), Joint FAO/WHO Expert Committee on Food Additives (JECFA) and the European Food Safety Authority (EFSA) recognize hair as a biomarker for methylmercury exposures.

Nickel

Nickel (Ni) is a non-essential ubiquitous transition metal classified as a Group 1 human carcinogen that is found in food, water, and consumer products. It is the leading cause of allergic contact dermatitis worldwide, while chronic occupational inhalation increases the risk of lung and nasal cancer. Nickel exists as soluble and insoluble compounds; soluble forms are more readily absorbed and acutely toxic, whereas insoluble forms are more strongly associated with respiratory carcinogenicity following inhalation.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine to evaluate nickel exposures. Environmental, occupational, and population biomonitoring studies have shown hair to be an additional indicator of nickel exposure, however, correlations with blood and urine can be inconsistent. For suspected nickel allergy, patch testing remains the diagnostic gold standard.

Palladium

Palladium (Pd) is a non-essential platinum group metal widely used in automotive catalytic converters, dental alloys, jewelry, and electronics. Although environmental exposure is generally low, palladium is an emerging contaminant due to increasing catalytic converter emissions and is a recognized cause of allergic contact dermatitis, particularly in individuals with nickel sensitivity. While systemic toxicity is uncommon because oral absorption is limited, palladium can promote oxidative stress and immune activation following inhalation or dermal exposure.

Specimen type: Environmental and occupational biomonitoring studies have demonstrated that urinary palladium can reflect certain exposures. Preliminary studies evaluating measurement feasibility and exposure differences found hair to be supportive in identifying exposures in industrial populations. For suspected palladium allergy, patch testing with sodium tetrachloropalladate (Na_2PdCl_4) provides greater sensitivity than palladium chloride.

Platinum

Platinum (Pt) is a non-essential platinum group metal widely used in jewelry, catalytic converters, industrial manufacturing, laboratory equipment, and platinum-based chemotherapy agents. Exposure occurs primarily through occupational inhalation, environmental emissions, medical therapies, and contact with platinum-containing products. While metallic platinum is largely biologically inert, soluble platinum salts are potent respiratory and skin sensitizers, and platinum-based chemotherapeutics are associated with nephrotoxicity, neurotoxicity, ototoxicity, and bone marrow suppression.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine to evaluate platinum exposures. Environmental and occupational biomonitoring studies have demonstrated hair platinum utility in industrial exposures. Skin prick testing is recommended for suspected platinum salt allergy.

Silver

Silver (Ag) is a non-essential transition metal with broad antimicrobial properties that has been widely used in wound care, medical devices, and topical burn treatments. It is naturally present in trace amounts in food and water, but higher exposures occur through colloidal silver supplements, silver-containing consumer products, occupational settings, and certain medical applications. Less than half of absorbed silver is retained, primarily accumulating in the liver and kidneys, where chronic exposure over months to years can lead to tissue deposition. Although low-level exposure is generally considered safe, excessive accumulation may disrupt selenium-dependent antioxidant systems and is most notably associated with argyria, a permanent blue-gray discoloration of the skin.

Specimen type: Population biomonitoring and exposure studies have evaluated blood and urine as biomarkers of silver exposure, with whole blood having the strongest supporting evidence. Analytical validation and occupational biomonitoring studies have shown hair silver to distinguish exposed populations, although external contamination and standardization impacts interpretation.

Thallium

Thallium (Tl) is a highly toxic heavy metal with no known physiological function in humans. Although environmental exposure is typically low, thallium is used industrially in semiconductor manufacturing, specialty glass, electronics, and as thallium-201 in myocardial perfusion imaging. It is colorless, tasteless, and odorless in its soluble forms, properties that have contributed to accidental and intentional poisonings. Due to its ionic size closely resembling potassium, thallium readily substitutes for potassium in cellular transport systems, disrupting normal cellular function.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine to evaluate thallium exposures. Analytical validation, environmental biomonitoring, and forensic studies have established hair as a complementary long-term matrix for thallium exposure.

Thorium

Thorium (Th) is a naturally occurring radioactive actinide and known human carcinogen with no physiological role in humans. It is present in soil, rocks, and trace amounts in food and is used in aerospace alloys, ceramics, gas lantern mantles, rare earth processing, and nuclear energy applications. Although gastrointestinal absorption is low, inhaled or retained thorium can persist in the body for decades, accumulating primarily in bone and liver where it acts as both a chemical and radiological toxin.

Specimen type: Radiation-protection bioassay programs, occupational monitoring, and analytical validation studies have evaluated urine as a biomonitoring matrix for thorium, although occupational studies have shown limited correlation with airborne exposure. Analytical validation and limited occupational biomonitoring studies have demonstrated that thorium can be measured in hair, however, reflection is inconsistent with exposed from unexposed populations and has limited validation.

Tin

Tin (Sn) is a naturally occurring metal with no established role in humans. It is widely used in food packaging, electronics, plastics, PVC products, pesticides, solder, and consumer goods, making low-level exposure common. Tin exists in organic and inorganic forms that differ in biological activity, with inorganic having relatively low toxicity aside from gastrointestinal irritation, while organic forms (organotins) have been associated with neurological, endocrine, immune, and metabolic effects.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine to evaluate tin exposures. Two environmental biomonitoring studies have demonstrated that hair tin correlates with exposure.

Titanium

Titanium (Ti) is a naturally occurring transition metal with no known physiological role in humans that is chemically similar to iron. It is widely used in medical and dental implants, food additives, cosmetics, pigments, and industrial applications because of its strength, corrosion resistance, and biocompatibility. Although gastrointestinal absorption is minimal and titanium is generally considered to have low systemic toxicity, certain forms, particularly nanoparticles, are more biologically active and have been associated with oxidative stress, inflammation, and tissue injury following chronic or high-level exposure. Titanium dioxide (TiO₂, also known as E171) has been classified as a possible human carcinogen (Group 2B), and its use as a food additive has been banned in the European Union.

Specimen type: Pharmacokinetic modeling, health-based risk assessment, analytical validation, occupational, and implant-related studies support whole blood as a biomonitoring matrix for titanium. Occupational and implant-related studies have shown urinary titanium to increase with exposures. Occupational and implant-related studies have demonstrated that hair titanium can distinguish exposed from unexposed populations.

Uranium

Uranium (U) is a naturally occurring radioactive heavy metal with no known physiological function in humans that is present in rocks, soil, water, and food. Although natural, depleted, and enriched uranium differ in radioactivity, they share similar chemical toxicity because each forms the same uranyl ion (UO_2^{2+}) in the body, making heavy metal toxicity more clinically relevant than radiotoxicity. Once absorbed, uranium accumulates predominantly in the kidneys and skeleton, where it can persist for years, promoting oxidative stress, mitochondrial dysfunction, and renal injury.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine to evaluate uranium exposures. Whole blood is analytically validated, but concentrations are generally low. Environmental biomonitoring studies have shown that hair uranium can reflect chronic exposure over a longer period than urine, and an occupational study alluded to hair being able to distinguish natural from depleted or enriched uranium, however reference values and standardization is limited.

Elevated Toxin Indicator

Potentially toxic elements vary in relative toxicity, and multiple elevated elements can compound risk even when no single result is extreme. Co-exposure to multiple metals has been shown to produce greater organ damage than any single metal alone, even when each individual level is only moderately elevated, and cumulative multi-metal exposure is independently associated with adverse health outcomes beyond what any one metal's level would predict. The Elevated Toxin Indicator flags this risk with a simple green/yellow/red status based on how many elements are elevated and how severe those elevations are - rather than combining results into a single composite score. A single high-toxicity element at an extreme level can trigger the highest alert on its own; a cluster of moderate elevations can do the same.

Essential and Other Elements

Boron

Boron (B) is a naturally occurring trace element found primarily in fruits, vegetables, legumes, nuts, seeds, whole grains, and drinking water, with additional exposure occurring in occupational settings involving borates, fiberglass, ceramics, and flame retardants. Boron supports mineral homeostasis by influencing calcium, magnesium, phosphorus, vitamin D, and steroid hormone metabolism and contributes to normal cellular signaling, cognitive function, immune regulation, and antioxidant defenses. Although a defined boron deficiency syndrome has not been established, inadequate intake has been associated with impaired bone metabolism, altered mineral metabolism, reduced cognitive performance, and diminished immune function, while excessive exposure may cause gastrointestinal, neurologic, dermatologic, and renal effects.

Specimen type: Occupational exposure studies, population biomonitoring surveys, and validated analytical methods support urine for evaluating recent boron exposure. Hair has been utilized in biomonitoring studies to assess boron exposure with established ranges, however standardization and contamination are limitations.

Calcium

Calcium (Ca) is the most abundant mineral in the body, with almost all of it stored in bone and teeth, and is obtained primarily from dairy products, fortified foods, leafy green vegetables (low in oxalates), and dietary supplements. Calcium is essential for skeletal mineralization, muscle contraction, nerve conduction, intracellular signaling, blood coagulation, and vascular function, with concentrations tightly regulated by parathyroid hormone, calcitonin, and vitamin D. Inadequate calcium intake has been associated with impaired bone mineralization, osteoporosis, and increased risk of pregnancy complications, while excessive intake may contribute to hypercalcemia, nephrolithiasis, and other renal, gastrointestinal, and neurologic effects.

Specimen type: Population reference interval studies and clinical practice guidelines from American Association of Clinical Endocrinologists/American College of Endocrinology support urine as a non-invasive matrix for evaluating calcium intake and excretion. The American College of Cardiology states that serum levels are tightly regulated, so serum calcium does not exclude inadequate intake or stores. An observational cross-sectional biomonitoring study determined hair may suggest long term trends, but was unable to demonstrate a consistent relationship with serum.

Chromium

Chromium (Cr) is a transition metal that exists primarily as trivalent chromium (Cr III), found in foods such as meats, whole grains, brewer's yeast, and dietary supplements, and hexavalent chromium (Cr VI), an established human carcinogen encountered primarily through occupational exposures including welding, electroplating, painting, and chromate production. Although Cr(III) has historically been proposed to support insulin action and glucose and lipid metabolism, current evidence does not clearly establish chromium as an essential nutrient for humans. Chromium deficiency has been documented primarily in patients receiving long-term chromium-free parenteral nutrition and is associated with impaired glucose tolerance and insulin resistance, whereas excessive Cr(VI) exposure is associated with oxidative stress, respiratory disease, dermatitis, hepatic and renal injury, and an increased risk of lung cancer.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine and blood to monitor chromium. European biomonitoring initiative research indicates that RBC/Erythrocyte chromium can be a biomarker of Cr(VI) exposure. A cross-sectional observational biomonitoring study found chromium to be measurable in hair but is limited.

Cobalt

Cobalt (Co) is a transition metal whose established biological role in humans is as the central metal component of vitamin B12 (cobalamin), which is obtained from animal-derived food sources and supports DNA synthesis, red blood cell production, and neurologic function. Additional cobalt exposure may occur through occupational settings involving hard-metal manufacturing, cobalt alloys, cement production, and metal processing, as well as from cobalt-containing orthopedic implants. Inorganic cobalt deficiency has not been described in humans, whereas vitamin B12 deficiency results in megaloblastic anemia, peripheral neuropathy, and cognitive impairment. Excess cobalt exposure may cause allergic dermatitis, asthma, hard-metal lung disease, cardiomyopathy, hypothyroidism, polycythemia, and neurologic or sensory impairment, depending on the route and duration of exposure.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes both urine and blood to monitor cobalt. Occupational studies have found cobalt measurable in hair, but correlations with internal levels can be inconsistent.

Copper

Copper (Cu) is an essential trace element obtained primarily from shellfish, organ meats, nuts, seeds, whole grains, and chocolate. Copper serves as a cofactor for numerous enzymes involved in energy production, iron metabolism, antioxidant defense, connective tissue formation, neurotransmitter synthesis, and immune function. Copper deficiency, most commonly associated with malabsorption, bariatric surgery, prolonged parenteral nutrition, or excess zinc intake, may result in anemia, neutropenia, osteoporosis, and potentially irreversible neurologic dysfunction, whereas excess copper can cause oxidative tissue injury and, in disorders such as Wilson disease, progressive hepatic and neurologic toxicity.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes serum to evaluate copper. The American Association for the Study of Liver Diseases (AASLD) recommends 24-hour urinary copper for insights into circulating free copper. A human biomonitoring study and an observational study both found copper measurable in hair, however, correlations with blood or serum can be inconsistent.

Germanium

Germanium (Ge) is a non-essential metalloid that can be found in trace amounts in foods, while substantially greater exposures have primarily resulted from germanium-containing dietary supplements. The antioxidant, immunomodulatory, antiviral, and anticancer effects of organogermanium compounds remains limited to in vitro and animal studies, and no deficiency state has been demonstrated in humans or animals, at this time. Excess germanium is the primary clinical concern, with prolonged supplement use associated with progressive and sometimes irreversible renal injury, particularly with inorganic germanium. Chronic toxicity may also cause muscle weakness and mitochondrial myopathy, peripheral neuropathy, anemia, and, in severe cases, multisystem organ dysfunction and death.

Specimen type: Comparative, epidemiological, and matrix validation studies have found both urine and hair to be supportive for measuring germanium.

Iron

Iron (Fe) is an essential trace element obtained from heme sources such as red meat, poultry, and seafood, and non-heme sources including legumes, leafy greens, and fortified grains. Iron is required for oxygen transport, mitochondrial energy production, DNA synthesis, and neurotransmitter synthesis, with absorption and storage tightly regulated to maintain normal iron homeostasis. Iron deficiency is most commonly caused by blood loss, impaired absorption, inadequate intake, or increased physiological demand, and can cause fatigue, impaired cognitive and physical performance, restless legs syndrome, and microcytic anemia. Iron overload, from either hereditary hemochromatosis or repeated blood transfusion, chronic liver disease or excessive intake, can lead to progressive accumulation in the liver, heart, pancreas, and other tissues, resulting in cirrhosis, cardiomyopathy, diabetes, and other organ dysfunction.

Specimen type: The American Academy of Family Physicians (AAFP) and the American Academy of Pediatrics (AAP) both recommend serum ferritin, in conjunction with a Complete Blood Count (CBC), for assessing iron status. Urine is not generally used for evaluating iron status because iron lacks a regulated renal excretory pathway. A biomonitoring study found iron is measurable in hair and may provide insights into long term trends, but correlations with serum were inconsistent.

Lithium

Lithium (Li) is the lightest alkali metal and is naturally present in grains, vegetables, mushrooms, and drinking water (most common source), with additional exposure occurring through pharmaceutical lithium preparations and industrial applications. Lithium has no established enzymatic role in humans, but influences multiple cellular signaling pathways and is widely used therapeutically to treat bipolar disorder and other mood disorders. A lithium deficiency syndrome has not been identified in humans, however, excessive lithium exposure may cause neurologic, renal, endocrine, and cardiovascular toxicity, with toxicity most commonly occurring during pharmaceutical therapy or impaired renal clearance.

Specimen type: A cross-sectional observational study found lithium identifiable in urine, but is inconsistently correlated with serum or saliva levels. According to systematic reviews and meta-analyses, serum lithium is the standard laboratory test for therapeutic monitoring in patients receiving lithium treatment. A biomonitoring study identified lithium in hair, and found a relationship between body burden, dosage, and exposure or toxicity, however validated against serum is limited.

Magnesium

Magnesium (Mg) is an essential mineral found in green leafy vegetables, nuts, seeds, legumes, whole grains, dairy products, and fish. Magnesium serves as a cofactor for over 600 enzymatic reactions involved in energy production, protein and DNA synthesis, neuromuscular function, cardiac rhythm, bone health, and glucose metabolism. Magnesium deficiency, most commonly resulting from inadequate intake, gastrointestinal losses, renal wasting, transcellular redistribution, or certain medications (e.g. proton pump inhibitors, diuretics, certain antibiotics, etc), may cause muscle cramps, weakness, cardiac arrhythmias, hypocalcemia, hypokalemia, and neurologic dysfunction. Excess magnesium, typically resulting from impaired renal function, or excessive intake of magnesium-containing medications (antacids, laxatives, cathartics) or supplementation, may lead to hypotension, reduced reflexes, respiratory depression, and cardiac conduction abnormalities.

Specimen type: Cohort and meta-analysis, along with expert reviews from the New England Journal of Medicine and Clinical Endocrinology, endorse 24-hour urine as the preferred non-invasive specimen for distinguishing renal magnesium wasting from gastrointestinal or dietary losses. The National Institute of Health (NIH) states serum magnesium should be used for assessing magnesium status, however it is limited because it reflects less than 1% of total body magnesium and normal values do not exclude intracellular depletion. Mechanistic and analytical studies support erythrocyte magnesium being a better reflection of intracellular magnesium status than serum, but remains an adjunctive test because of limited standardization and clinical validation. An observational study hypothesized measuring magnesium in hair may reflect longer-term status, however a different observational cross-sectional study comparing blood and hair found no significant correlation.

Manganese

Manganese (Mn) is an essential trace element found in legumes, nuts, whole grains, leafy vegetables, and drinking water. Manganese functions as a cofactor for enzymes involved in antioxidant defense, energy metabolism, amino acid metabolism, and normal growth, immune function, and neurologic health. Manganese deficiency is uncommon and has no well-defined clinical syndrome in humans. Excessive exposures are more common and most occur through occupational inhalation, contaminated drinking water, parenteral nutrition, or impaired biliary excretion, and may result in neurotoxicity characterized by manganism, a Parkinson-like syndrome with motor and cognitive impairment.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine and serum to evaluate manganese, although these are not generally recommended for routine exposures due to manganese being eliminated predominately via the hepatobiliary route. Systematic reviews and meta-analyses support hair as a non-invasive matrix, particularly for pediatrics, when assessing chronic manganese exposure, however, a critical review noted there can be inconsistencies, potentially due to contamination.

Molybdenum

Molybdenum (Mo) is an essential trace element obtained primarily from legumes, whole grains, nuts, dairy products, and organ meats. It functions as a cofactor for enzymes involved in sulfur amino acid metabolism, purine metabolism, drug metabolism, and cellular detoxification. Molybdenum deficiency is rare and is generally limited to prolonged parenteral nutrition or rare inherited disorders affecting molybdenum cofactor synthesis. Excessive exposure has been associated with abnormal mineral metabolism (e.g. selenium, copper), gastrointestinal disturbances, and potential kidney toxicity.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) and the Canadian Health Measures Survey, both use urine as a matrix for assessing molybdenum exposure because urinary excretion closely reflects recent dietary intake. A population-based study found that molybdenum was measurable in hair, however correlations with other matrices were inconsistent.

Phosphorus

Phosphorus (P) is an essential macromineral found in dairy products, meat, fish, eggs, legumes, nuts, whole grains, and phosphate-containing food additives. It plays a critical role in bone mineralization, energy production (ATP), cell membrane structure, nucleic acid synthesis, acid-base balance, and cellular signaling. Phosphorus deficiency is uncommon and is most often associated with malabsorption, renal phosphate wasting, or intracellular redistribution, leading to muscle weakness, impaired bone mineralization, and, in severe cases, neurologic and cardiac dysfunction. Excess phosphorus, particularly in individuals with chronic kidney disease or high dietary intake of phosphate additives, contributes to secondary hyperparathyroidism, vascular calcification, and impaired bone health.

Specimen type: According to the Kidney Disease Outcomes Quality Initiative (KDOQI/NKF), serum is recommended for evaluating phosphate status. An international expert review in The Lancet Diabetes & Endocrinology supports paired urine and serum measurement for renal phosphate handling. Cross-sectional comparative biomarker and population-based observational studies suggest that hair analysis may provide insights into phosphorus and its relationship with calcium, however, correlations between hair and other matrices remain inconsistent.

Potassium

Potassium (K) is an essential electrolyte found primarily in fruits, vegetables, legumes, dairy products, and potatoes, and is the principal intracellular cation involved in maintaining fluid balance, nerve conduction, muscle contraction, cardiac function, hormone secretion, vascular tone, blood pressure control, GI motility, acid-base homeostasis, and glucose/insulin metabolism. Potassium deficiency most commonly results from gastrointestinal losses, diuretic use, or inadequate intake and may cause muscle weakness, fatigue, cardiac arrhythmias, and impaired glucose metabolism. Excess potassium is typically associated with impaired kidney function, medications that reduce renal potassium excretion, or excessive supplementation and may result in life-threatening cardiac conduction abnormalities and arrhythmias.

Specimen type: The American College of Cardiology and The American Heart Association support serum/plasma for potassium evaluations, however serum only reflects ~2% of total body potassium.

Numerous studies, as well as, a systematic review and meta-analysis, have demonstrated that 24-hour urine is a reference method for potassium intake and renal handling. Potassium has been measurable in hair, however, a pilot cross sectional study found no significant correlation with blood, and to date, no study has specifically evaluated hair potassium against serum or urine.

Rubidium

Rubidium (Rb) is a naturally occurring, nonessential, ultra-trace alkali metal that is widely distributed in soil, water, plants, and foods, with additional exposure from industrial sources and medical use of radioactive rubidium-82 for cardiac PET imaging. Rubidium closely mimics potassium and is transported by the Na⁺/K⁺-ATPase and potassium channels, which allows it to enter cells and serves as the basis for its use as a potassium tracer and cardiac perfusion imaging agent. Deficiency has not been demonstrated in humans, although experimental studies have investigated potential influences on nitric oxide and NMDA pathways, however it remains unproven clinically. Excessive rubidium may interfere with potassium homeostasis because of its competition with it for cellular uptake and renal handling and may contribute to electrolyte disturbances, including hypokalemia.

Specimen type: Population-based biomonitoring studies, national reference surveys, and analytical validation studies support urine as a biomonitoring matrix for rubidium. Analytical validation and occupational biomonitoring studies show hair rubidium is reliably measurable and varies with rubidium status, however concentrations appear to be influenced by potassium physiology rather than exposure alone, and standardization is limited.

Selenium

Selenium is an essential trace element found mainly in Brazil nuts, seafood, meats, eggs, and grains, though amounts depend largely on soil content. It is incorporated into 25 selenoproteins involved in antioxidant defense, thyroid hormone metabolism, immune function, and cellular redox regulation. Deficiency is uncommon but classically causes Keshan disease (selenium-responsive cardiomyopathy) and Kashin-Beck disease (endemic osteoarthropathy), while long-term deficiency may impair thyroid, immune, and cardiovascular function. Excess results in selenosis, characterized by brittle hair and nails, alopecia, garlic breath, gastrointestinal symptoms, peripheral neuropathy, and, at higher concentrations, adverse metabolic effects.

Preferred specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes serum or plasma as the primary specimen for assessing selenium status. A national population-based study found urine to be reflective of selenium intake, with other studies confirming association with plasma/ serum levels. Cross-sectional comparative biomarker and population-based observational studies suggest that hair selenium may provide insights into selenium status, with modest correlations observed with erythrocyte selenium.

Sodium

Sodium (Na) is an essential electrolyte and the principal extracellular cation, obtained primarily from processed, packaged, and restaurant foods (mainly in the U.S.), as well as naturally occurring sources such as vegetables, dairy products, and meat. Sodium maintains extracellular fluid volume, osmotic balance, nerve transmission, muscle contraction, and blood pressure regulation. Unlike most essential elements, serum sodium reflects water balance and extracellular tonicity rather than total body sodium stores due to tight regulation by renal sodium handling and vasopressin-mediated water balance. Sodium deficiency (hyponatremia) most commonly results from impaired water regulation, fluid losses, medications, or hormonal disturbances and may cause weakness, headache, cognitive changes, seizures, and severe neurologic complications. Excess sodium intake is common at the population level and is associated with increased blood pressure and risk of cardiovascular, cerebrovascular, and renal disease.

Specimen type: Clinical guidelines from the American Academy of Family Physicians (AFP) support the use of spot urine sodium combined with urine osmolality and creatinine for evaluating hyponatremia. Dietary sodium biomonitoring studies and expert consensus statements identify repeated 24-hour urine collections as the preferred method for estimating dietary sodium intake. Physiological and clinical studies demonstrate that serum or plasma sodium primarily reflects fluid balance and extracellular tonicity rather than total body sodium stores. Cross-sectional and laboratory assessment studies have found that hair sodium does not correlate with blood or dietary sodium.

Strontium

Strontium (Sr) is a naturally occurring alkaline-earth trace element that closely resembles calcium and is found primarily in drinking water, soil, and foods, particularly fruits, vegetables, and nuts. Approximately 99% of body strontium is stored in bone and teeth, where it can substitute for calcium within hydroxyapatite and influence bone remodeling through effects on osteoblast and osteoclast activity. Strontium has no established essential biological requirement in humans, although its calcium-like behavior allows it to interact with calcium absorption, vitamin D metabolism, and skeletal mineralization. Deficiency is not a recognized clinical condition, as no recommended intake or deficiency syndrome has been established. Excess strontium exposure may interfere with calcium metabolism and bone mineralization, potentially contributing to rickets or osteomalacia, and has been associated with cardiovascular and thromboembolic risks.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes urine as the primary specimen for assessing strontium status. Clinical and analytical biomonitoring studies have established serum or plasma for short-term measure and may be useful during kidney disease. Cross-sectional and prospective studies have found no significant correlation between hair and blood strontium, though have found it in serum, and one observational study proposed hair as a long-term indicator of strontium status.

Sulfur

Sulfur (S) is an essential non-metal element and the seventh most abundant element in the human body, obtained primarily from dietary sulfur-containing amino acids, including methionine and cysteine, found in eggs, meat, poultry, fish, dairy, legumes, and cruciferous vegetables. Sulfur is incorporated into key biological molecules including glutathione, taurine, coenzyme A, S-adenosylmethionine, and sulfated compounds involved in antioxidant defense, methylation, detoxification, and connective tissue structure. Deficiency is uncommon, but may occur with inadequate protein intake, malnutrition, or sulfur amino acid depletion and can impair glutathione production, methylation pathways, antioxidant capacity, and lean body mass maintenance. Excess sulfur intake is generally uncommon from diet but may influence sulfur metabolism, gastrointestinal microbial activity, and sulfate accumulation in conditions such as impaired renal function.

Specimen type: Metabolic and dietary biomonitoring studies support urine as a measure of sulfur-containing amino acid (SAA) metabolism. Hair mineral studies demonstrate that sulfur is abundant and measurable in keratin, but there are currently no studies demonstrating a validated relationship between hair sulfur and systemic sulfur metabolism, dietary SAA intake, or urinary sulfate.

Vanadium

Vanadium (V) is an ultratrace transition metal classified as an “occasionally beneficial” element rather than an established essential nutrient, as no human deficiency syndrome, recommended intake, or essential biological requirement has been defined. Dietary sources include shellfish, mushrooms, grains, and spinach, with additional exposure occurring through drinking water, volcanic groundwater, industrial emissions from fuel-oil combustion, occupational settings, and vanadium-containing supplements. Vanadium can mimic phosphate in biological systems and interact with enzymes involved in cellular signaling, including inhibition of protein tyrosine phosphatases that regulate insulin receptor activity, contributing to insulin-mimetic effects observed in experimental studies. Deficiency has not been demonstrated in humans, although animal studies suggest potential impacts on growth, lipid metabolism, and glucose regulation. Excess vanadium exposure, particularly from occupational or inhalational sources, may promote oxidative stress, mitochondrial injury, respiratory irritation, DNA damage, and potential nephrotoxicity.

Specimen type: Occupational, epidemiologic, and pharmacokinetic studies support urine as the preferred matrix for vanadium exposure, with urinary levels reflecting occupational and environmental exposure and vanadium elimination. Comparative biomonitoring studies have demonstrated that vanadium is measurable in hair, but does not reliably correlate with other matrices.

Zinc

Zinc (Zn) is an essential trace element and the second most abundant transition metal in the body, obtained primarily from dietary sources including red meat, shellfish, poultry, eggs, dairy products, nuts, legumes, and fortified grains. Zinc functions as a structural, catalytic, and regulatory component of more than 300 enzymes and transcription factors involved in immune function, protein synthesis, cellular growth, wound healing, antioxidant defense, and DNA regulation. Deficiency may result from inadequate intake, high-phytate diets, malabsorption, chronic illness, or genetic disorders and can cause dermatitis, alopecia, impaired taste, delayed wound healing, growth impairment, and reduced immune function. Excess zinc, typically from prolonged high-dose supplementation, can interfere with copper absorption causing a deficiency, influence anemia, neutropenia, impaired immune function, and neurologic complications.

Specimen type: The National Health and Nutrition Examination Survey (NHANES) utilizes serum as the primary specimen for assessing zinc status. Systematic review, experimental, and population biomonitoring studies support urinary zinc as a responsive, non-invasive measure of zinc excretion and intake, although interpretation is influenced by renal function and metabolic conditions. A systematic review and expert reviews suggest hair zinc may respond to zinc status, but consideration in profound deficiency causing hair loss should be considered.

Zirconium

Zirconium (Zr) is a naturally occurring transition metal with no known physiological role in humans. It is widely used in dental and orthopedic implants, ceramics, refractory materials, antiperspirants, and the nuclear industry because of its strength, corrosion resistance, and biocompatibility. Although zirconium is generally considered to have low systemic toxicity, it can accumulate in bone and other tissues, and newer evidence suggests it can cross the blood-brain and placental barriers. Toxicity appears to depend on the chemical form and particle size, with nanoparticulate zirconium demonstrating greater biological activity than bulk materials.

Specimen type: Controlled human stable-isotope tracer studies, radiation-protection biokinetic modeling, and implant-related clinical studies have evaluated urine and blood as biomonitoring matrices for zirconium. There are currently no studies that have evaluated measuring zirconium exposure in hair.

References Toxic Heavy Metals

1. Moser CA, Offit PA. Aluminum Exposure From Vaccines and Diet. *JAMA*. 2026;335(11):939-942. doi:10.1001/jama.2026.0056
2. Corkins MR; COMMITTEE ON NUTRITION. Aluminum Effects in Infants and Children. *Pediatrics*. 2019;144(6):e20193148. doi:10.1542/peds.2019-3148
3. Moser CA, Offit PA. Aluminum Exposure From Vaccines and Diet. *JAMA*. 2026;335(11):939-942. doi:10.1001/jama.2026.0056
4. Willhite CC, Karyakina NA, Yokel RA, Yenugadhati N, Wisniewski TM, Arnold IM, Momoli F, Krewski D. Systematic review of potential health risks posed by pharmaceutical, occupational and consumer exposures to metallic and nanoscale aluminum, aluminum oxides, aluminum hydroxide and its soluble salts. *Crit Rev Toxicol*. 2014 Oct;44 Suppl 4(Suppl 4):1-80. doi: 10.3109/10408444.2014.934439. PMID: 25233067; PMCID: PMC4997813.
5. DeVoto E, Yokel RA. The biological speciation and toxicokinetics of aluminum. *Environ Health Perspect*. 1994 Nov;102(11):940-51. doi: 10.1289/ehp.94102940. PMID: 9738208; PMCID: PMC1567445.
6. Priest ND, Skybakmoen E, Jackson G. The bioavailability of ingested ²⁶Al-labelled aluminium and aluminium compounds in the rat. *Neurotoxicology*. 2021 Mar;83:179-185. doi: 10.1016/j.neuro.2020.06.010. Epub 2020 Jun 28. PMID: 32605715.
7. Willhite CC, Karyakina NA, Yokel RA, Yenugadhati N, Wisniewski TM, Arnold IM, Momoli F, Krewski D. Systematic review of potential health risks posed by pharmaceutical, occupational and consumer exposures to metallic and nanoscale aluminum, aluminum oxides, aluminum hydroxide and its soluble salts. *Crit Rev Toxicol*. 2014 Oct;44 Suppl 4(Suppl 4):1-80. doi: 10.3109/10408444.2014.934439. PMID: 25233067; PMCID: PMC4997813.
8. Moser CA, Offit PA. Aluminum Exposure From Vaccines and Diet. *JAMA*. 2026;335(11):939-942. doi:10.1001/jama.2026.0056
9. Ganrot PO. Metabolism and possible health effects of aluminum. *Environ Health Perspect*. 1986 Mar;65:363-441. doi: 10.1289/ehp.8665363. PMID: 2940082; PMCID: PMC1474689.
10. de Souza, Ana Beatriz Farias, Kozima, Erika Tiemi, Castro, Thalles de Freitas, de Matos, Natália Alves, Oliveira, Michel, de Souza, Débora Maria Soares, Talvani, André, de Menezes, Rodrigo Cunha Alvim, Cangussú, Sílvia Dantas, Bezerra, Frank Silva, Chronic Oral Administration of Aluminum Hydroxide Stimulates Systemic Inflammation and Redox Imbalance in BALB/c Mice, *BioMed Research International*, 2023, 4499407, 10 pages, 2023. <https://doi.org/10.1155/2023/4499407>
11. Tzanno-Martins C, Azevedo LS, Orie N, et al. The role of experimental chronic renal failure and aluminium intoxication in cellular immune response. *Nephrol Dial Transplant*. 1996;11(3):474-480.
12. DeVoto E, Yokel RA. The biological speciation and toxicokinetics of aluminum. *Environ Health Perspect*. 1994 Nov;102(11):940-51. doi: 10.1289/ehp.94102940. PMID: 9738208; PMCID: PMC1567445.
13. Skalny AV, Kaminskaya GA, Krekesheva TI, Abikenova SK, Skalnaya MG, Bykov AT, Tinkov AA. Assessment of hair metal levels in aluminium plant workers using scalp hair ICP-DRC-MS analysis. *J Trace Elem Med Biol*. 2018 Dec;50:658-663. doi: 10.1016/j.jtemb.2018.06.014. Epub 2018 Jun 20. PMID: 29954652.
14. Coulson JM, Hughes BW. Dose-response relationships in aluminium toxicity in humans. *Clin Toxicol (Phila)*. 2022 Apr;60(4):415-428. doi: 10.1080/15563650.2022.2029879. Epub 2022 Feb 18. PMID: 35179097.
15. Moser CA, Offit PA. Aluminum Exposure From Vaccines and Diet. *JAMA*. 2026;335(11):939-942. doi:10.1001/jama.2026.0056

16. Valkonen S, Aitio A. Analysis of aluminium in serum and urine for the biomonitoring of occupational exposure. *Sci Total Environ*. 1997 Jun 20;199(1-2):103-10. doi: 10.1016/s0048-9697(97)05485-5. PMID: 9200852.
17. Poddalgoda D, Hays SM, Kirman C, Chander N, Nong A. Derivation of Biomonitoring Equivalents for aluminium for the interpretation of population-level biomonitoring data. *Regul Toxicol Pharmacol*. 2021 Jun;122:104913. doi: 10.1016/j.yrtph.2021.104913. Epub 2021 Feb 27. PMID: 33652037.
18. Coulson JM, Hughes BW. Dose-response relationships in aluminium toxicity in humans. *Clin Toxicol (Phila)*. 2022 Apr;60(4):415-428. doi: 10.1080/15563650.2022.2029879. Epub 2022 Feb 18. PMID: 35179097.
19. Rossbach B, Buchta M, Csanády GA, Filser JG, Hilla W, Windorfer K, Stork J, Zschiesche W, Gefeller O, Pfahlberg A, Schaller KH, Egerer E, Escobar Pinzón LC, Letzel S. Biological monitoring of welders exposed to aluminium. *Toxicol Lett*. 2006 Apr 10;162(2-3):239-45. doi: 10.1016/j.toxlet.2005.09.018. Epub 2005 Nov 8. PMID: 16280209.
20. Skalny AV, Kaminskaya GA, Krekesheva TI, Abikenova SK, Skalnaya MG, Bykov AT, Tinkov AA. Assessment of hair metal levels in aluminium plant workers using scalp hair ICP-DRC-MS analysis. *J Trace Elem Med Biol*. 2018 Dec;50:658-663. doi: 10.1016/j.jtemb.2018.06.014. Epub 2018 Jun 20. PMID: 29954652.
21. Dongarrà G, Varrica D, Tamburo E, D'Andrea D. Trace elements in scalp hair of children living in differing environmental contexts in Sicily (Italy). *Environ Toxicol Pharmacol*. 2012 Sep;34(2):160-169. doi: 10.1016/j.etap.2012.03.005. Epub 2012 Mar 16. PMID: 22522426.
22. Filella M, Hennebert P, Okkenhaug G, Turner A. Occurrence and fate of antimony in plastics. *J Hazard Mater*. 2020 May 15;390:121764. doi: 10.1016/j.jhazmat.2019.121764. Epub 2019 Nov 29. PMID: 32061422.
23. Turner A, Filella M. Antimony in paints and enamels of everyday items. *Sci Total Environ*. 2020 Apr 15;713:136588. doi: 10.1016/j.scitotenv.2020.136588. Epub 2020 Jan 11. PMID: 31958724.
24. Sundar S, Chakravarty J. Antimony toxicity. *Int J Environ Res Public Health*. 2010 Dec;7(12):4267-77. doi: 10.3390/ijerph7124267. Epub 2010 Dec 20. PMID: 21318007; PMCID: PMC3037053.
25. Zhu Y, Yang J, Wang L, Lin Z, Dai J, Wang R, Yu Y, Liu H, Rensing C, Feng R. Factors influencing the uptake and speciation transformation of antimony in the soil-plant system, and the redistribution and toxicity of antimony in plants. *Sci Total Environ*. 2020 Oct 10;738:140232. doi: 10.1016/j.scitotenv.2020.140232. Epub 2020 Jun 16. PMID: 32806353.
26. Jiang J, Wu Y, Sun G, Zhang L, Li Z, Sommar J, Yao H, Feng X. Characteristics, Accumulation, and Potential Health Risks of Antimony in Atmospheric Particulate Matter. *ACS Omega*. 2021 Apr 1;6(14):9460-9470. doi: 10.1021/acsomega.0c06091. PMID: 33869926; PMCID: PMC8047740.
27. Periferakis A, Caruntu A, Periferakis AT, Scheau AE, Badarau IA, Caruntu C, Scheau C. Availability, Toxicology and Medical Significance of Antimony. *Int J Environ Res Public Health*. 2022 Apr 12;19(8):4669. doi: 10.3390/ijerph19084669. PMID: 35457536; PMCID: PMC9030621.
28. Skalny AV, Aschner M, Lu R, Santamaria A, Paoliello MMB, Tinkov AA. Neurotoxicity of antimony: A review of epidemiological evidence and the underlying molecular mechanisms. *J Trace Elem Med Biol*. 2026 Jun 23;96:127918. doi: 10.1016/j.jtemb.2026.127918. Epub ahead of print. PMID: 42348969.
29. Jiang J, Wu Y, Sun G, Zhang L, Li Z, Sommar J, Yao H, Feng X. Characteristics, Accumulation, and Potential Health Risks of Antimony in Atmospheric Particulate Matter. *ACS Omega*. 2021 Apr 1;6(14):9460-9470. doi: 10.1021/acsomega.0c06091. PMID: 33869926; PMCID: PMC8047740.
30. Salamone FL, Molonia MS, Trischitta S, Saija A, Cimino F, Speciale A. Continuous exposure to low concentrations of antimony(III) induces inflammation, apoptosis, oxidative and endoplasmic reticulum stress in Caco-2 intestinal epithelial cells. *Environ Res*. 2025 Sep 15;281:122001. doi: 10.1016/j.envres.2025.122001. Epub 2025 May 28. PMID: 40447031.
31. Sundar S, Chakravarty J. Antimony toxicity. *Int J Environ Res Public Health*. 2010 Dec;7(12):4267-77. doi: 10.3390/ijerph7124267. Epub 2010 Dec 20. PMID: 21318007; PMCID: PMC3037053.
32. Skalny AV, Aschner M, Lu R, Santamaria A, Paoliello MMB, Tinkov AA. Neurotoxicity of antimony: A review of epidemiological evidence and the underlying molecular mechanisms. *J Trace Elem Med Biol*. 2026 Jun 23;96:127918. doi: 10.1016/j.jtemb.2026.127918. Epub ahead of print. PMID: 42348969.

33. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
34. Cavallino V, Rankin E, Popescu A . Antimony and sleep health outcomes: NHANES 2009-2016 Sleep Health: Journal of the National Sleep Foundation, 2022; 8, 373-379
35. Gebel T, Claussen K, Dunkelberg H. Human biomonitoring of antimony. *Int Arch Occup Environ Health*. 1998 May;71(3):221-4. doi: 10.1007/s004200050273. PMID: 9591164.
36. Ye L, Qiu S, Li X, Jiang Y, Jing C. Antimony exposure and speciation in human biomarkers near an active mining area in Hunan, China. *Sci Total Environ*. 2018 Nov 1;640-641:1-8. doi: 10.1016/j.scitotenv.2018.05.267. Epub 2018 May 28. PMID: 29852442.
37. Lüdersdorf R, Fuchs A, Mayer P, Skulsuksai G, Schäcke G. Biological assessment of exposure to antimony and lead in the glass-producing industry. *Int Arch Occup Environ Health*. 1987;59(5):469-74. doi: 10.1007/BF00377841. PMID: 3653992.
38. Miekeley N, Mortari SR, Schubach AO. Monitoring of total antimony and its species by ICP-MS and on-line ion chromatography in biological samples from patients treated for leishmaniasis. *Anal Bioanal Chem*. 2002 Feb;372(3):495-502. doi: 10.1007/s00216-001-1213-7. Epub 2001 Dec 21. PMID: 11939540.
39. Grabeklis AR, Skalny AV, Nechiporenko SP, Lakarova EV. Indicator ability of biosubstances in monitoring the moderate occupational exposure to toxic metals. *J Trace Elem Med Biol*. 2011 Jan;25 Suppl 1:S41-4. doi: 10.1016/j.jtemb.2010.10.014. Epub 2010 Dec 21. PMID: 21177085.
40. Baker BA, Cassano VA, Murray C; ACOEM Task Force on Arsenic Exposure. Arsenic Exposure, Assessment, Toxicity, Diagnosis, and Management: Guidance for Occupational and Environmental Physicians. *J Occup Environ Med*. 2018 Dec;60(12):e634-e639. doi: 10.1097/JOM.0000000000001485. PMID: 30358658.
41. Hughes MF, Beck BD, Chen Y, Lewis AS, Thomas DJ. Arsenic exposure and toxicology: a historical perspective. *Toxicol Sci*. 2011 Oct;123(2):305-32. doi: 10.1093/toxsci/kfr184. Epub 2011 Jul 12. PMID: 21750349; PMCID: PMC3179678.
42. Baker BA, Cassano VA, Murray C; ACOEM Task Force on Arsenic Exposure. Arsenic Exposure, Assessment, Toxicity, Diagnosis, and Management: Guidance for Occupational and Environmental Physicians. *J Occup Environ Med*. 2018 Dec;60(12):e634-e639. doi:10.1097/JOM.0000000000001485. PMID: 30358658
43. Baker BA, Cassano VA, Murray C; ACOEM Task Force on Arsenic Exposure. Arsenic Exposure, Assessment, Toxicity, Diagnosis, and Management: Guidance for Occupational and Environmental Physicians. *J Occup Environ Med*. 2018 Dec;60(12):e634-e639. doi: 10.1097/JOM.0000000000001485. PMID: 30358658.
44. Hughes MF, Beck BD, Chen Y, Lewis AS, Thomas DJ. Arsenic exposure and toxicology: a historical perspective. *Toxicol Sci*. 2011 Oct;123(2):305-32. doi: 10.1093/toxsci/kfr184. Epub 2011 Jul 12. PMID: 21750349; PMCID: PMC3179678.
45. Rahaman MS, Rahman MM, Mise N, Sikder MT, Ichihara G, Uddin MK, Kurasaki M, Ichihara S. Environmental arsenic exposure and its contribution to human diseases, toxicity mechanism and management. *Environ Pollut*. 2021 Nov 15;289:117940. doi: 10.1016/j.envpol.2021.117940. Epub 2021 Aug 10. PMID: 34426183.
46. Spaur M, Bostick BC, Chillrud SN, Factor-Litvak P, Navas-Acien A, Nigra AE. Impact of lowering the US maximum contaminant level on arsenic exposure: Differences by race, region, and water arsenic in NHANES 2003-2014. *Environ Pollut*. 2023 Sep 15;333:122047. doi: 10.1016/j.envpol.2023.122047. Epub 2023 Jun 16. PMID: 37331581; PMCID: PMC10529840.
47. Orloff K, Mistry K, Metcalf S. Biomonitoring for environmental exposures to arsenic. *J Toxicol Environ Health B Crit Rev*. 2009 Aug;12(7):509-24. doi: 10.1080/10937400903358934. PMID: 20183531.
48. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
49. Baker BA, Cassano VA, Murray C; ACOEM Task Force on Arsenic Exposure. Arsenic Exposure, Assessment, Toxicity, Diagnosis, and Management: Guidance for Occupational and Environmental Physicians. *J Occup Environ Med*. 2018 Dec;60(12):e634-e639. doi: 10.1097/JOM.0000000000001485. PMID: 30358658.

50. Skräder H, Kippler M, Nermell B, Tofail F, Levi M, Rahman SM, Raqib R, Vahter M. Major Limitations in Using Element Concentrations in Hair as Biomarkers of Exposure to Toxic and Essential Trace Elements in Children. *Environ Health Perspect.* 2017 Jun 29;125(6):067021. doi: 10.1289/EHP1239. PMID: 28669939; PMCID: PMC5743543.
51. Orloff K, Mistry K, Metcalf S. Biomonitoring for environmental exposures to arsenic. *J Toxicol Environ Health B Crit Rev.* 2009 Aug;12(7):509-24. doi: 10.1080/10937400903358934. PMID: 20183531.
52. Sharma S, Bolan S, Mukherjee S, Guimarães Guilherme LR, Gomes Viana D, Duim Ferreira A, Bakke Myrvang M, Almås ÅR, Folven Gjengedal EL, Cappuyns V, Bueno Guerra MB, de Oliveira C, Lamb D, Siddique KHM, Bolan N. Barium distribution, dynamics and fate in terrestrial and aquatic environments. *Environ Res.* 2025 Dec 15;287:123059. doi: 10.1016/j.envres.2025.123059. Epub 2025 Oct 10. PMID: 41077392.
53. Patel A, Lalwani N, Kielar A. Use of oral contrast in 2024: primer for radiologists. *Abdom Radiol (NY).* 2024 Aug;49(8):2953-2959. doi: 10.1007/s00261-024-04409-2. Epub 2024 Jul 2. PMID: 38955880; PMCID: PMC11300474.
54. Sharma S, Bolan S, Mukherjee S, Guimarães Guilherme LR, Gomes Viana D, Duim Ferreira A, Bakke Myrvang M, Almås ÅR, Folven Gjengedal EL, Cappuyns V, Bueno Guerra MB, de Oliveira C, Lamb D, Siddique KHM, Bolan N. Barium distribution, dynamics and fate in terrestrial and aquatic environments. *Environ Res.* 2025 Dec 15;287:123059. doi: 10.1016/j.envres.2025.123059. Epub 2025 Oct 10. PMID: 41077392.
55. Peana M, Medici S, Dadar M, Zoroddu MA, Pelucelli A, Chasapis CT, Bjørklund G. Environmental barium: potential exposure and health-hazards. *Arch Toxicol.* 2021 Aug;95(8):2605-2612. doi: 10.1007/s00204-021-03049-5. Epub 2021 Apr 19. PMID: 33870439.
56. Bhoelan BS, Stevering CH, van der Boog AT, van der Heyden MA. Barium toxicity and the role of the potassium inward rectifier current. *Clin Toxicol (Phila).* 2014 Jul;52(6):584-93. doi: 10.3109/15563650.2014.923903. Epub 2014 Jun 6. PMID: 24905573.
57. Bhoelan BS, Stevering CH, van der Boog AT, van der Heyden MA. Barium toxicity and the role of the potassium inward rectifier current. *Clin Toxicol (Phila).* 2014 Jul;52(6):584-93. doi: 10.3109/15563650.2014.923903. Epub 2014 Jun 6. PMID: 24905573.
58. Bhoelan BS, Stevering CH, van der Boog AT, van der Heyden MA. Barium toxicity and the role of the potassium inward rectifier current. *Clin Toxicol (Phila).* 2014 Jul;52(6):584-93. doi: 10.3109/15563650.2014.923903. Epub 2014 Jun 6. PMID: 24905573.
59. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
60. Liu J, Wang K. Disentangling the Relationship Between Urinary Metal Exposure and Osteoporosis Risk Across a Broad Population: A Comprehensive Supervised and Unsupervised Analysis. *Toxics.* 2024; 12(12):866. <https://doi.org/10.3390/toxics12120866>
61. Poddalgoda D, Macey K, Assad H, Krishnan K. Development of biomonitoring equivalents for barium in urine and plasma for interpreting human biomonitoring data. *Regul Toxicol Pharmacol.* 2017 Jun;86:303-311. doi: 10.1016/j.yrtph.2017.03.022. Epub 2017 Mar 27. PMID: 28359824.
62. Pragst F, Stieglitz K, Runge H, Runow KD, Quig D, Osborne R, Runge C, Ariki J. High concentrations of lead and barium in hair of the rural population caused by water pollution in the Thar Jath oilfields in South Sudan. *Forensic Sci Int.* 2017 May;274:99-106. doi: 10.1016/j.forsciint.2016.12.022. Epub 2016 Dec 23. PMID: 28069428.
63. Kato M, Kumasaka MY, Ohnuma S, Furuta A, Kato Y, Shekhar HU, Kojima M, Koike Y, Dinh Thang N, Ohgami N, Ly TB, Jia X, Yetti H, Naito H, Ichihara G, Yajima I. Comparison of Barium and Arsenic Concentrations in Well Drinking Water and in Human Body Samples and a Novel Remediation System for These Elements in Well Drinking Water. *PLoS One.* 2013 Jun 21;8(6):e66681. doi: 10.1371/journal.pone.0066681. PMID: 23805262; PMCID: PMC3689667.
64. Pozebon D, Scheffler GL, Dressler VL. Elemental hair analysis: A review of procedures and applications. *Anal Chim Acta.* 2017 Nov 1;992:1-23. doi: 10.1016/j.aca.2017.09.017. Epub 2017 Sep 13. PMID: 29054142.

65. Kuschner M. The carcinogenicity of beryllium. *Environ Health Perspect.* 1981 Aug;40:101-5. doi: 10.1289/ehp.8140101. PMID: 7023926; PMCID: PMC1568815.
66. Taylor TP, Ding M, Ehler DS, Foreman TM, Kaszuba JP, Sauer NN. Beryllium in the environment: a review. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 2003 Feb;38(2):439-69. doi: 10.1081/ese-120016906. PMID: 12638707.
67. Balmes JR, Abraham JL, Dweik RA, Fireman E, Fontenot AP, Maier LA, Muller-Quernheim J, Ostiguy G, Pepper LD, Saltini C, Schuler CR, Takaro TK, Wambach PF; ATS Ad Hoc Committee on Beryllium Sensitivity and Chronic Beryllium Disease. An official American Thoracic Society statement: diagnosis and management of beryllium sensitivity and chronic beryllium disease. *Am J Respir Crit Care Med.* 2014 Nov 15;190(10):e34-59. doi: 10.1164/rccm.201409-1722ST. PMID: 25398119.
68. V. Renac, V. Moalic, G. Dautin, et al., " Guidelines From the French-Speaking Society for Histocompatibility and Immunogenetics (SFHI) for Harmonisation of HLA Genotyping in Autoimmune Diseases, Drug Hypersensitivity and Pharmacogenetics," *HLA* 106, no. 4 (2025): e70442, <https://doi.org/10.1111/tan.70442>.
69. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
70. Grabeklis AR, Skalny AV, Nechiporenko SP, Lakarova EV. Indicator ability of biosubstances in monitoring the moderate occupational exposure to toxic metals. *J Trace Elem Med Biol.* 2011 Jan;25 Suppl 1:S41-4. doi: 10.1016/j.jtemb.2010.10.014. Epub 2010 Dec 21. PMID: 21177085.
71. Drolet-Vives K, Zayed J, Sauvé S. Assessment of hair and bone accumulation of beryllium by mice exposed to contaminated dusts. *J Appl Toxicol.* 2009 Oct;29(7):638-42. doi: 10.1002/jat.1448. PMID: 19484702.
72. Protano C, Astolfi ML, Marconi E, Antonucci A, Canepari S, Piamonti D, Brunori M, Vitali M. Occupational Exposure Assessment of Major and Trace Elements in Human Scalp Hair Among a Group of Eritrean Workers. *Biol Trace Elem Res.* 2020 Sep;197(1):89-100. doi: 10.1007/s12011-019-01988-w. Epub 2019 Dec 2. PMID: 31792772.
73. Balmes JR, Abraham JL, Dweik RA, Fireman E, Fontenot AP, Maier LA, Muller-Quernheim J, Ostiguy G, Pepper LD, Saltini C, Schuler CR, Takaro TK, Wambach PF; ATS Ad Hoc Committee on Beryllium Sensitivity and Chronic Beryllium Disease. An official American Thoracic Society statement: diagnosis and management of beryllium sensitivity and chronic beryllium disease. *Am J Respir Crit Care Med.* 2014 Nov 15;190(10):e34-59. doi: 10.1164/rccm.201409-1722ST. PMID: 25398119.
74. Pacifico, L., Osborn, J.F., Anania, C., Vaira, D., Olivero, E. and Chiesa, C. (2012), Review article: bismuth-based therapy for *Helicobacter pylori* eradication in children. *Aliment Pharmacol Ther*, 35: 1010-1026. <https://doi.org/10.1111/j.1365-2036.2012.05055.x>
75. Gorbach SL. Bismuth therapy in gastrointestinal diseases. *Gastroenterology.* 1990 Sep;99(3):863-75. doi: 10.1016/0016-5085(90)90983-8. PMID: 2199292.
76. Tillman LA, Drake FM, Dixon JS, Wood JR. Review article: safety of bismuth in the treatment of gastrointestinal diseases. *Aliment Pharmacol Ther.* 1996 Aug;10(4):459-67. doi: 10.1046/j.1365-2036.1996.22163000.x. PMID: 8853750.
77. Pacifico, L., Osborn, J.F., Anania, C., Vaira, D., Olivero, E. and Chiesa, C. (2012), Review article: bismuth-based therapy for *Helicobacter pylori* eradication in children. *Aliment Pharmacol Ther*, 35: 1010-1026. <https://doi.org/10.1111/j.1365-2036.2012.05055.x>
78. Gorbach SL. Bismuth therapy in gastrointestinal diseases. *Gastroenterology.* 1990 Sep;99(3):863-75. doi: 10.1016/0016-5085(90)90983-8. PMID: 2199292.
79. Vanhoe H, Versieck J, Vanballenberghe L, Dams R. Bismuth in human serum: reference interval and concentrations after intake of a therapeutic dose of colloidal bismuth subcitrate. *Clin Chim Acta.* 1993 Oct 15;219(1-2):79-91. doi: 10.1016/0009-8981(93)90199-e. PMID: 8306466.
80. Hinwood AL, Stasinska A, Callan AC, Heyworth J, Ramalingam M, Boyce M, McCafferty P, Odland JØ. Maternal exposure to alkali, alkali earth, transition and other metals: Concentrations and predictors of exposure. *Environ Pollut.* 2015 Sep;204:256-63. doi: 10.1016/j.envpol.2015.04.024. Epub 2015 May 15. PMID: 25984984.

81. Poddalgoda D, Hays SM, Nong A. Derivation of biomonitoring equivalents (BE values) for bismuth. *Regul Toxicol Pharmacol*. 2020 Jul;114:104672. doi: 10.1016/j.yrtph.2020.104672. Epub 2020 May 11. PMID: 32418918.
82. Dressler VL, Pozebon D, Mesko MF, Matusch A, Kumtabtim U, Wu B, Sabine Becker J. Biomonitoring of essential and toxic metals in single hair using on-line solution-based calibration in laser ablation inductively coupled plasma mass spectrometry. *Talanta*. 2010 Oct 15;82(5):1770-7. doi: 10.1016/j.talanta.2010.07.065. Epub 2010 Aug 5. PMID: 20875575.
83. Kahe H, Chamsaz M. A new supramolecular based liquid solid microextraction method for preconcentration and determination of trace bismuth in human blood serum and hair samples by electrothermal atomic absorption spectrometry. *Environ Monit Assess*. 2016 Nov;188(11):601. doi: 10.1007/s10661-016-5613-8. Epub 2016 Oct 3. PMID: 27699649.
84. Peana M, Pelucelli A, Chasapis CT, Perlepes SP, Bekiari V, Medici S, Zoroddu MA. Biological Effects of Human Exposure to Environmental Cadmium. *Biomolecules*. 2022 Dec 24;13(1):36. doi: 10.3390/biom13010036. PMID: 36671421; PMCID: PMC9855641.
85. Genchi G, Sinicropi MS, Lauria G, Carocci A, Catalano A. The Effects of Cadmium Toxicity. *Int J Environ Res Public Health*. 2020 May 26;17(11):3782. doi: 10.3390/ijerph17113782. PMID: 32466586; PMCID: PMC7312803.
86. Genchi G, Sinicropi MS, Lauria G, Carocci A, Catalano A. The Effects of Cadmium Toxicity. *Int J Environ Res Public Health*. 2020 May 26;17(11):3782. doi: 10.3390/ijerph17113782. PMID: 32466586; PMCID: PMC7312803.
87. Järup L, Akesson A. Current status of cadmium as an environmental health problem. *Toxicol Appl Pharmacol*. 2009 Aug 1;238(3):201-8. doi: 10.1016/j.taap.2009.04.020. Epub 2009 May 3. PMID: 19409405.
88. Järup L, Akesson A. Current status of cadmium as an environmental health problem. *Toxicol Appl Pharmacol*. 2009 Aug 1;238(3):201-8. doi: 10.1016/j.taap.2009.04.020. Epub 2009 May 3. PMID: 19409405.
89. Genchi G, Sinicropi MS, Lauria G, Carocci A, Catalano A. The Effects of Cadmium Toxicity. *Int J Environ Res Public Health*. 2020 May 26;17(11):3782. doi: 10.3390/ijerph17113782. PMID: 32466586; PMCID: PMC7312803.
90. Adams SV, Newcomb PA. Cadmium blood and urine concentrations as measures of exposure: NHANES 1999-2010. *J Expo Sci Environ Epidemiol*. 2014 Mar-Apr;24(2):163-70. doi: 10.1038/jes.2013.55. Epub 2013 Sep 4. PMID: 24002489; PMCID: PMC4079252.
91. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
92. Lamas GA, Bhatnagar A, Jones MR, Mann KK, Nasir K, Tellez-Plaza M, Ujueta F, Navas-Acien A; American Heart Association Council on Epidemiology and Prevention; Council on Cardiovascular and Stroke Nursing; Council on Lifestyle and Cardiometabolic Health; Council on Peripheral Vascular Disease; and Council on the Kidney in Cardiovascular Disease. Contaminant Metals as Cardiovascular Risk Factors: A Scientific Statement From the American Heart Association. *J Am Heart Assoc*. 2023 Jul 4;12(13):e029852. doi: 10.1161/JAHA.123.029852. Epub 2023 Jun 12. PMID: 37306302; PMCID: PMC10356104.
93. elaws - OSHA Cadmium Biological Monitoring Advisor
94. Blood Lead, Cadmium, Total Mercury, Selenium and Manganese
95. Liu XJ, Arisawa K, Nakano A, Saito H, Takahashi T, Kosaka A. Significance of cadmium concentrations in blood and hair as an indicator of dose 15 years after the reduction of environmental exposure to cadmium. *Toxicol Lett*. 2001 Sep 15;123(2-3):135-41. doi: 10.1016/s0378-4274(01)00381-2. PMID: 11641041.
96. Lauwerys RR, Bernard AM, Roels HA, Buchet JP. Cadmium: exposure markers as predictors of nephrotoxic effects. *Clin Chem*. 1994 Jul;40(7 Pt 2):1391-4. PMID: 8013125.
97. Gil F, Hernández AF, Márquez C, Femia P, Olmedo P, López-Guarnido O, Pla A. Biomonitorization of cadmium, chromium, manganese, nickel and lead in whole blood, urine, axillary hair and saliva in an occupationally exposed population. *Sci Total Environ*. 2011 Feb 15;409(6):1172-80. doi: 10.1016/j.scitotenv.2010.11.033. Epub 2011 Jan 6. PMID: 21211822.
98. Schauss AG. Nephrotoxicity and neurotoxicity in humans from organogermanium compounds and germanium dioxide. *Biol Trace Elem Res*. 1991 Jun;29(3):267-80. doi: 10.1007/BF03032683. PMID: 1726409.

99. DailyMed - AURANOFIN capsule
100. Blocka K. Auranofin versus injectable gold. Comparison of pharmacokinetic properties. *Am J Med.* 1983 Dec 30;75(6A):114-22. doi: 10.1016/0002-9343(83)90483-7. PMID: 6419592.
101. Blocka K. Auranofin versus injectable gold. Comparison of pharmacokinetic properties. *Am J Med.* 1983 Dec 30;75(6A):114-22. doi: 10.1016/0002-9343(83)90483-7. PMID: 6419592.
102. Hadrup N, Sharma AK, Poulsen M, Nielsen E. Toxicological risk assessment of elemental gold following oral exposure to sheets and nanoparticles - A review. *Regul Toxicol Pharmacol.* 2015 Jul;72(2):216-21. doi: 10.1016/j.yrtph.2015.04.017. Epub 2015 Apr 27. PMID: 25929617.
103. Mustafovski M, Stappers S, Vingerhoets T, et al. All that is gold does not glitter: Systemic allergic dermatitis and massive skin and muscle oedema following genicular artery embolisation with (Embo)gold. *Contact Dermatitis.* 2023; 89(3): 218-220. doi:10.1111/cod.14373
104. Christiansen, J., Färm, G., Eid-Forest, R., Anderson, C., Cederbrant, K. and Hultman, P. (2006), Interferon- γ secreted from peripheral blood mononuclear cells as a possible diagnostic marker for allergic contact dermatitis to gold. *Contact Dermatitis*, 55: 98-109. <https://doi.org/10.1111/j.1600-0536.2006.00908.x>
105. Eisler R. Gold concentrations in abiotic materials, plants, and animals: a synoptic review. *Environ Monit Assess.* 2004 Jan;90(1-3):73-88. doi: 10.1023/b:emas.0000003567.66682.d8. PMID: 15887364.
106. Perrelli G, Piolatto G. Tentative reference values for gold, silver and platinum: literature data analysis. *Sci Total Environ.* 1992 Jun 9;120(1-2):93-6. doi: 10.1016/0048-9697(92)90219-i. PMID: 1641644.
107. Heitland P, Köster HD. Biomonitoring of 30 trace elements in urine of children and adults by ICP-MS. *Clin Chim Acta.* 2006 Mar;365(1-2):310-8. doi: 10.1016/j.cca.2005.09.013. Epub 2005 Oct 24. PMID: 16248993.
108. Benemann J, Lehmann N, Broman K, Marr A, Seiwert M, Schulz C, Jöckel KH. Assessing contamination paths of the German adult population with gold and platinum. The German Environmental Survey 1998 (GerES III). *Int J Hyg Environ Health.* 2005;208(6):499-508. doi: 10.1016/j.ijheh.2005.07.004. Epub 2005 Aug 18. PMID: 16325560.
109. Eisler R. Gold concentrations in abiotic materials, plants, and animals: a synoptic review. *Environ Monit Assess.* 2004 Jan;90(1-3):73-88. doi:
110. Gellein K, Lierhagen S, Brevik PS, Teigen M, Kaur P, Singh T, Flaten TP, Syversen T. Trace element profiles in single strands of human hair determined by HR-ICP-MS. *Biol Trace Elem Res.* 2008 Summer;123(1-3):250-60. doi: 10.1007/s12011-008-8104-0. Epub 2008 Feb 20. PMID: 18286238.
111. Ruckart PZ, Jones RL, Courtney JG, LeBlanc TT, Jackson W, Karwowski MP, Cheng PY, Allwood P, Svendsen ER, Breyse PN. Update of the Blood Lead Reference Value - United States, 2021. *MMWR Morb Mortal Wkly Rep.* 2021 Oct 29;70(43):1509-1512. doi: 10.15585/mmwr.mm7043a4. PMID: 34710078; PMCID: PMC8553025.
112. Lanphear B, Navas-Acien A, Bellinger DC. Lead poisoning. *N Engl J Med.* 2024;391(17):1621-1631. doi:10.1056/NEJMra2402527
113. Ruckart PZ, Jones RL, Courtney JG, LeBlanc TT, Jackson W, Karwowski MP, Cheng PY, Allwood P, Svendsen ER, Breyse PN. Update of the Blood Lead Reference Value - United States, 2021. *MMWR Morb Mortal Wkly Rep.* 2021 Oct 29;70(43):1509-1512. doi: 10.15585/mmwr.mm7043a4. PMID: 34710078; PMCID: PMC8553025.
114. Mason, Lisa H., Harp, Jordan P., Han, Dong Y., Pb Neurotoxicity: Neuropsychological Effects of Lead Toxicity, *BioMed Research International*, 2014, 840547, 8 pages, 2014. <https://doi.org/10.1155/2014/840547>
115. Ruckart PZ, Jones RL, Courtney JG, LeBlanc TT, Jackson W, Karwowski MP, Cheng PY, Allwood P, Svendsen ER, Breyse PN. Update of the Blood Lead Reference Value - United States, 2021. *MMWR Morb Mortal Wkly Rep.* 2021 Oct 29;70(43):1509-1512. doi: 10.15585/mmwr.mm7043a4. PMID: 34710078; PMCID: PMC8553025.
116. Lanphear B, Navas-Acien A, Bellinger DC. Lead poisoning. *N Engl J Med.* 2024;391(17):1621-1631. doi:10.1056/NEJMra2402527
117. Mason, Lisa H., Harp, Jordan P., Han, Dong Y., Pb Neurotoxicity: Neuropsychological Effects of Lead Toxicity, *BioMed Research International*, 2014, 840547, 8 pages, 2014. <https://doi.org/10.1155/2014/840547>

118. Lanphear B, Navas-Acien A, Bellinger DC. Lead poisoning. *N Engl J Med.* 2024;391(17):1621-1631. doi:10.1056/NEJMra2402527
119. Ruckart PZ, Jones RL, Courtney JG, LeBlanc TT, Jackson W, Karwowski MP, Cheng PY, Allwood P, Svendsen ER, Breyse PN. Update of the Blood Lead Reference Value - United States, 2021. *MMWR Morb Mortal Wkly Rep.* 2021 Oct 29;70(43):1509-1512. doi: 10.15585/mmwr.mm7043a4. PMID: 34710078; PMCID: PMC8553025.
120. Lamas GA, Bhatnagar A, Jones MR, Mann KK, Nasir K, Tellez-Plaza M, Ujueta F, Navas-Acien A; American Heart Association Council on Epidemiology and Prevention; Council on Cardiovascular and Stroke Nursing; Council on Lifestyle and Cardiometabolic Health; Council on Peripheral Vascular Disease; and Council on the Kidney in Cardiovascular Disease. Contaminant Metals as Cardiovascular Risk Factors: A Scientific Statement From the American Heart Association. *J Am Heart Assoc.* 2023 Jul 4;12(13):e029852. doi: 10.1161/JAHA.123.029852. Epub 2023 Jun 12. PMID: 37306302; PMCID: PMC10356104.
121. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
122. Sallsten G, Ellingsen DG, Berlinger B, Weinbruch S, Barregard L. Variability of lead in urine and blood in healthy individuals. *Environ Res.* 2022 Sep;212(Pt C):113412. doi: 10.1016/j.envres.2022.113412. Epub 2022 May 4. PMID: 35523277.
123. Sommar JN, Hedmer M, Lundh T, Nilsson L, Skerfving S, Bergdahl IA. Investigation of lead concentrations in whole blood, plasma and urine as biomarkers for biological monitoring of lead exposure. *J Expo Sci Environ Epidemiol.* 2014 Jan-Feb;24(1):51-7. doi: 10.1038/jes.2013.4. Epub 2013 Feb 27. PMID: 23443239.
124. Sanna E, De Micco A, Vallascas E. Evaluation of association between biomarkers of lead exposure in Sardinian children (Italy). *Biol Trace Elem Res.* 2011 Dec;143(3):1383-92. doi: 10.1007/s12011-011-8988-y. Epub 2011 Feb 12. PMID: 21318620.
125. Stupar J, Dolinsek F, Erzen I. Hair-Pb longitudinal profiles and blood-Pb in the population of young Slovenian males. *Ecotoxicol Environ Saf.* 2007 Sep;68(1):134-43. doi: 10.1016/j.ecoenv.2006.03.010. Epub 2006 Jun 6. PMID: 16757026.
126. Sanna, E. and Vallascas, E. (2011), Hair lead levels to evaluate the subclinical impact of lead on growth in Sardinian children (Italy). *Am. J. Hum. Biol.*, 23: 740-746. <https://doi.org/10.1002/ajhb.21203>
127. Clarkson TW, Magos L, Myers GJ. The toxicology of mercury: current exposures and clinical manifestations. *N Engl J Med.* 2003;349(18):1731-1737. doi:10.1056/NEJMra022471.
128. Clarkson TW, Magos L, Myers GJ. The toxicology of mercury: current exposures and clinical manifestations. *N Engl J Med.* 2003;349(18):1731-1737. doi:10.1056/NEJMra022471.
129. Clarkson TW, Magos L, Myers GJ. The toxicology of mercury: current exposures and clinical manifestations. *N Engl J Med.* 2003;349(18):1731-1737. doi:10.1056/NEJMra022471.
130. So SCA, Tsoi MF, Cheung AJ, Cheung TT, Cheung BMY. Blood and Urine Inorganic and Organic Mercury Levels in the United States from 1999 to 2016. *Am J Med.* 2021 Jan;134(1):e20-e30. doi: 10.1016/j.amjmed.2020.06.023. Epub 2020 Jul 18. PMID: 32692984.
131. Toxicological Profile for Mercury
132. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
133. Biomonitoring - Mercury | US EPA
134. WHO | JECFA
135. Scientific Opinion on the risk for public health related to the presence of mercury and methylmercury in food -- 2012 - EFSA Journal - Wiley Online Library
136. Genchi G, Carocci A, Lauria G, Sinicropi MS, Catalano A. Nickel: Human Health and Environmental Toxicology. *Int J Environ Res Public Health.* 2020 Jan 21;17(3):679. doi: 10.3390/ijerph17030679. PMID: 31973020; PMCID: PMC7037090.

137. Jose CC, Jagannathan L, Tanwar VS, Zhang X, Zang C, Cuddapah S. Nickel exposure induces persistent mesenchymal phenotype in human lung epithelial cells through epigenetic activation of ZEB1. *Mol Carcinog.* 2018;57(6):794-806. doi:10.1002/mc.22802.
138. Position Statement: Nickel Sensitivity. American Academy of Dermatology (2022). 2022.
139. Schaumlöffel D. Nickel species: analysis and toxic effects. *J Trace Elem Med Biol.* 2012 Jan;26(1):1-6. doi: 10.1016/j.jtemb.2012.01.002. Epub 2012 Feb 24. PMID: 22366237.
140. Rafati Rahimzadeh M, Rafati Rahimzadeh M, Kazemi S, Moghadamnia AA. Nickel; a metal with threats to human health, focusing on its intoxication mechanisms. *Hum Exp Toxicol.* 2025 Jan-Dec;44:9603271251361197. doi: 10.1177/09603271251361197. Epub 2025 Dec 16. PMID: 41399878.
141. Su X, Zhang Z, Qiu S, Zeng B, Yang M, Huang X, Zou X, Yang L. Association between nickel exposure and body compositions in the United States: a population-based cross-sectional study. *BMC Public Health.* 2023 Aug 25;23(1):1632. doi: 10.1186/s12889-023-16483-0. PMID: 37626316; PMCID: PMC10463381.
142. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
143. Sazakli E, Leotsinidis M. Hair biomonitoring and health status of a general population exposed to Nickel. *J Trace Elem Med Biol.* 2017 Sep;43:161-168. doi: 10.1016/j.jtemb.2017.02.001. Epub 2017 Feb 6. PMID: 28215719.
144. Grabeklis AR, Skalny AV, Nechiporenko SP, Lakarova EV. Indicator ability of biosubstances in monitoring the moderate occupational exposure to toxic metals. *J Trace Elem Med Biol.* 2011 Jan;25 Suppl 1:S41-4. doi: 10.1016/j.jtemb.2010.10.014. Epub 2010 Dec 21. PMID: 21177085.
145. Gil F, Hernández AF, Márquez C, Femia P, Olmedo P, López-Guarnido O, Pla A. Biomonitorization of cadmium, chromium, manganese, nickel and lead in whole blood, urine, axillary hair and saliva in an occupationally exposed population. *Sci Total Environ.* 2011 Feb 15;409(6):1172-80. doi: 10.1016/j.scitotenv.2010.11.033. Epub 2011 Jan 6. PMID: 21211822.
146. Thyssen, J.P., Roeske-Nielsen, A. and Johansen, J.D. (2011), Contact allergy and human biomonitoring – an overview with a focus on metals. *Contact Dermatitis*, 65: 125-137. <https://doi.org/10.1111/j.1600-0536.2011.01933.x>
147. Silverberg NB, Pelletier JL, Jacob SE, et al; Section on Dermatology; Section on Allergy and Immunology. Nickel allergic contact dermatitis: identification, treatment, and prevention. *Pediatrics.* 2020;145(5):e20200628. doi:10.1542/peds.2020-0628.
148. Ahlström MG, Thyssen JP, Wennervaldt M, Menné T, Johansen JD. Nickel allergy and allergic contact dermatitis: A clinical review of immunology, epidemiology, exposure, and treatment. *Contact Dermatitis.* 2019; 81: 227–241. <https://doi.org/10.1111/cod.13327>
149. Muris, J., Kleverlaan, C.J., Rustemeyer, T., von Blomberg, M.E., van Hoogstraten, I.M.W., Feilzer, A.J. and Scheper, R.J. (2012), Sodium tetrachloropalladate for diagnosing palladium sensitization. *Contact Dermatitis*, 67: 94-100. <https://doi.org/10.1111/j.1600-0536.2012.02061.x>
150. Faurschou, A., Menné, T., Johansen, J.D. and Thyssen, J.P. (2011), Metal allergen of the 21st century—a review on exposure, epidemiology and clinical manifestations of palladium allergy. *Contact Dermatitis*, 64: 185-195. <https://doi.org/10.1111/j.1600-0536.2011.01878.x>
151. Kielhorn J, Melber C, Keller D, Mangelsdorf I. Palladium--a review of exposure and effects to human health. *Int J Hyg Environ Health.* 2002 Oct;205(6):417-32. doi: 10.1078/1438-4639-00180. PMID: 12455264.
152. Tillman, C., Engfeldt, M., Hindsén, M. and Bruze, M. (2013), Usage test with palladium-coated earrings in patients with contact allergy to palladium and nickel. *Contact Dermatitis*, 69: 288-295. <https://doi.org/10.1111/cod.12118>
153. González-Ruiz L, Vergara De Caso E, Peña-Sánchez R, Silvestre-Salvador JF. Delayed hypersensitivity to palladium dichloride: 15-year retrospective study in a skin allergy unit. *Contact Dermatitis.* 2019; 81: 249–253. <https://doi.org/10.1111/cod.13343>

154. Kielhorn J, Melber C, Keller D, Mangelsdorf I. Palladium--a review of exposure and effects to human health. *Int J Hyg Environ Health*. 2002 Oct;205(6):417-32. doi: 10.1078/1438-4639-00180. PMID: 12455264.
155. Wiseman CL, Zereini F. Airborne particulate matter, platinum group elements and human health: a review of recent evidence. *Sci Total Environ*. 2009 Apr 1;407(8):2493-500. doi: 10.1016/j.scitotenv.2008.12.057. Epub 2009 Jan 31. PMID: 19181366.
156. Moore W, Hysell D, Hall L, Campbell K, Stara J. Preliminary studies on the toxicity and metabolism of palladium and platinum. *Environ Health Perspect*. 1975 Apr;10:63-71. doi: 10.1289/ehp.751063. PMID: 50942; PMCID: PMC1475046.
157. Colombo C, Monhemius AJ, Plant JA. The estimation of the bioavailabilities of platinum, palladium and rhodium in vehicle exhaust catalysts and road dusts using a physiologically based extraction test. *Sci Total Environ*. 2008 Jan 15;389(1):46-51. doi: 10.1016/j.scitotenv.2007.08.022. Epub 2007 Sep 19. PMID: 17884144.
158. Wiseman CL, Zereini F. Airborne particulate matter, platinum group elements and human health: a review of recent evidence. *Sci Total Environ*. 2009 Apr 1;407(8):2493-500. doi: 10.1016/j.scitotenv.2008.12.057. Epub 2009 Jan 31. PMID: 19181366.
159. Bocca B, Bena A, Pino A, D'Aversa J, Oreggia M, Farina E, Salamina G, Procopio E, Chiusolo M, Gandini M, Cadum E, Musmeci L, Alimonti A. Human biomonitoring of metals in adults living near a waste-to-energy incinerator in ante-operam phase: Focus on reference values and health-based assessments. *Environ Res*. 2016 Jul;148:338-350. doi: 10.1016/j.envres.2016.04.013. Epub 2016 Apr 22. PMID: 27107710.
160. Ek KH, Morrison GM, Rauch S. Environmental routes for platinum group elements to biological materials--a review. *Sci Total Environ*. 2004 Dec 1;334-335:21-38. doi: 10.1016/j.scitotenv.2004.04.027. PMID: 15504490.
161. Lo Medico F, Varrica D, Alaimo MG. Occurrence of palladium and platinum in human scalp hair of adolescents living in urban and industrial sites. *Sci Total Environ*. 2023 Sep 20;892:164777. doi: 10.1016/j.scitotenv.2023.164777. Epub 2023 Jun 10. PMID: 37308019.
162. Goullé JP, Mahieu L, Castermant J, Neveu N, Bonneau L, Lainé G, Bouige D, Lacroix C. Metal and metalloid multi-elementary ICP-MS validation in whole blood, plasma, urine and hair. Reference values. *Forensic Sci Int*. 2005 Oct 4;153(1):39-44. doi: 10.1016/j.forsciint.2005.04.020. PMID: 15979835.
163. Muris, J., Goossens, A., Gonçalves, M., Bircher, A.J., Giménez-Arnau, A., Foti, C., Rustemeyer, T., Feilzer, A.J. and Kleverlaan, C.J. (2015), Sensitization to palladium and nickel in Europe and the relationship with oral disease and dental alloys. *Contact Dermatitis*, 72: 286-296. <https://doi.org/10.1111/cod.12327>
164. Rosholm Comstedt L, Dahlin J, Bruze M, et al. Prevalence of contact allergy to metals: nickel, palladium, and cobalt in Southern Sweden from 1995–2016. *Contact Dermatitis*. 2020; 82: 218–226. <https://doi.org/10.1111/cod.13422>
165. Ek KH, Morrison GM, Rauch S. Environmental routes for platinum group elements to biological materials--a review. *Sci Total Environ*. 2004 Dec 1;334-335:21-38. doi: 10.1016/j.scitotenv.2004.04.027. PMID: 15504490.
166. Ravindra K, Bencs L, Van Grieken R. Platinum group elements in the environment and their health risk. *Sci Total Environ*. 2004 Jan 5;318(1-3):1-43. doi: 10.1016/S0048-9697(03)00372-3. PMID: 14654273.
167. Ek KH, Morrison GM, Rauch S. Environmental routes for platinum group elements to biological materials--a review. *Sci Total Environ*. 2004 Dec 1;334-335:21-38. doi: 10.1016/j.scitotenv.2004.04.027. PMID: 15504490.
168. Ravindra K, Bencs L, Van Grieken R. Platinum group elements in the environment and their health risk. *Sci Total Environ*. 2004 Jan 5;318(1-3):1-43. doi: 10.1016/S0048-9697(03)00372-3. PMID: 14654273.
169. Linde SJL, Franken A, du Plessis JL. Occupational Respiratory Exposure to Platinum Group Metals: A Review and Recommendations. *Chem Res Toxicol*. 2017 Oct 16;30(10):1778-1790. doi: 10.1021/acs.chemrestox.7b00184. Epub 2017 Sep 15. PMID: 28858470.
170. Merget R, Pham N, Schmidtke M, Casjens S, van Kampen V, Sander I, Hagemeyer O, Sucker K, Raulf M, Brüning T. Medical surveillance and long-term prognosis of occupational allergy due to platinum salts. *Int Arch Occup Environ Health*. 2017 Jan;90(1):73-81. doi: 10.1007/s00420-016-1172-0. Epub 2016 Oct 12. PMID: 27734174.

171. Shahsavani, M. B., M. Heidari, R. Yousefi, and A. A. Moosavi-Movahedi. 2025. "Platinum-Based Chemotherapeutics in the Modern Era: From Classical DNA-Targeting Mechanisms to Next-Generation Innovations in Cancer Therapy." *Chemical Biology & Drug Design* 106, no. 6: e70208. <https://doi.org/10.1111/cbdd.70208>.
172. Lai Y, Qiu G, Zheng Z, Huang X, Guo P, Zhang Y, Fang L. Platinum accumulation in chemotherapy: toxicity mechanisms, challenges, and mitigation strategies. *Biometals*. 2026 Apr 29. doi: 10.1007/s10534-026-00812-y. Epub ahead of print. PMID: 42053879.
173. Schuppe HC, Kulig J, Kühn U, Lempertz U, Kind P, Knop J, Becker D. Immunostimulatory effects of platinum compounds: correlation between sensitizing properties in vivo and modulation of receptor-mediated endocytosis in vitro. *Int Arch Allergy Immunol*. 1997 Feb;112(2):125-32. doi: 10.1159/000237442. PMID: 9030091.
174. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
175. Petrucci F, Violante N, Senofonte O, Cristaudo A, Di Gregorio M, Forte G, Alimonti A. Biomonitoring of a worker population exposed to platinum dust in a catalyst production plant. *Occup Environ Med*. 2005 Jan;62(1):27-33. doi: 10.1136/oem.2004.016022. PMID: 15613605; PMCID: PMC1740857.
176. Lo Medico F, Varrica D, Alaimo MG. Occurrence of palladium and platinum in human scalp hair of adolescents living in urban and industrial sites. *Sci Total Environ*. 2023 Sep 20;892:164777. doi: 10.1016/j.scitotenv.2023.164777. Epub 2023 Jun 10. PMID: 37308019.
177. Merget R, Pham N, Schmidtke M, Casjens S, van Kampen V, Sander I, Hagemeyer O, Sucker K, Raulf M, Brüning T. Medical surveillance and long-term prognosis of occupational allergy due to platinum salts. *Int Arch Occup Environ Health*. 2017 Jan;90(1):73-81. doi: 10.1007/s00420-016-1172-0. Epub 2016 Oct 12. PMID: 27734174.
178. Merget R, Kulzer R, Dierkes-Globisch A, Breitstadt R, Gebler A, Kniffka A, Artelt S, Koenig HP, Alt F, Vormberg R, Baur X, Schultze-Werninghaus G. Exposure-effect relationship of platinum salt allergy in a catalyst production plant: conclusions from a 5-year prospective cohort study. *J Allergy Clin Immunol*. 2000 Feb;105(2 Pt 1):364-70. doi: 10.1016/s0091-6749(00)90089-7. PMID: 10669860.
179. Betts HD, Whitehead C, Harris HH. Silver in biology and medicine: opportunities for metallomics researchers. *Metallomics*. 2021 Jan 16;13(1):mfaa001. doi: 10.1093/mtomcs/mfaa001. PMID: 33570135.
180. Möhler JS, Sim W, Blaskovich MAT, Cooper MA, Ziora ZM. Silver bullets: A new lustre on an old antimicrobial agent. *Biotechnol Adv*. 2018 Sep-Oct;36(5):1391-1411. doi: 10.1016/j.biotechadv.2018.05.004. Epub 2018 May 27. PMID: 29847770.
181. Betts HD, Whitehead C, Harris HH. Silver in biology and medicine: opportunities for metallomics researchers. *Metallomics*. 2021 Jan 16;13(1):mfaa001. doi: 10.1093/mtomcs/mfaa001. PMID: 33570135.
182. Betts HD, Whitehead C, Harris HH. Silver in biology and medicine: opportunities for metallomics researchers. *Metallomics*. 2021 Jan 16;13(1):mfaa001. doi: 10.1093/mtomcs/mfaa001. PMID: 33570135.
183. Aylward LL, Bachler G, von Goetz N, Poddalgoda D, Hays SM, Nong A. Biomonitoring Equivalents for interpretation of silver biomonitoring data in a risk assessment context. *Int J Hyg Environ Health*. 2016 Aug;219(6):521-6. doi: 10.1016/j.ijheh.2016.05.005. Epub 2016 May 19. PMID: 27283208.
184. Aylward LL, Bachler G, von Goetz N, Poddalgoda D, Hays SM, Nong A. Biomonitoring Equivalents for interpretation of silver biomonitoring data in a risk assessment context. *Int J Hyg Environ Health*. 2016 Aug;219(6):521-6. doi: 10.1016/j.ijheh.2016.05.005. Epub 2016 May 19. PMID: 27283208.
185. DiVincenzo GD, Giordano CJ, Schriever LS. Biologic monitoring of workers exposed to silver. *Int Arch Occup Environ Health*. 1985;56(3):207-15. doi: 10.1007/BF00396598. PMID: 4066049.
186. Barbosa F Jr, Devoz PP, Cavalcante MRN, Gallimberti M, Cruz JC, Domingo JL, Simões EJ, Lotufo P, Liu S, Bensenor I. Urinary levels of 30 metal/metalloids in the Brazilian southeast population: Findings from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). *Environ Res*. 2023 May 15;225:115624. doi: 10.1016/j.envres.2023.115624. Epub 2023 Mar 5. PMID: 36878270.

187. Chellini E, Maurello MT, Cortini B, Aprea C. Human bio-monitoring study around a plant that recycles and refines precious metals in Central Italy. *Sci Total Environ.* 2017 Apr 15;584-585:348-354. doi: 10.1016/j.scitotenv.2016.12.178. Epub 2017 Feb 6. PMID: 28185735.
188. Wan AT, Conyers RA, Coombs CJ, Masterton JP. Determination of silver in blood, urine, and tissues of volunteers and burn patients. *Clin Chem.* 1991 Oct;37(10 Pt 1):1683-7. PMID: 1914165.
189. DiVincenzo GD, Giordano CJ, Schriever LS. Biologic monitoring of workers exposed to silver. *Int Arch Occup Environ Health.* 1985;56(3):207-15. doi: 10.1007/BF00396598. PMID: 4066049.
190. Goullé JP, Mahieu L, Castermant J, Neveu N, Bonneau L, Lainé G, Bouige D, Lacroix C. Metal and metalloid multi-elementary ICP-MS validation in whole blood, plasma, urine and hair. Reference values. *Forensic Sci Int.* 2005 Oct 4;153(1):39-44. doi: 10.1016/j.forsciint.2005.04.020. PMID: 15979835.
191. Karbowska B. Presence of thallium in the environment: sources of contaminations, distribution and monitoring methods. *Environ Monit Assess.* 2016 Nov;188(11):640. doi: 10.1007/s10661-016-5647-y. Epub 2016 Oct 26. PMID: 27783348; PMCID: PMC5080298.
192. DailyMed - THALLOUS CHLORIDE TL 201- thallos chloride, tl 201 injection, solution
193. Moore D, House I, Dixon A. Thallium poisoning. Diagnosis may be elusive but alopecia is the clue. *BMJ.* 1993 Jun 5;306(6891):1527-9. doi: 10.1136/bmj.306.6891.1527. Erratum in: *BMJ* 1993 Jun 12;306(6892);1603. PMID: 8518684; PMCID: PMC1677968.
194. Marjanović Čermak AM, Mustać S, Cvjetko P, Pavičić I, Kifer D, Bešić E, Domijan AM. Thallium Toxicity and its Interference with Potassium Pathways Tested on Various Cell Lines. *Biol Trace Elem Res.* 2024 Nov;202(11):5025-5035. doi: 10.1007/s12011-024-04086-8. Epub 2024 Feb 13. PMID: 38349487.
195. McCall D, Zimmer LJ, Katz AM. Kinetics of thallium exchange in cultured rat myocardial cells. *Circ Res.* 1985 Mar;56(3):370-6. doi: 10.1161/01.res.56.3.370. PMID: 3971511.
196. Osterholt M, Sen S, Dilsizian V, Taegtmeyer H. Targeted metabolic imaging to improve the management of heart disease. *JACC Cardiovasc Imaging.* 2012 Feb;5(2):214-26. doi: 10.1016/j.jcmg.2011.11.009. PMID: 22340831; PMCID: PMC3302688.
197. Aprea MC, Nuvolone D, Petri D, Voller F, Bertelloni S, Aragona I. Human biomonitoring to assess exposure to thallium following the contamination of drinking water. *PLoS One.* 2020 Oct 29;15(10):e0241223. doi: 10.1371/journal.pone.0241223. PMID: 33119651; PMCID: PMC7595388.
198. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
199. Matsukawa T, Chiba M, Shinohara A, Matsumoto-Omori Y, Yokoyama K. Changes in thallium distribution in the scalp hair after an intoxication incident. *Forensic Sci Int.* 2018 Oct;291:230-233. doi: 10.1016/j.forsciint.2018.08.019. Epub 2018 Sep 5. PMID: 30227370.
200. Campanella B, Onor M, D'Ulivo A, Giannecchini R, D'Orazio M, Petrini R, Bramanti E. Human exposure to thallium through tap water: A study from Valdicastello Carducci and Pietrasanta (northern Tuscany, Italy). *Sci Total Environ.* 2016 Apr 1;548-549:33-42. doi: 10.1016/j.scitotenv.2016.01.010. Epub 2016 Jan 19. PMID: 26799805.
201. Heitland P, Pragst F, Hartwig S, Köster HD. Thallium distribution along segmented single hairs in a case of a criminal poisoning. *J Anal Toxicol.* 2025 Sep 1;49(7):492-495. doi: 10.1093/jat/bkaf034. PMID: 40465418.
202. Ash RD, He M. Details of a thallium poisoning case revealed by single hair analysis using laser ablation inductively coupled plasma mass spectrometry. *Forensic Sci Int.* 2018 Nov;292:224-231. doi: 10.1016/j.forsciint.2018.10.002. Epub 2018 Oct 9. PMID: 30343235.
203. Maher K, Bargar JR, Brown GE Jr. Environmental speciation of actinides. *Inorg Chem.* 2013 Apr 1;52(7):3510-32. doi: 10.1021/ic301686d. Epub 2012 Nov 8. PMID: 23137032.
204. Maher K, Bargar JR, Brown GE Jr. Environmental speciation of actinides. *Inorg Chem.* 2013 Apr 1;52(7):3510-32. doi: 10.1021/ic301686d. Epub 2012 Nov 8. PMID: 23137032.
205. Maher K, Bargar JR, Brown GE Jr. Environmental speciation of actinides. *Inorg Chem.* 2013 Apr 1;52(7):3510-32. doi: 10.1021/ic301686d. Epub 2012 Nov 8. PMID: 23137032.

206. Wang L, Zhong B, Liang T, Xing B, Zhu Y. Atmospheric thorium pollution and inhalation exposure in the largest rare earth mining and smelting area in China. *Sci Total Environ*. 2016 Dec 1;572:1-8. doi: 10.1016/j.scitotenv.2016.07.192. Epub 2016 Jul 30. PMID: 27485909.
207. Xie Y, Qian Y, Zhang Y, Yin L, Guo N, Ji Y. Uranium and thorium levels in urine and hair of coal miners and local residents in Shanxi, China. *J Environ Radioact*. 2026 Jan;291:107861. doi: 10.1016/j.jenvrad.2025.107861. Epub 2025 Nov 30. PMID: 41325660.
208. Li WB, Wahl W, Oeh U, Höllriegel V, Roth P. Biokinetic modelling of natural thorium in humans by ingestion. *Radiat Prot Dosimetry*. 2007;125(1-4):500-5. doi: 10.1093/rpd/ncm168. Epub 2007 Mar 3. PMID: 17337738.
209. Johnson JR, Lamothe ES. A review of the dietary uptake of Th. *Health Phys*. 1989 Feb;56(2):165-8. doi: 10.1097/00004032-198902000-00003. PMID: 2645247.
210. Höllriegel V, Li WB, Oeh U, Röhmuss M, Roth P. Can default ICRP f1 values be applied to determine radiation dose from the intake of diet-incorporated thorium? *Radiat Prot Dosimetry*. 2005;113(4):403-7. doi: 10.1093/rpd/nch482. Epub 2005 Mar 29. PMID: 15797920.
211. Yadav R, Das SK, Ali M, Pandey BN, Kumar A. Role of calcium ion channels and cytoskeletal proteins in Thorium-232 induced toxicity in normal human liver cells (WRL 68) and its validation in swiss mice. *Chemosphere*. 2022 Feb;288(Pt 2):132557. doi: 10.1016/j.chemosphere.2021.132557. Epub 2021 Oct 12. PMID: 34653484.
212. Baglan N, Cossonnet C, Ritt J. Determination of ²³²Th in urine by ICP-MS for individual monitoring purposes. *Health Phys*. 2001 Jul;81(1):76-81. doi: 10.1097/00004032-200107000-00010. PMID: 11414627.
213. Liu Y, Xiao G, Jones RL. Rapid determination of thorium in urine by quadrupole inductively coupled plasma mass spectrometry (Q-ICP-MS). *J Radioanal Nucl Chem*. 2022 Sep;331(9):3957-3964. doi: 10.1007/s10967-022-08408-9. Epub 2022 Aug 29. PMID: 36744001; PMCID: PMC9891388.
214. Liu Y, Xiao G, Jones RL. High-Throughput Determination of Ultratrace Actinides in Urine by In-Line Extraction Chromatography Combined with Quadrupole Inductively Coupled Plasma Mass Spectrometry (EC-ICP-MS). *Anal Chem*. 2022 Dec 27;94(51):18042-18049. doi: 10.1021/acs.analchem.2c04458. Epub 2022 Dec 15. PMID: 36519576; PMCID: PMC9969411.
215. Hewson GS, Fardy JJ. Thorium metabolism and bioassay of mineral sands workers. *Health Phys*. 1993 Feb;64(2):147-56. doi: 10.1097/00004032-199302000-00004. PMID: 8449708.
216. Ali MU, Liu G, Yousaf B, Ullah H, Abbas Q, Munir MAM, Irshad S. Biomonitoring and health risks assessment of trace elements in various age- and gender-groups exposed to road dust in habitable urban-industrial areas of Hefei, China. *Environ Pollut*. 2019 Jan;244:809-817. doi: 10.1016/j.envpol.2018.10.084. Epub 2018 Oct 26. PMID: 30390454.
217. Gil F, Hernández AF. Toxicological importance of human biomonitoring of metallic and metalloid elements in different biological samples. Fage, S.W., Muris, J., Jakobsen, S.S. and Thyssen, J.P. (2016), Titanium: a review on exposure, release, penetration, allergy, epidemiology, and clinical reactivity. *Contact Dermatitis*, 74: 323-345. <https://doi.org/10.1111/cod.12565>
218. Fage, S.W., Muris, J., Jakobsen, S.S. and Thyssen, J.P. (2016), Titanium: a review on exposure, release, penetration, allergy, epidemiology, and clinical reactivity. *Contact Dermatitis*, 74: 323-345. <https://doi.org/10.1111/cod.12565> 229 Saxena M, Loza-Rosas SA, Gaur K, Sharma S, Pérez Otero SC, Tinoco AD. Exploring titanium(IV) chemical proximity to iron(III) to elucidate a function for Ti(IV) in the human body. *Coord Chem Rev*. 2018 May 15;363:109-125. doi: 10.1016/j.ccr.2018.03.006. Epub 2018 Mar 20. PMID: 30270932; PMCID: PMC6159949.
219. Fage, S.W., Muris, J., Jakobsen, S.S. and Thyssen, J.P. (2016), Titanium: a review on exposure, release, penetration, allergy, epidemiology, and clinical reactivity. *Contact Dermatitis*, 74: 323-345. <https://doi.org/10.1111/cod.12565>
220. Markowska-Szczupak A, Endo-Kimura M, Paszkiewicz O, Kowalska E. Are Titanium Photocatalysts and Titanium Implants Safe? Review on the Toxicity of Titanium Compounds. *Nanomaterials (Basel)*. 2020 Oct 19;10(10):2065. doi: 10.3390/nano10102065. PMID: 33086609; PMCID: PMC7603142.

221. Bevacqua E, Occhiuzzi MA, Grande F, Tucci P. TiO₂-NPs Toxicity and Safety: An Update of the Findings Published over the Last Six Years. *Mini Rev Med Chem.* 2023;23(9):1050-1057. doi: 10.2174/1389557522666220929152403. PMID: 36177628.
222. Chen Q, Wang N, Zhu M, Lu J, Zhong H, Xue X, Guo S, Li M, Wei X, Tao Y, Yin H. TiO₂ nanoparticles cause mitochondrial dysfunction, activate inflammatory responses, and attenuate phagocytosis in macrophages: A proteomic and metabolomic insight. *Redox Biol.* 2018 May;15:266-276. doi: 10.1016/j.redox.2017.12.011. Epub 2017 Dec 28. PMID: 29294438; PMCID: PMC5752088.
223. Markowska-Szczupak A, Endo-Kimura M, Paszkiewicz O, Kowalska E. Are Titania Photocatalysts and Titanium Implants Safe? Review on the Toxicity of Titanium Compounds. *Nanomaterials (Basel).* 2020 Oct 19;10(10):2065. doi: 10.3390/nano10102065. PMID: 33086609; PMCID: PMC7603142.
224. Bevacqua E, Occhiuzzi MA, Grande F, Tucci P. TiO₂-NPs Toxicity and Safety: An Update of the Findings Published over the Last Six Years. *Mini Rev Med Chem.* 2023;23(9):1050-1057. doi: 10.2174/1389557522666220929152403. PMID: 36177628.
225. Cavallo, Delia, Fresegna, Anna Maria, Ciervo, Aureliano, Maiello, Raffaele, Chiarella, Pieranna, Buresti, Giuliana, Del Frate, Valentina, Di Bilio, Marco, Iavicoli, Sergio, Ursini, Cinzia Lucia, Evaluation of Systemic Genotoxic/Oxidative and Proinflammatory Effects in Workers of a Titanium Dioxide Production Plant, *BioMed Research International*, 2023, 7066090, 13 pages, 2023. <https://doi.org/10.1155/2023/7066090>
226. Ramoju S, Andersen ME, Nong A, Karyakina N, Shilnikova N, Krishnan K, Krewski D. Derivation of whole blood biomonitoring equivalents for titanium for the interpretation of biomonitoring data. *Regul Toxicol Pharmacol.* 2020 Jul;114:104671. doi: 10.1016/j.yrtph.2020.104671. Epub 2020 Apr 30. PMID: 32360442.
227. Moro AM, Brucker N, Goethel G, Flesch I, Nascimento S, Charão M, Gauer B, Sauer E, Cestonaro LV, Viçozzi GP, Gioda A, Saint'Pierre TD, Arbo MD, Garcia I, Cattani SA, Petrecelli RR, Martins MO, Garcia SC. The Influence of Blood Titanium Levels on DNA Damage in Brazilian Workers Occupationally Exposed to Different Chemical Agents. *Biol Trace Elem Res.* 2025 Aug;203(8):4013-4026. doi: 10.1007/s12011-024-04472-2. Epub 2024 Dec 18. PMID: 39695012.
228. Balcaen L, Bolea-Fernandez E, Resano M, Vanhaecke F. Accurate determination of ultra-trace levels of Ti in blood serum using ICP-MS/MS. *Anal Chim Acta.* 2014 Jan 27;809:1-8. doi: 10.1016/j.aca.2013.10.017. Epub 2013 Oct 19. PMID: 24418127.
229. Buonaurio F, Astolfi ML, Canepari S, Di Bilio M, Gibilras R, Mecchia M, Papacchini M, Paci E, Pigni D, Tranfo G. Urinary Oxidative Stress Biomarkers in Workers of a Titanium Dioxide Based Pigment Production Plant. *Int J Environ Res Public Health.* 2020 Dec 5;17(23):9085. doi: 10.3390/ijerph17239085. PMID: 33291387; PMCID: PMC7730030.
230. Jacobs JJ, Skipor AK, Patterson LM, Hallab NJ, Paprosky WG, Black J, Galante JO. Metal release in patients who have had a primary total hip arthroplasty. A prospective, controlled, longitudinal study. *J Bone Joint Surg Am.* 1998 Oct;80(10):1447-58. doi: 10.2106/00004623-199810000-00006. PMID: 9801213.
231. Čargonja M, Mekterović D, Žurga P, Ravlić-Gulan J, Radović IB, Žauhar G. Deposition of heavy metals in biological tissues of workers in metal workshops. *Environ Sci Pollut Res Int.* 2023 Mar;30(13):36794-36806. doi: 10.1007/s11356-022-24746-3. Epub 2022 Dec 23. PMID: 36562973.
232. Kasai Y, Iida R, Uchida A. Metal concentrations in the serum and hair of patients with titanium alloy spinal implants. *Spine (Phila Pa 1976).* 2003 Jun 15;28(12):1320-6. doi: 10.1097/01.BRS.0000065482.41115.B4. PMID: 12811278.
233. Ma M, Wang R, Xu L, Xu M, Liu S. Emerging health risks and underlying toxicological mechanisms of uranium contamination: Lessons from the past two decades. *Environ Int.* 2020 Dec;145:106107. doi: 10.1016/j.envint.2020.106107. Epub 2020 Sep 12. PMID: 32932066. Ma M, Wang R, Xu L, Xu M, Liu S. Emerging health risks and underlying toxicological mechanisms of uranium contamination: Lessons from the past two decades. *Environ Int.* 2020 Dec;145:106107. doi: 10.1016/j.envint.2020.106107. Epub 2020 Sep 12. PMID: 32932066.
234. Faqir Y, Li Z, Gul T, Zahoor, Jiang Z, Yu L, Tan C, Chen X, Ma J, Feng J. Uranium's hazardous effects on humans and recent developments in treatment. *Ecotoxicol Environ Saf.* 2025 Mar 15;293:118043. doi: 10.1016/j.ecoenv.2025.118043. Epub 2025 Mar 12. PMID: 40080936.

235. Yu L, Li W, Chu J, Chen C, Li X, Tang W, Xia B, Xiong Z. Uranium inhibits mammalian mitochondrial cytochrome c oxidase and ATP synthase. *Environ Pollut.* 2021 Feb 15;271:116377. doi: 10.1016/j.envpol.2020.116377. Epub 2020 Dec 28. PMID: 33401214.
236. Craft E, Abu-Qare A, Flaherty M, Garofolo M, Rincavage H, Abou-Donia M. Depleted and natural uranium: chemistry and toxicological effects. *J Toxicol Environ Health B Crit Rev.* 2004 Jul-Aug;7(4):297-317. doi: 10.1080/10937400490452714. PMID: 15205046.
237. Bleise A, Danesi PR, Burkart W. Properties, use and health effects of depleted uranium (DU): a general overview. *J Environ Radioact.* 2003;64(2-3):93-112. doi: 10.1016/s0265-931x(02)00041-3. PMID: 12500797.
238. Rump A, Eder S, Lamkowski A, Hermann C, Abend M, Port M. A quantitative comparison of the chemo- and radiotoxicity of uranium at different enrichment grades. *Toxicol Lett.* 2019 Oct 1;313:159-168. doi: 10.1016/j.toxlet.2019.07.004. Epub 2019 Jul 2. PMID: 31276769.
239. McDiarmid, M.A., Gaitens, J.M., Hines, S., Condon, M., Roth, T., Oliver, M., Gucer, P., Brown, L., Centeno, J.A., Streeten, E. and Squibb, K.S. (2015), Biologic monitoring and surveillance results for the department of veterans affairs' depleted uranium cohort: Lessons learned from sustained exposure over two decades. *Am. J. Ind. Med.*, 58: 583-594. <https://doi.org/10.1002/ajim.22435>
240. Kathren RL, Tolmachev SY. Natural Uranium Tissue Content of Three Caucasian Males. *Health Phys.* 2015 Sep;109(3):187-97. doi: 10.1097/HP.0000000000000315. PMID: 26222213.
241. Bourgeois D, Burt-Pichat B, Le Goff X, Garrevoet J, Tack P, Falkenberg G, Van Hoorebeke L, Vincze L, Denecke MA, Meyer D, Vidaud C, Boivin G. Micro-distribution of uranium in bone after contamination: new insight into its mechanism of accumulation into bone tissue. *Anal Bioanal Chem.* 2015 Sep;407(22):6619-25. doi: 10.1007/s00216-015-8835-7. Epub 2015 Jun 18. PMID: 26084548.
242. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
243. Okaneku J, Vearrier D, McKeever R, Lasala G, Greenberg MI. Urine uranium concentrations and renal function in residents of the United States--2001 to 2010. *Clin Toxicol (Phila).* 2015;53(10):931-4. doi: 10.3109/15563650.2015.1094704. Epub 2015 Oct 15. PMID: 26468995.
244. Byrne AR, Benedik L. Uranium content of blood, urine and hair of exposed and non-exposed persons determined by radiochemical neutron activation analysis, with emphasis on quality control. *Sci Total Environ.* 1991 Sep;107:143-57. doi: 10.1016/0048-9697(91)90256-e. PMID: 1785047.
245. Byrne AR, Benedik L. Uranium content of blood, urine and hair of exposed and non-exposed persons determined by radiochemical neutron activation analysis, with emphasis on quality control. *Sci Total Environ.* 1991 Sep;107:143-57. doi: 10.1016/0048-9697(91)90256-e. PMID: 1785047.
246. Brockman JD, Brown JW, Morrell JS, Robertson JD. Measurement of Uranium Isotope Ratios in Keratinous Materials: A Noninvasive Bioassay for Special Nuclear Material. *Anal Chem.* 2016 Sep 6;88(17):8765-71. doi: 10.1021/acs.analchem.6b02144. Epub 2016 Aug 16. PMID: 27484415.
247. Israelsson A, Pettersson H. Measurements of (234)U and (238)U in hair, urine, and drinking water among drilled bedrock well water users for the evaluation of hair as a biomonitor of uranium intake. *Health Phys.* 2014 Aug;107(2):143-9. doi: 10.1097/HP.0000000000000075. PMID: 24978285.

References Essential and Other Elements

1. Kuru-Yaşar R, Yarat A. The Role of Boron in the Diet and as a Dietary Supplement. *Handb Exp Pharmacol*. 2026 May 26. doi: 10.1007/164_2026_811. Epub ahead of print. PMID: 42185672.
2. Naghii MR, Wall PM, Samman S. The boron content of selected foods and the estimation of its daily intake among free-living subjects. *J Am Coll Nutr*. 1996 Dec;15(6):614-9. doi: 10.1080/07315724.1996.10718638. PMID: 8951740.
3. Khaliq H, Juming Z, Ke-Mei P. The Physiological Role of Boron on Health. *Biol Trace Elem Res*. 2018 Nov;186(1):31-51. doi: 10.1007/s12011-018-1284-3. Epub 2018 Mar 15. PMID: 29546541.
4. Moore JA. An assessment of boric acid and borax using the IEHR Evaluative Process for Assessing Human Developmental and Reproductive Toxicity of Agents. *Expert Scientific Committee. Reprod Toxicol*. 1997 Jan-Feb;11(1):123-60. doi: 10.1016/s0890-6238(96)00204-3. PMID: 9138630.
5. Bartusik-Aebischer D, Rudy I, Rogóż K, Aebischer D, Henrykowska G. Boron in Diet and Medicine: Mechanisms of Delivery and Detection. *Pharmaceuticals (Basel)*. 2025 Dec 30;19(1):81. doi: 10.3390/ph19010081. PMID: 41599680; PMCID: PMC12844735.
6. Rondanelli M, Faliva MA, Peroni G, Infantino V, Gasparri C, Iannello G, Perna S, Riva A, Petrangolini G, Tartara A. Pivotal role of boron supplementation on bone health: A narrative review. *J Trace Elem Med Biol*. 2020 Dec;62:126577. doi: 10.1016/j.jtemb.2020.126577. Epub 2020 Jun 6. PMID: 32540741.
7. Miljkovic D, Miljkovic N, McCarty MF. Up-regulatory impact of boron on vitamin D function -- does it reflect inhibition of 24-hydroxylase? *Med Hypotheses*. 2004;63(6):1054-6. doi: 10.1016/j.mehy.2003.12.053. PMID: 15504575.
8. Bartusik-Aebischer D, Rudy I, Rogóż K, Aebischer D, Henrykowska G. Boron in Diet and Medicine: Mechanisms of Delivery and Detection. *Pharmaceuticals (Basel)*. 2025 Dec 30;19(1):81. doi: 10.3390/ph19010081. PMID: 41599680; PMCID: PMC12844735.
9. Kuru-Yaşar R, Yarat A. The Role of Boron in the Diet and as a Dietary Supplement. *Handb Exp Pharmacol*. 2026 May 26. doi: 10.1007/164_2026_811. Epub ahead of print. PMID: 42185672.
10. Khaliq H, Juming Z, Ke-Mei P. The Physiological Role of Boron on Health. *Biol Trace Elem Res*. 2018 Nov;186(1):31-51. doi: 10.1007/s12011-018-1284-3. Epub 2018 Mar 15. PMID: 29546541.
11. Nielsen FH. Mechanisms of Actions of Physiological, Pharmacological, and Toxicological Dietary Bioactive Inorganic Boron. *Handb Exp Pharmacol*. 2026 Jun 19. doi: 10.1007/164_2026_808. Epub ahead of print. PMID: 42313117.
12. Khaliq H, Juming Z, Ke-Mei P. The Physiological Role of Boron on Health. *Biol Trace Elem Res*. 2018 Nov;186(1):31-51. doi: 10.1007/s12011-018-1284-3. Epub 2018 Mar 15. PMID: 29546541.
13. Nielsen FH. Micronutrients in parenteral nutrition: boron, silicon, and fluoride. *Gastroenterology*. 2009 Nov;137(5 Suppl):S55-60. doi: 10.1053/j.gastro.2009.07.072. PMID: 19874950.
14. Nielsen FH. Mechanisms of Actions of Physiological, Pharmacological, and Toxicological Dietary Bioactive Inorganic Boron. *Handb Exp Pharmacol*. 2026 Jun 19. doi: 10.1007/164_2026_808. Epub ahead of print. PMID: 42313117.
15. Moore JA. An assessment of boric acid and borax using the IEHR Evaluative Process for Assessing Human Developmental and Reproductive Toxicity of Agents. *Expert Scientific Committee. Reprod Toxicol*. 1997 Jan-Feb;11(1):123-60. doi: 10.1016/s0890-6238(96)00204-3. PMID: 9138630.
16. Moseman RF. Chemical disposition of boron in animals and humans. *Environ Health Perspect*. 1994 Nov;102 Suppl 7(Suppl 7):113-7. doi: 10.1289/ehp.94102s7113. PMID: 7889870; PMCID: PMC1566637.

17. Culver BD, Shen PT, Taylor TH, Lee-Feldstein A, Anton-Culver H, Strong PL. The relationship of blood- and urine-boron to boron exposure in borax-workers and usefulness of urine-boron as an exposure marker. *Environ Health Perspect.* 1994 Nov;102 Suppl 7(Suppl 7):133-7. doi: 10.1289/ehp.94102s7133. PMID: 7889874; PMCID: PMC1566651.
18. Michalke B. Biomonitoring of boron: Development and characterization of a simple, reliable and quality controlled biomonitoring method. *J Trace Elem Med Biol.* 2017 Mar;40:24-29. doi: 10.1016/j.jtemb.2016.11.010. Epub 2016 Nov 23. PMID: 28159218.
19. Usuda K, Kono K, Dote T, Miyata K, Nishiura H, Shimahara M, Sugimoto K. Study on urine boron reference values of Japanese men: use of confidence intervals as an indicator of exposure to boron compounds. *Sci Total Environ.* 1998 Sep 4;220(1):45-53. doi: 10.1016/s0048-9697(98)00243-5. PMID: 9800385.
20. Prejac J, Skalny AA, Grabeklis AR, Uzun S, Mimica N, Momčilović B. Assessing the boron nutritional status by analyzing its cumulative frequency distribution in the hair and whole blood. *J Trace Elem Med Biol.* 2018 Jan;45:50-56. doi: 10.1016/j.jtemb.2017.09.018. Epub 2017 Sep 19. PMID: 29173483.
21. Christensen JR, LaBine GO. Microchemistry of Single Hair Strands Below and Above the Scalp: Impacts of External Contamination on Cuticle and Cortex Layers. *Biol Trace Elem Res.* 2024 Sep;202(9):3910-3922. doi: 10.1007/s12011-023-03973-w. Epub 2023 Dec 8. PMID: 38066310.
22. Bauer, D. (2013). Calcium Supplements and Fracture Prevention. *New England Journal of Medicine*, 369(16), 1537-1543. <https://doi.org/10.1056/NEJMc1210380>
23. Cormick G, Ciapponi A, Harbron J, Perez SM, Vazquez P, Rivo J, Metzendorf M-I, Althabe F, Belizán JM. Calcium supplementation for people with overweight or obesity. *Cochrane Database of Systematic Reviews* 2024, Issue 5. Art. No.: CD012268. DOI: 10.1002/14651858.CD012268.pub2
24. Michos ED, Cainzos-Achirica M, Heravi AS, Appel LJ. Vitamin D, Calcium Supplements, and Implications for Cardiovascular Health: JACC Focus Seminar. *J Am Coll Cardiol.* 2021 Feb 2;77(4):437-449. doi: 10.1016/j.jacc.2020.09.617. PMID: 33509400.
25. Michos ED, Cainzos-Achirica M, Heravi AS, Appel LJ. Vitamin D, Calcium Supplements, and Implications for Cardiovascular Health: JACC Focus Seminar. *J Am Coll Cardiol.* 2021 Feb 2;77(4):437-449. doi: 10.1016/j.jacc.2020.09.617. PMID: 33509400.
26. Walker MD, Shane E. Hypercalcemia: A Review. *JAMA.* 2022;328(16):1624-1636. doi:10.1001/jama.2022.18331
27. Khundmiri SJ, Murray RD, Lederer E. PTH and Vitamin D. *Compr Physiol.* 2016 Mar 15;6(2):561-601. doi: 10.1002/cphy.c140071. PMID: 27065162; PMCID: PMC11163478.
28. Shlisky J, Mandlik R, Askari S, Abrams S, Belizan JM, Bourassa MW, Cormick G, Driller-Colangelo A, Gomes F, Khadilkar A, Owino V, Pettifor JM, Rana ZH, Roth DE, Weaver C. Calcium deficiency worldwide: prevalence of inadequate intakes and associated health outcomes. *Ann N Y Acad Sci.* 2022 Jun;1512(1):10-28. doi: 10.1111/nyas.14758. Epub 2022 Mar 5. PMID: 35247225; PMCID: PMC9311836.
29. Michos ED, Cainzos-Achirica M, Heravi AS, Appel LJ. Vitamin D, Calcium Supplements, and Implications for Cardiovascular Health: JACC Focus Seminar. *J Am Coll Cardiol.* 2021 Feb 2;77(4):437-449. doi: 10.1016/j.jacc.2020.09.617. PMID: 33509400.
30. Reid IR, Bristow SM, Bolland MJ. Calcium supplements: benefits and risks. *J Intern Med.* 2015 Oct;278(4):354-68. doi: 10.1111/joim.12394. Epub 2015 Jul 14. Erratum in: *J Intern Med.* 2016 Mar;279(3):311. doi: 10.1111/joim.12474. PMID: 26174589.
31. Cioppi F, Falchetti A, Masi L, Brandi ML. Dynamic investigation for evaluation of calcium metabolism and parathyroid function. *J Endocrinol Invest.* 2003;26(7 Suppl):83-91. PMID: 14604070.
32. Camacho P, Petak S, Binkley N American Association of Clinical Endocrinologists/American College of Endocrinology Clinical Practice Guidelines for the Diagnosis and Treatment of Postmenopausal Osteoporosis—2020 Update *Endocrine Practice* , 26, 1-46
33. Michos ED, Cainzos-Achirica M, Heravi AS, Appel LJ. Vitamin D, Calcium Supplements, and Implications for Cardiovascular Health: JACC Focus Seminar. *J Am Coll Cardiol.* 2021 Feb 2;77(4):437-449. doi: 10.1016/j.jacc.2020.09.617. PMID: 33509400.

34. Shahverdian A, Torabzadeh S, Watts D, Porwollik S, Padilla M, Lee JS, Perez G, Jafari M. Comparison of Mineral Levels in Blood and Hair Samples of Healthy Adults: Evaluating the Clinical Utility of Hair Mineral Analysis. *Biol Trace Elem Res*. 2026 Mar;204(3):1915-1927. doi: 10.1007/s12011-025-04793-w. Epub 2025 Nov 23. PMID: 41275064; PMCID: PMC12992362.
35. Vincent JB, Lukaski HC. Chromium. *Adv Nutr*. 2018 Jul 1;9(4):505-506. doi: 10.1093/advances/nmx021. PMID: 30032219; PMCID: PMC6054252.
36. Georgaki MN, Tsokkou S, Keramas A, Papamitsou T, Karachrysafi S, Kazakis N. Chromium supplementation and type 2 diabetes mellitus: an extensive systematic review. *Environ Geochem Health*. 2024 Nov 14;46(12):515. doi: 10.1007/s10653-024-02297-5. PMID: 39541030.
37. Heer M., and Egert S. (2015), Nutrients other than carbohydrates: their effects on glucose homeostasis in humans, *Diabetes Metab Res Rev*, 31, 14–35, doi: 10.1002/dmrr.2533
38. Behrens T, Ge C, Vermeulen R, Kendzia B, Olsson A, Schüz J, Kromhout H, Pesch B, Peters S, Portengen L, Gustavsson P, Mirabelli D, Guénel P, Luce D, Consonni D, Caporaso NE, Landi MT, Field JK, Karrasch S, Wichmann HE, Siemiatycki J, Parent ME, Richiardi L, Simonato L, Jöckel KH, Ahrens W, Pohlabein H, Fernández-Tardón G, Zaridze D, McLaughlin JR, Demers PA, Świątkowska B, Lissowska J, Pándics T, Fabianova E, Mates D, Bencko V, Foretova L, Janout V, Boffetta P, Bueno-de-Mesquita B, Forastiere F, Straif K, Brüning T. Occupational exposure to nickel and hexavalent chromium and the risk of lung cancer in a pooled analysis of case-control studies (SYNERGY). *Int J Cancer*. 2023 Feb 15;152(4):645-660. doi: 10.1002/ijc.34272. Epub 2022 Sep 23. PMID: 36054442.
39. Deng Y, Wang M, Tian T, Lin S, Xu P, Zhou L, Dai C, Hao Q, Wu Y, Zhai Z, Zhu Y, Zhuang G, Dai Z. The Effect of Hexavalent Chromium on the Incidence and Mortality of Human Cancers: A Meta-Analysis Based on Published Epidemiological Cohort Studies. *Front Oncol*. 2019 Feb 4;9:24. doi: 10.3389/fonc.2019.00024. PMID: 30778374; PMCID: PMC6369173.
40. den Braver-Sewradj SP, van Benthem J, Staal YCM, Ezendam J, Piersma AH, Hessel EVS. Occupational exposure to hexavalent chromium. Part II. Hazard assessment of carcinogenic effects. *Regul Toxicol Pharmacol*. 2021 Nov;126:105045. doi: 10.1016/j.yrtph.2021.105045. Epub 2021 Sep 8. PMID: 34506880.
41. Vincent JB, Lukaski HC. Chromium. *Adv Nutr*. 2018 Jul 1;9(4):505-506. doi: 10.1093/advances/nmx021. PMID: 30032219; PMCID: PMC6054252.
42. Vincent JB. New Evidence against Chromium as an Essential Trace Element. *J Nutr*. 2017 Dec;147(12):2212-2219. doi: 10.3945/jn.117.255901. Epub 2017 Oct 11. PMID: 29021369.
43. Moukarzel A. Chromium in parenteral nutrition: too little or too much? *Gastroenterology*. 2009 Nov;137(5 Suppl):S18-28. doi: 10.1053/j.gastro.2009.08.048. PMID: 19874946.
44. Freund H, Atamian S, Fischer JE. Chromium deficiency during total parenteral nutrition. *JAMA*. 1979 Feb 2;241(5):496-8. PMID: 104057.
45. DailyMed - CHROMIUM- chromic chloride injection, solution
46. den Braver-Sewradj SP, van Benthem J, Staal YCM, Ezendam J, Piersma AH, Hessel EVS. Occupational exposure to hexavalent chromium. Part II. Hazard assessment of carcinogenic effects. *Regul Toxicol Pharmacol*. 2021 Nov;126:105045. doi: 10.1016/j.yrtph.2021.105045. Epub 2021 Sep 8. PMID: 34506880.
47. Deng Y, Wang M, Tian T, Lin S, Xu P, Zhou L, Dai C, Hao Q, Wu Y, Zhai Z, Zhu Y, Zhuang G, Dai Z. The Effect of Hexavalent Chromium on the Incidence and Mortality of Human Cancers: A Meta-Analysis Based on Published Epidemiological Cohort Studies. *Front Oncol*. 2019 Feb 4;9:24. doi: 10.3389/fonc.2019.00024. PMID: 30778374; PMCID: PMC6369173.
48. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
49. Ndaw S, Leso V, Bousoumah R, Rémy A, Bocca B, Duca RC, Godderis L, Hardy E, Janasik B, van Nieuwenhuyse A, Pinhal H, Poels K, Porras SP, Ruggieri F, Santonen T, Santos SR, Scheepers PTJ, Silva MJ, Verdonck J, Viegas S, Wasowicz W, Iavicoli I; HBM4EU chromates study team. HBM4EU chromates study - Usefulness of measurement of blood chromium levels in the assessment of occupational Cr(VI) exposure. *Environ Res*. 2022 Nov;214(Pt 1):113758. doi: 10.1016/j.envres.2022.113758. Epub 2022 Jun 25. PMID: 35764127.

50. Christensen JR, LaBine GO. Microchemistry of Single Hair Strands Below and Above the Scalp: Impacts of External Contamination on Cuticle and Cortex Layers. *Biol Trace Elem Res*. 2024 Sep;202(9):3910-3922. doi: 10.1007/s12011-023-03973-w. Epub 2023 Dec 8. PMID: 38066310.
51. Osman D, Cooke A, Young TR, Deery E, Robinson NJ, Warren MJ. The requirement for cobalt in vitamin B12: A paradigm for protein metalation. *Biochim Biophys Acta Mol Cell Res*. 2021 Jan;1868(1):118896. doi: 10.1016/j.bbamcr.2020.118896. Epub 2020 Oct 21. PMID: 33096143; PMCID: PMC7689651.
52. Huang, H., Yamaji, N., Huang, S. and Ma, J.F. (2025), Uptake and Accumulation of Cobalt Is Mediated by OsNramp5 in Rice. *Plant, Cell & Environment*, 48: 3-14. <https://doi.org/10.1111/pce.15130>
53. Lauwerys R, Lison D. Health risks associated with cobalt exposure--an overview. *Sci Total Environ*. 1994 Jun 30;150(1-3):1-6. doi: 10.1016/0048-9697(94)90125-2. PMID: 7939580.
54. Wahlqvist F, Bryngelsson IL, Westberg H, Vihlborg P, Andersson L. Dermal and inhalable cobalt exposure--Uptake of cobalt for workers at Swedish hard metal plants. *PLoS One*. 2020 Aug 6;15(8):e0237100. doi: 10.1371/journal.pone.0237100. PMID: 32760159; PMCID: PMC7410254.
55. Wu T, Li H, Chen WY. Mechanisms and targeted treatments of cobalt-encephalopathy from cobalt-chromium orthopedic implants. *Neuroscience*. 2025 Oct 1;584:32-47. doi: 10.1016/j.neuroscience.2025.08.008. Epub 2025 Aug 6. PMID: 40780521.
56. Simonsen LO, Harbak H, Bennekou P. Cobalt metabolism and toxicology--a brief update. *Sci Total Environ*. 2012 Aug 15;432:210-5. doi: 10.1016/j.scitotenv.2012.06.009. Epub 2012 Jun 23. PMID: 22732165.
57. Leyssens L, Vinck B, Van Der Straeten C, Wuyts F, Maes L. Cobalt toxicity in humans-A review of the potential sources and systemic health effects. *Toxicology*. 2017 Jul 15;387:43-56. doi: 10.1016/j.tox.2017.05.015. Epub 2017 May 29. PMID: 28572025.
58. Packer M. Cobalt Cardiomyopathy: A Critical Reappraisal in Light of a Recent Resurgence. *Circ Heart Fail*. 2016 Dec;9(12):e003604. doi: 10.1161/CIRCHEARTFAILURE.116.003604. PMID: 27852654.
59. Leyssens L, Vinck B, Van Der Straeten C, Wuyts F, Maes L. Cobalt toxicity in humans-A review of the potential sources and systemic health effects. *Toxicology*. 2017 Jul 15;387:43-56. doi: 10.1016/j.tox.2017.05.015. Epub 2017 May 29. PMID: 28572025.
60. Bradberry SM, Wilkinson JM, Ferner RE. Systemic toxicity related to metal hip prostheses. *Clin Toxicol (Phila)*. 2014 Sep-Oct;52(8):837-47. doi: 10.3109/15563650.2014.944977. Epub 2014 Aug 16. PMID: 25132471.
61. Lipshultz SE, Law YM, Asante-Korang A, Austin ED, Dipchand AI, Everitt MD, Hsu DT, Lin KY, Price JF, Wilkinson JD, Colan SD. Cardiomyopathy in Children: Classification and Diagnosis: A Scientific Statement From the American Heart Association. *Circulation*. 2019 Jul 2;140(1):e9-e68. doi: 10.1161/CIR.0000000000000682. Epub 2019 May 28. PMID: 31132865.
62. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
63. Sabbioni E, Minoia C, Pietra R, Mosconi G, Forni A, Scansetti G. Metal determinations in biological specimens of diseased and non-diseased hard metal workers. *Sci Total Environ*. 1994 Jun 30;150(1-3):41-54. doi: 10.1016/0048-9697(94)90127-9. PMID: 7939608.
64. Stefanache, Alina, Lungu, Ionut-Iulian, Butnariu, Ioan-Adrian, Calin, Gabriela, Gutu, Cristian, Marcu, Constantin, Grierosu, Carmen, Bogdan Goroftei, Elena Roxana, Duceac, Letitia-Doina, Dabija, Marius Gabriel, Popa, Florina, Damir, Daniela, Understanding How Minerals Contribute to Optimal Immune Function, *Journal of Immunology Research*, 2023, 3355733, 26 pages, 2023. <https://doi.org/10.1155/2023/3355733>
65. Pan C, Ji Z, Wang Q, et al. Cuproptosis: Mechanisms, biological significance, and advances in disease treatment—A systematic review. *CNS Neurosci Ther*. 2024; 30:e70039. doi:10.1111/cns.70039
66. Tan W, Zhang J, Chen L, et al. Copper homeostasis and cuproptosis-related genes: Therapeutic perspectives in non-alcoholic fatty liver disease. *Diabetes Obes Metab*. 2024; 26(11): 4830-4845. doi:10.1111/dom.15846
67. Olivares M, Uauy R. Copper as an essential nutrient. *Am J Clin Nutr*. 1996 May;63(5):791S-6S. doi: 10.1093/ajcn/63.5.791. PMID: 8615366.

68. Altarelli M, Ben-Hamouda N, Schneider A, Berger MM. Copper Deficiency: Causes, Manifestations, and Treatment. *Nutr Clin Pract*. 2019 Aug;34(4):504-513. doi: 10.1002/ncp.10328. Epub 2019 Jun 17. PMID: 31209935.
69. Moon N, Aryan M, Westerveld D, Nathoo S, Glover S, Kamel AY. Clinical Manifestations of Copper Deficiency: A Case Report and Review of the Literature. *Nutr Clin Pract*. 2021 Oct;36(5):1080-1085. doi: 10.1002/ncp.10582. Epub 2020 Oct 9. PMID: 33037701.
70. Shike M. Copper in parenteral nutrition. *Gastroenterology*. 2009 Nov;137(5 Suppl):S13-7. doi: 10.1053/j.gastro.2009.08.017. PMID: 19874945.
71. Pan C, Ji Z, Wang Q, et al. Cuproptosis: Mechanisms, biological significance, and advances in disease treatment—A systematic review. *CNS Neurosci Ther*. 2024; 30:e70039. doi:10.1111/cns.70039
72. Weiss, K. H., Zimbrea, P. C., Rivard, A. M., Roberts, E. A., Washington, M. K., Hamilton, J. P., Schilsky, M. L., Dhawan, A., & Bronstein, J. M. (2022). A multidisciplinary approach to the diagnosis and management of Wilson disease: 2022 Practice Guidance on Wilson disease from the American Association for the Study of Liver Diseases. *Hepatology*, 82(3), E41-E90. <https://doi.org/10.1002/hep.32801>
73. Ma Y, Pu Y, Chen H, Zhou L, Yang B, Huang X, Zhang J. The pathogenesis of liver fibrosis in Wilson's disease: hepatocyte injury and regulation mediated by copper metabolism dysregulation. *Biomaterials*. 2026 Feb;39(1):1-23. doi: 10.1007/s10534-025-00748-9. Epub 2025 Sep 26. PMID: 41006805.
74. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. Accessed [month day, year]. <https://dx.doi.org/10.15620/cdc:133100>
75. Schilsky ML, Roberts EA, Bronstein JM, et al. A multidisciplinary approach to the diagnosis and management of Wilson disease: 2022 practice guidance on Wilson disease from the American Association for the Study of Liver Diseases. *Hepatology*. 2022;82(3):E41-E90. doi:10.1002/hep.32801.
76. Rodrigues JL, Batista BL, Nunes JA, Passos CJ, Barbosa F Jr. Evaluation of the use of human hair for biomonitoring the deficiency of essential and exposure to toxic elements. *Sci Total Environ*. 2008 Nov 1;405(1-3):370-6. doi: 10.1016/j.scitotenv.2008.06.002. Epub 2008 Jul 15. PMID: 18632136.
77. Folin M, Contiero E, Vaselli GM. Trace element determination in humans. The use of blood and hair. *Biol Trace Elem Res*. 1991 Nov;31(2):147-58. doi: 10.1007/BF02990423. PMID: 9438036.
78. Schauss AG. Nephrotoxicity and neurotoxicity in humans from organogermanium compounds and germanium dioxide. *Biol Trace Elem Res*. 1991 Jun;29(3):267-80. doi: 10.1007/BF03032683. PMID: 1726409.
79. Tao SH, Bolger PM. Hazard assessment of germanium supplements. *Regul Toxicol Pharmacol*. 1997 Jun;25(3):211-9. doi: 10.1006/rtph.1997.1098. PMID: 9237323.
80. Nielsen FH. How should dietary guidance be given for mineral elements with beneficial actions or suspected of being essential? *J Nutr*. 1996 Sep;126(9 Suppl):2377S-2385S. doi: 10.1093/jn/126.suppl_9.2377S. PMID: 8811801.
81. Schauss AG. Nephrotoxicity and neurotoxicity in humans from organogermanium compounds and germanium dioxide. *Biol Trace Elem Res*. 1991 Jun;29(3):267-80. doi: 10.1007/BF03032683. PMID: 1726409.
82. Tao SH, Bolger PM. Hazard assessment of germanium supplements. *Regul Toxicol Pharmacol*. 1997 Jun;25(3):211-9. doi: 10.1006/rtph.1997.1098. PMID: 9237323.
83. Ysart G, Miller P, Crews H, Robb P, Baxter M, De L'Argy C, Lofthouse S, Sargent C, Harrison N. Dietary exposure estimates of 30 elements from the UK Total Diet Study. *Food Addit Contam*. 1999 Sep;16(9):391-403. doi: 10.1080/026520399283876. PMID: 10755130.
84. Wada T, Hanyu T, Nozaki K, Kataoka K, Kawatani T, Asahi T, Sawamura N. Antioxidant Activity of Ge-132, a Synthetic Organic Germanium, on Cultured Mammalian Cells. *Biol Pharm Bull*. 2018 May 1;41(5):749-753. doi: 10.1248/bpb.b17-00949. Epub 2018 Mar 2. PMID: 29503400. 78 Auerbach M, DeLoughery TG, Tirnauer JS. Iron Deficiency in Adults: A Review. *JAMA*. 2025;333(20):1813-1823. doi:10.1001/jama.2025.0452
85. Kaplan BJ, Parish WW, Andrus GM, Simpson JS, Field CJ. Germane facts about germanium sesquioxide: I. Chemistry and anticancer properties. *J Altern Complement Med*. 2004 Apr;10(2):337-44. doi: 10.1089/107555304323062329. PMID: 15165414.

86. Brutkiewicz RR, Suzuki F. Biological activities and antitumor mechanism of an immunopotentiating organogermanium compound, Ge-132 (review). *In Vivo*. 1987 Jul-Aug;1(4):189-203. PMID: 2979786.
87. Suzuki F, Brutkiewicz RR, Pollard RB. Importance of T-cells and macrophages in the antitumor activity of carboxyethylgermanium sesquioxide (Ge-132). *Anticancer Res*. 1985 Sep-Oct;5(5):479-83. PMID: 3877491.
88. Tao SH, Bolger PM. Hazard assessment of germanium supplements. *Regul Toxicol Pharmacol*. 1997 Jun;25(3):211-9. doi: 10.1006/rtph.1997.1098. PMID: 9237323.
89. Schauss AG. Nephrotoxicity and neurotoxicity in humans from organogermanium compounds and germanium dioxide. *Biol Trace Elem Res*. 1991 Jun;29(3):267-80. doi: 10.1007/BF03032683. PMID: 1726409.
90. Hess B, Raisin J, Zimmermann A, Horber F, Bajo S, Wyttenbach A, Jaeger P. Tubulointerstitial nephropathy persisting 20 months after discontinuation of chronic intake of germanium lactate citrate. *Am J Kidney Dis*. 1993 May;21(5):548-52. doi: 10.1016/s0272-6386(12)80403-3. PMID: 8488824.
91. Tao SH, Bolger PM. Hazard assessment of germanium supplements. *Regul Toxicol Pharmacol*. 1997 Jun;25(3):211-9. doi: 10.1006/rtph.1997.1098. PMID: 9237323.
92. Hess B, Raisin J, Zimmermann A, Horber F, Bajo S, Wyttenbach A, Jaeger P. Tubulointerstitial nephropathy persisting 20 months after discontinuation of chronic intake of germanium lactate citrate. *Am J Kidney Dis*. 1993 May;21(5):548-52. doi: 10.1016/s0272-6386(12)80403-3. PMID: 8488824.
93. Sieb, J.P. and Gillesen, T. (2003), Iatrogenic and toxic myopathies. *Muscle Nerve*, 27: 142-156. <https://doi.org/10.1002/mus.10244>
94. Shinohara A, Chiba M, Inaba Y. Determination of germanium in human specimens: comparative study of atomic absorption spectrometry and microwave-induced plasma mass spectrometry. *J Anal Toxicol*. 1999 Nov-Dec;23(7):625-31. doi: 10.1093/jat/23.7.625. PMID: 10595851.
95. Swennen B, Mallants A, Roels HA, Buchet JP, Bernard A, Lauwerys RR, Lison D. Epidemiological survey of workers exposed to inorganic germanium compounds. *Occup Environ Med*. 2000 Apr;57(4):242-8. doi: 10.1136/oem.57.4.242. PMID: 10810110; PMCID: PMC1739927.
96. Morita H, Shimomura S, Okagawa K, Saito S, Sakigawa C, Sato H. Determination of germanium and some other elements in hair, nail, and toenail from persons exposed and unexposed to germanium. *Sci Total Environ*. 1986 Dec 31;58(3):237-42. doi: 10.1016/0048-9697(86)90203-2. PMID: 3823856.
97. Goullé JP, Mahieu L, Castermant J, Neveu N, Bonneau L, Lainé G, Bouige D, Lacroix C. Metal and metalloid multi-elementary ICP-MS validation in whole blood, plasma, urine and hair. Reference values. *Forensic Sci Int*. 2005 Oct 4;153(1):39-44. doi: 10.1016/j.forsciint.2005.04.020. PMID: 15979835.
98. Shinohara A, Chiba M, Inaba Y. Determination of germanium in human specimens: comparative study of atomic absorption spectrometry and microwave-induced plasma mass spectrometry. *J Anal Toxicol*. 1999 Nov-Dec;23(7):625-31. doi: 10.1093/jat/23.7.625. PMID: 10595851.
99. Auerbach M, DeLoughery TG, Tirnauer JS. Iron Deficiency in Adults: A Review. *JAMA*. 2025;333(20):1813-1823. doi:10.1001/jama.2025.0452
100. da Silva Lopes K, Yamaji N, Rahman MO, Suto M, Takemoto Y, Garcia-Casal MN, Ota E. Nutrition-specific interventions for preventing and controlling anaemia throughout the life cycle: an overview of systematic reviews. *Cochrane Database of Systematic Reviews* 2021, Issue 9. Art. No.: CD013092. DOI: 10.1002/14651858.CD013092.pub2.
101. Lopez A, Cacoub P, Macdougall IC, Peyrin-Biroulet L. Iron deficiency anaemia. *Lancet*. 2016 Feb 27;387(10021):907-16. doi: 10.1016/S0140-6736(15)60865-0. Epub 2015 Aug 24. PMID: 26314490.
102. Auerbach M, DeLoughery TG, Tirnauer JS. Iron Deficiency in Adults: A Review. *JAMA*. 2025;333(20):1813-1823. doi:10.1001/jama.2025.0452
103. Lopez A, Cacoub P, Macdougall IC, Peyrin-Biroulet L. Iron deficiency anaemia. *Lancet*. 2016 Feb 27;387(10021):907-16. doi: 10.1016/S0140-6736(15)60865-0. Epub 2015 Aug 24. PMID: 26314490.
104. Auerbach M, DeLoughery TG, Tirnauer JS. Iron Deficiency in Adults: A Review. *JAMA*. 2025;333(20):1813-1823. doi:10.1001/jama.2025.0452
105. Auerbach M, DeLoughery TG, Tirnauer JS. Iron Deficiency in Adults: A Review. *JAMA*. 2025;333(20):1813-1823.

106. da Silva Lopes K, Yamaji N, Rahman MO, Suto M, Takemoto Y, Garcia-Casal MN, Ota E. Nutrition-specific interventions for preventing and controlling anaemia throughout the life cycle: an overview of systematic reviews. *Cochrane Database of Systematic Reviews* 2021, Issue 9. Art. No.: CD013092. DOI: 10.1002/14651858.CD013092.pub2.
107. Powers JM, Heeney MM, Hord J, et al. Prevention, screening, diagnosis, and treatment of iron deficiency and iron deficiency anemia in infants, children, and adolescents: clinical report. *Pediatrics*. 2026;158(1). doi:10.1542/peds.2026-077414
108. Latimer K, Baci G, Layne M. Iron deficiency anemia: evaluation and management. *Am Fam Physician*. 2025;112(5):538-545. <https://www.aafp.org/afp/2025/1100/iron-deficiency-anemia>
109. Lopez A, Cacoub P, Macdougall IC, Peyrin-Biroulet L. Iron deficiency anaemia. *Lancet*. 2016 Feb 27;387(10021):907-16. doi: 10.1016/S0140-6736(15)60865-0. Epub 2015 Aug 24. PMID: 26314490.
110. Garcia-Casal MN, Pasricha S-R, Martinez RX, Lopez-Perez L, Peña-Rosas JP. Serum or plasma ferritin concentration as an index of iron deficiency and overload. *Cochrane Database of Systematic Reviews* 2021, Issue 5. Art. No.: CD011817. DOI: 10.1002/14651858.CD011817.pub2.
111. Shahverdian A, Torabzadeh S, Watts D, Porwollik S, Padilla M, Lee JS, Perez G, Jafari M. Comparison of Mineral Levels in Blood and Hair Samples of Healthy Adults: Evaluating the Clinical Utility of Hair Mineral Analysis. *Biol Trace Elem Res*. 2026 Mar;204(3):1915-1927. doi: 10.1007/s12011-025-04793-w. Epub 2025 Nov 23. PMID: 41275064; PMCID: PMC12992362.
112. Naeem A, Aslam M, Saifullah, Mühling KH. Lithium: Perspectives of nutritional beneficence, dietary intake, biogeochemistry, and biofortification of vegetables and mushrooms. *Sci Total Environ*. 2021 Dec 1;798:149249. doi: 10.1016/j.scitotenv.2021.149249. Epub 2021 Jul 24. PMID: 34329936.
113. Schrauzer GN. Lithium: occurrence, dietary intakes, nutritional essentiality. *J Am Coll Nutr*. 2002 Feb;21(1):14-21. doi: 10.1080/07315724.2002.10719188. PMID: 11838882.
114. Dobosy P, Illés Á, Endrédi A, Zárny G. Lithium concentration in tap water, bottled mineral water, and Danube River water in Hungary. *Sci Rep*. 2023 Aug 2;13(1):12543. doi: 10.1038/s41598-023-38864-6. PMID: 37532748; PMCID: PMC10397251.
115. Barroilhet SA, Ghaemi SN. When and how to use lithium. *Acta Psychiatr Scand*. 2020;142(3):161-172. doi:10.1111/acps.13202
116. Liew Z, Meng Q, Yan Q, et al. Association Between Estimated Geocoded Residential Maternal Exposure to Lithium in Drinking Water and Risk for Autism Spectrum Disorder in Offspring in Denmark. *JAMA Pediatr*. 2023;177(6):617-624. doi:10.1001/jamapediatrics.2023.0346
117. Hart DA. Lithium Ions as Modulators of Complex Biological Processes: The Conundrum of Multiple Targets, Responsiveness and Non-Responsiveness, and the Potential to Prevent or Correct Dysregulation of Systems during Aging and in Disease. *Biomolecules*. 2024 Jul 25;14(8):905. doi: 10.3390/biom14080905. PMID: 39199293; PMCID: PMC11352090.
118. Jakobsson E, Argüello-Miranda O, Chiu SW, Fazal Z, Kruczek J, Nunez-Corrales S, Pandit S, Pritchett L. Towards a Unified Understanding of Lithium Action in Basic Biology and its Significance for Applied Biology. *J Membr Biol*. 2017 Dec;250(6):587-604. doi: 10.1007/s00232-017-9998-2. Epub 2017 Nov 10. PMID: 29127487; PMCID: PMC5696506.
119. Krishnan N, Perazella MA. Diagnosis and Management of Acute and Chronic Lithium-Associated Nephrotoxicity. *J Am Soc Nephrol*. 2026 Aug 1;37(8):1789-1801. doi: 10.1681/ASN.0000001172. Epub 2026 Jun 5. PMID: 42247265; PMCID: PMC13441143.
120. Barroilhet SA, Ghaemi SN. When and how to use lithium. *Acta Psychiatr Scand*. 2020;142(3):161-172. doi:10.1111/acps.13202
121. DailyMed - LITHIUM CARBONATE tablet
122. Krishnan N, Perazella MA. Diagnosis and Management of Acute and Chronic Lithium-Associated Nephrotoxicity. *J Am Soc Nephrol*. 2026 Aug 1;37(8):1789-1801. doi: 10.1681/ASN.0000001172. Epub 2026 Jun 5. PMID: 42247265; PMCID: PMC13441143.

123. McKnight RF, de La Motte de Broöns de Vauvert SJ, Chesney E, Amit BH, Geddes J, Cipriani A. Lithium for acute mania. *Cochrane Database of Systematic Reviews* 2019, Issue 6. Art. No.: CD004048. DOI: 10.1002/14651858.CD004048.pub4.
124. Shetty SJ, Desai PB, Patil NM, Nayak RB. Relationship between serum lithium, salivary lithium, and urinary lithium in patients on lithium therapy. *Biol Trace Elem Res*. 2012 Jun;147(1-3):59-62. doi: 10.1007/s12011-011-9295-3. Epub 2011 Dec 8. PMID: 22161502.
125. Nolen WA, Licht RW, Young AH, et al; on behalf of the ISBD/IGSLI Task Force on the treatment with lithium. What is the optimal serum level for lithium in the maintenance treatment of bipolar disorder? A systematic review and recommendations from the ISBD/IGSLI Task Force on treatment with lithium. *Bipolar Disord*. 2019; 21: 394-409. <https://doi.org/10.1111/bdi.12805>
126. McKnight RF, Adida M, Budge K, Stockton S, Goodwin GM, Geddes JR. Lithium toxicity profile: a systematic review and meta-analysis. *Lancet*. 2012 Feb 25;379(9817):721-8. doi: 10.1016/S0140-6736(11)61516-X. Epub 2012 Jan 20. PMID: 22265699.
127. McKnight RF, de La Motte de Broöns de Vauvert SJ, Chesney E, Amit BH, Geddes J, Cipriani A. Lithium for acute mania. *Cochrane Database of Systematic Reviews* 2019, Issue 6. Art. No.: CD004048. DOI: 10.1002/14651858.CD004048.pub4.
128. Dressler VL, Pozebon D, Mesko MF, Matusch A, Kumtabtim U, Wu B, Sabine Becker J. Biomonitoring of essential and toxic metals in single hair using on-line solution-based calibration in laser ablation inductively coupled plasma mass spectrometry. *Talanta*. 2010 Oct 15;82(5):1770-7. doi: 10.1016/j.talanta.2010.07.065. Epub 2010 Aug 5. PMID: 20875575.
129. Parkin GM, McCarthy MJ, Thein SH, et al. Saliva testing as a means to monitor therapeutic lithium levels in patients with psychiatric disorders: Identification of clinical and environmental covariates, and their incorporation into a prediction model. *Bipolar Disord*. 2021; 23: 679-688. <https://doi.org/10.1111/bdi.13128>
130. Vlahović D, Badžim VA, Ljoka I, Karlović D, Peitl V, Karlović Z. Rethinking Lithium Monitoring: Insights from a Comparative Analysis of Saliva, Plasma, and Erythrocytes. *Neuropsychobiology*. 2025;84(4):219-230. doi: 10.1159/000548149. Epub 2025 Aug 26. PMID: 40875693.
131. Vlahović D, Badžim VA, Ljoka I, Karlović D, Peitl V, Karlović Z. Rethinking Lithium Monitoring: Insights from a Comparative Analysis of Saliva, Plasma, and Erythrocytes. *Neuropsychobiology*. 2025;84(4):219-230. doi: 10.1159/000548149. Epub 2025 Aug 26. PMID: 40875693.
132. Shamberger RJ. Validity of hair mineral testing. *Biol Trace Elem Res*. 2002 Summer;87(1-3):1-28. doi: 10.1385/BTER:87:1-3:001. PMID: 12117220.
133. Volpe SL. Magnesium in disease prevention and overall health. *Adv Nutr*. 2013 May 1;4(3):378S-83S. doi: 10.3945/an.112.003483. PMID: 23674807; PMCID: PMC3650510.
134. Touyz RM, de Baaij JHF, Hoenderop JGJ. Magnesium Disorders. *N Engl J Med*. 2024 Jun 6;390(21):1998-2009. doi: 10.1056/NEJMra1510603. PMID: 38838313.
135. Volpe SL. Magnesium in disease prevention and overall health. *Adv Nutr*. 2013 May 1;4(3):378S-83S. doi: 10.3945/an.112.003483. PMID: 23674807; PMCID: PMC3650510.
136. de Baaij JH, Hoenderop JG, Bindels RJ. Magnesium in man: implications for health and disease. *Physiol Rev*. 2015 Jan;95(1):1-46. doi: 10.1152/physrev.00012.2014. PMID: 25540137.
137. Al Alawi, Abdullah M., Majoni, Sandawana William, Falhammar, Henrik, Magnesium and Human Health: Perspectives and Research Directions, *International Journal of Endocrinology*, 2018, 9041694, 17 pages, 2018. <https://doi.org/10.1155/2018/9041694>
138. Touyz RM, de Baaij JHF, Hoenderop JGJ. Magnesium Disorders. *N Engl J Med*. 2024 Jun 6;390(21):1998-2009. doi: 10.1056/NEJMra1510603. PMID: 38838313.
139. Touyz RM, de Baaij JHF, Hoenderop JGJ. Magnesium Disorders. *N Engl J Med*. 2024 Jun 6;390(21):1998-2009. doi: 10.1056/NEJMra1510603. PMID: 38838313.
140. de Baaij JH, Hoenderop JG, Bindels RJ. Magnesium in man: implications for health and disease. *Physiol Rev*. 2015 Jan;95(1):1-46. doi: 10.1152/physrev.00012.2014. PMID: 25540137.

141. National Institutes of Health Office of Dietary Supplements. Magnesium - Health Professional Fact Sheet. Updated January 6, 2026. Accessed August 7, 2026. <https://ods.od.nih.gov/factsheets/magnesium-healthprofessional/>
142. National Library of Medicine. Magnesium Blood Test. MedlinePlus. Reviewed February 13, 2025. <https://medlineplus.gov/lab-tests/magnesium-blood-test/>
143. Touyz RM, de Baaij JHF, Hoenderop JGJ. Magnesium Disorders. *N Engl J Med*. 2024 Jun 6;390(21):1998-2009. doi: 10.1056/NEJMra1510603. PMID: 38838313.
144. Costello RB, Nielsen F. Interpreting magnesium status to enhance clinical care: key indicators. *Curr Opin Clin Nutr Metab Care*. 2017 Nov;20(6):504-511. doi: 10.1097/MCO.0000000000000410. PMID: 28806179; PMCID: PMC5812344.
145. 145 Touyz RM, de Baaij JHF, Hoenderop JGJ. Magnesium Disorders. *N Engl J Med*. 2024 Jun 6;390(21):1998-2009. doi: 10.1056/NEJMra1510603. PMID: 38838313.
146. Al Alawi, Abdullah M., Majoni, Sandawana William, Falhammar, Henrik, Magnesium and Human Health: Perspectives and Research Directions, *International Journal of Endocrinology*, 2018, 9041694, 17 pages, 2018. <https://doi.org/10.1155/2018/9041694>
147. Ayuk J, Gittoes NJL. How should hypomagnesaemia be investigated and treated? *Clin Endocrinol (Oxf)*. 2011;75(6):743-746. doi:10.1111/j.1365-2265.2011.04092.x
148. National Library of Medicine. Magnesium Blood Test. MedlinePlus. Reviewed February 13, 2025. <https://medlineplus.gov/lab-tests/magnesium-blood-test/>
149. Ryzen E, Servis KL, DeRusso P, Kershaw A, Stephen T, Rude RK. Determination of intracellular free magnesium by nuclear magnetic resonance in human magnesium deficiency. *J Am Coll Nutr*. 1989 Dec;8(6):580-7. doi: 10.1080/07315724.1989.10720330. PMID: 2621295.
150. Malon A, Brockmann C, Fijalkowska-Morawska J, Rob P, Maj-Zurawska M. Ionized magnesium in erythrocytes-the best magnesium parameter to observe hypo- or hypermagnesemia. *Clin Chim Acta*. 2004 Nov;349(1-2):67-73. doi: 10.1016/j.cccn.2004.06.006. PMID: 15469857.
151. Al Alawi, Abdullah M., Majoni, Sandawana William, Falhammar, Henrik, Magnesium and Human Health: Perspectives and Research Directions, *International Journal of Endocrinology*, 2018, 9041694, 17 pages, 2018. <https://doi.org/10.1155/2018/9041694>
152. Ochi A, Ishimura E, Tsujimoto Y, Kakiya R, Tabata T, Mori K, Fukumoto S, Tahara H, Shoji T, Yasuda H, Nishizawa Y, Inaba M. Hair magnesium, but not serum magnesium, is associated with left ventricular wall thickness in hemodialysis patients. *Circ J*. 2013;77(12):3029-36. doi: 10.1253/circj.cj-13-0347. Epub 2013 Aug 23. PMID: 23979658.
153. Shahverdian A, Torabzadeh S, Watts D, Porwollik S, Padilla M, Lee JS, Perez G, Jafari M. Comparison of Mineral Levels in Blood and Hair Samples of Healthy Adults: Evaluating the Clinical Utility of Hair Mineral Analysis. *Biol Trace Elem Res*. 2026 Mar;204(3):1915-1927. doi: 10.1007/s12011-025-04793-w. Epub 2025 Nov 23. PMID: 41275064; PMCID: PMC12992362.
154. 154 Martins AC, Krum BN, Queirós L, Tinkov AA, Skalny AV, Bowman AB, Aschner M. Manganese in the Diet: Bioaccessibility, Adequate Intake, and Neurotoxicological Effects. *J Agric Food Chem*. 2020 Nov 18;68(46):12893-12903. doi: 10.1021/acs.jafc.0c00641. Epub 2020 Apr 29. PMID: 32298096.
155. Cecilia, Olvera-Montaña, José Alberto, Castellanos-González, José, Navarro-Partida, Ernesto Germán, Cardona-Muñoz, Ana Karen, López-Contreras, Luis Miguel, Roman-Pintos, Ricardo Raúl, Robles-Rivera, Adolfo Daniel, Rodríguez-Carrizalez, Oxidative Stress as the Main Target in Diabetic Retinopathy Pathophysiology, *Journal of Diabetes Research*, 2019, 8562408, 21 pages, 2019. <https://doi.org/10.1155/2019/8562408>
156. Chen P, Bornhorst J, Aschner M. Manganese metabolism in humans. *Front Biosci (Landmark Ed)*. 2018 Mar 1;23(9):1655-1679. doi: 10.2741/4665. PMID: 29293455.
157. Li, Longman, Yang, Xiaobo, The Essential Element Manganese, Oxidative Stress, and Metabolic Diseases: Links and Interactions, *Oxidative Medicine and Cellular Longevity*, 2018, 7580707, 11 pages, 2018. <https://doi.org/10.1155/2018/7580707>

158. Dobson AW, Erikson KM, Aschner M. Manganese neurotoxicity. *Ann N Y Acad Sci.* 2004 Mar;1012:115-28. doi: 10.1196/annals.1306.009. PMID: 15105259.
159. Chen P, Bornhorst J, Aschner M. Manganese metabolism in humans. *Front Biosci (Landmark Ed).* 2018 Mar 1;23(9):1655-1679. doi: 10.2741/4665. PMID: 29293455.
160. Hardy G. Manganese in parenteral nutrition: who, when, and why should we supplement? *Gastroenterology.* 2009 Nov;137(5 Suppl):S29-35. doi: 10.1053/j.gastro.2009.08.011. PMID: 19874947.
161. Budinger D, Barral S, Soo AKS, Kurian MA. The role of manganese dysregulation in neurological disease: emerging evidence. *Lancet Neurol.* 2021 Nov;20(11):956-968. doi: 10.1016/S1474-4422(21)00238-6. PMID: 34687639.
162. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
163. Shilnikova N, Karyakina N, Farhat N, Ramoju S, Cline B, Momoli F, Mattison D, Jensen N, Terrell R, Krewski D. Biomarkers of environmental manganese exposure. *Crit Rev Toxicol.* 2022 Apr;52(4):325-343. doi: 10.1080/10408444.2022.2095979. Epub 2022 Jul 27. PMID: 35894753.
164. Hardy G. Manganese in parenteral nutrition: who, when, and why should we supplement? *Gastroenterology.* 2009 Nov;137(5 Suppl):S29-35. doi: 10.1053/j.gastro.2009.08.011. PMID: 19874947.
165. Liu W, Xin Y, Li Q, Shang Y, Ping Z, Min J, Cahill CM, Rogers JT, Wang F. Biomarkers of environmental manganese exposure and associations with childhood neurodevelopment: a systematic review and meta-analysis. *Environ Health.* 2020 Oct 2;19(1):104. doi: 10.1186/s12940-020-00659-x. PMID: 33008482; PMCID: PMC7531154.
166. Ntiabose R, Surette C, Foucher D, Clarisse O, Bouchard MF. Assessment of saliva, hair and toenails as biomarkers of low level exposure to manganese from drinking water in children. *Neurotoxicology.* 2018 Jan;64:126-133. doi: 10.1016/j.neuro.2017.08.011. Epub 2017 Sep 1. PMID: 28867366.
167. Eastman RR, Jursa TP, Benedetti C, Lucchini RG, Smith DR. Hair as a biomarker of environmental manganese exposure. *Environ Sci Technol.* 2013 Feb 5;47(3):1629-37. doi: 10.1021/es3035297. Epub 2013 Jan 17. PMID: 23259818; PMCID: PMC3583582.
168. Oulhote Y, Mergler D, Barbeau B, Bellinger DC, Bouffard T, Brodeur MÈ, Saint-Amour D, Legrand M, Sauvé S, Bouchard MF. Neurobehavioral function in school-age children exposed to manganese in drinking water. *Environ Health Perspect.* 2014 Dec;122(12):1343-50. doi: 10.1289/ehp.1307918. Epub 2014 Sep 26. PMID: 25260096; PMCID: PMC4256698.
169. Budinger D, Barral S, Soo AKS, Kurian MA. The role of manganese dysregulation in neurological disease: emerging evidence. *Lancet Neurol.* 2021 Nov;20(11):956-968. doi: 10.1016/S1474-4422(21)00238-6. PMID: 34687639.
170. Shilnikova N, Karyakina N, Farhat N, Ramoju S, Cline B, Momoli F, Mattison D, Jensen N, Terrell R, Krewski D. Biomarkers of environmental manganese exposure. *Crit Rev Toxicol.* 2022 Apr;52(4):325-343. doi: 10.1080/10408444.2022.2095979. Epub 2022 Jul 27. PMID: 35894753.
171. Sardesai VM. Molybdenum: an essential trace element. *Nutr Clin Pract.* 1993 Dec;8(6):277-81. doi: 10.1177/0115426593008006277. PMID: 8302261.
172. Li M, Qiu L, Su L, Zhou C, Yao L, Ai X, Huang C. Ecological risks of molybdenum in black shale and carbonate areas: Exposure, health effects, and relation with selenium. *Environ Pollut.* 2026 Feb 15;391:127576. doi: 10.1016/j.envpol.2025.127576. Epub 2025 Dec 22. PMID: 41443551.
173. Turnlund JR, Keyes WR, Peiffer GL. Molybdenum absorption, excretion, and retention studied with stable isotopes in young men at five intakes of dietary molybdenum. *Am J Clin Nutr.* 1995 Oct;62(4):790-6. doi: 10.1093/ajcn/62.4.790. PMID: 7572711.
174. Novotny JA, Peterson CA. Molybdenum. *Adv Nutr.* 2018 May 1;9(3):272-273. doi: 10.1093/advances/nmx001. PMID: 29767695; PMCID: PMC5952949.

175. Adamus JP, Ruszczyńska A, Wyczałkowska-Tomasik A. Molybdenum's Role as an Essential Element in Enzymes Catabolizing Redox Reactions: A Review. *Biomolecules*. 2024 Jul 19;14(7):869. doi: 10.3390/biom14070869. PMID: 39062583; PMCID: PMC11275037.
176. Romero, A., Ramos, E., de Los Ríos, C., Egea, J., del Pino, J. and Reiter, R.J. (2014), A review of metal-catalyzed molecular damage: protection by melatonin. *J. Pineal Res.*, 56: 343-370. <https://doi.org/10.1111/jpi.12132>
177. Sardesai VM. Molybdenum: an essential trace element. *Nutr Clin Pract*. 1993 Dec;8(6):277-81. doi: 10.1177/0115426593008006277. PMID: 8302261.
178. Kasama, R.K. (2010), Trace Minerals in Patients with End-Stage Renal Disease. *Seminars in Dialysis*, 23: 561-570. <https://doi.org/10.1111/j.1525-139X.2010.00793.x>
179. Schwahn BC, Van Spronsen FJ, Belaidi AA, Bowhay S, Christodoulou J, Derks TG, Hennermann JB, Jameson E, König K, McGregor TL, Font-Montgomery E, Santamaria-Araujo JA, Santra S, Vaidya M, Vierzig A, Wassmer E, Weis I, Wong FY, Veldman A, Schwarz G. Efficacy and safety of cyclic pyranopterin monophosphate substitution in severe molybdenum cofactor deficiency type A: a prospective cohort study. *Lancet*. 2015 Nov 14;386(10007):1955-1963. doi: 10.1016/S0140-6736(15)00124-5. Epub 2015 Sep 3. PMID: 26343839.
180. Nagappa M, Bindu PS, Taly AB, Sinha S, Bharath RD. Child Neurology: Molybdenum cofactor deficiency. *Neurology*. 2015 Dec 8;85(23):e175-8. doi: 10.1212/WNL.0000000000002194. PMID: 26644055.
181. Kasama, R.K. (2010), Trace Minerals in Patients with End-Stage Renal Disease. *Seminars in Dialysis*, 23: 561-570. <https://doi.org/10.1111/j.1525-139X.2010.00793.x>
182. Li M, Qiu L, Su L, Zhou C, Yao L, Ai X, Huang C. Ecological risks of molybdenum in black shale and carbonate areas: Exposure, health effects, and relation with selenium. *Environ Pollut*. 2026 Feb 15;391:127576. doi: 10.1016/j.envpol.2025.127576. Epub 2025 Dec 22. PMID: 41443551.
183. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
184. Hays SM, Macey K, Poddalgoda D, Lu M, Nong A, Aylward LL. Biomonitoring Equivalents for molybdenum. *Regul Toxicol Pharmacol*. 2016 Jun;77:223-9. doi: 10.1016/j.yrtph.2016.03.004. Epub 2016 Mar 10. Erratum in: *Regul Toxicol Pharmacol*. 2022 Oct;134:105212. doi: 10.1016/j.yrtph.2022.105212. PMID: 26972837.
185. Turnlund JR, Keyes WR, Peiffer GL. Molybdenum absorption, excretion, and retention studied with stable isotopes in young men at five intakes of dietary molybdenum. *Am J Clin Nutr*. 1995 Oct;62(4):790-6. doi: 10.1093/ajcn/62.4.790. PMID: 7572711.
186. Schröder H, Kippler M, Nermell B, Tofail F, Levi M, Rahman SM, Raqib R, Vahter M. Major Limitations in Using Element Concentrations in Hair as Biomarkers of Exposure to Toxic and Essential Trace Elements in Children. *Environ Health Perspect*. 2017 Jun 29;125(6):067021. doi: 10.1289/EHP1239. PMID: 28669939; PMCID: PMC5743543.
187. Rizzoli R, Biver E, Brennan-Speranza TC. Nutritional intake and bone health. *Lancet Diabetes Endocrinol*. 2021 Sep;9(9):606-621. doi: 10.1016/S2213-8587(21)00119-4. Epub 2021 Jul 6. PMID: 34242583.
188. Kalantar-Zadeh K, Fouque D. Nutritional management of chronic kidney disease. *N Engl J Med*. 2017;377(18):1765-1776. doi:10.1056/NEJMr1700312
189. Calvo MS, Uribarri J. Public health impact of dietary phosphorus excess on bone and cardiovascular health in the general population. *Am J Clin Nutr*. 2013 Jul;98(1):6-15. doi: 10.3945/ajcn.112.053934. Epub 2013 May 29. PMID: 23719553.
190. Peacock M. Phosphate Metabolism in Health and Disease. *Calcif Tissue Int*. 2021 Jan;108(1):3-15. doi: 10.1007/s00223-020-00686-3. Epub 2020 Apr 7. PMID: 32266417.
191. Wagner CA. The basics of phosphate metabolism. *Nephrol Dial Transplant*. 2024 Jan 31;39(2):190-201. doi: 10.1093/ndt/gfad188. PMID: 37660247; PMCID: PMC10828206.
192. Kalantar-Zadeh K, Ganz T, Trumbo H, Seid MH, Goodnough LT, Levine MA. Parenteral iron therapy and phosphorus homeostasis: A review. *Am J Hematol*. 2021; 96: 606–616. <https://doi.org/10.1002/ajh.26100>

193. Florenzano P, Cipriani C, Roszko KL, Fukumoto S, Collins MT, Minisola S, Pepe J. Approach to patients with hypophosphataemia. *Lancet Diabetes Endocrinol.* 2020 Feb;8(2):163-174. doi: 10.1016/S2213-8587(19)30426-7. Epub 2020 Jan 7. PMID: 31924563.
194. Calvo MS, Uribarri J. Public health impact of dietary phosphorus excess on bone and cardiovascular health in the general population. *Am J Clin Nutr.* 2013 Jul;98(1):6-15. doi: 10.3945/ajcn.112.053934. Epub 2013 May 29. PMID: 23719553.
195. Vermeulen EA, Vervloet MG. Magnesium administration in chronic kidney disease. *Nutrients.* 2023;15(3):547. doi:10.3390/nu15030547
196. Ikizler TA, Burrowes JD, Byham-Gray LD, et al. KDOQI Clinical Practice Guideline for Nutrition in Chronic Kidney Disease: 2020 Update. *Am J Kidney Dis.* 2020;76(3)(suppl 1):S1-S107. doi:10.1053/j.ajkd.2020.05.006.
197. Kalantar-Zadeh K, Fouque D. Nutritional management of chronic kidney disease. *N Engl J Med.* 2017;377(18):1765-1776. doi:10.1056/NEJMra1700312
198. Uhlig K, Berns JS, Kestenbaum B, et al. KDOQI US commentary on the 2009 KDIGO clinical practice guideline for the diagnosis, evaluation, and treatment of chronic kidney disease–mineral and bone disorder (CKD-MBD). *Am J Kidney Dis.* 2010;55(5):773-787.
199. Florenzano P, Cipriani C, Roszko KL, Fukumoto S, Collins MT, Minisola S, Pepe J. Approach to patients with hypophosphataemia. *Lancet Diabetes Endocrinol.* 2020 Feb;8(2):163-174. doi: 10.1016/S2213-8587(19)30426-7. Epub 2020 Jan 7. PMID: 31924563.
200. Miekeley N, de Fortes Carvalho LM, Porto da Silveira CL, Lima MB. Elemental anomalies in hair as indicators of endocrinologic pathologies and deficiencies in calcium and bone metabolism. *J Trace Elem Med Biol.* 2001;15(1):46-55. doi: 10.1016/s0946-672x(01)80026-2. PMID: 11603827.
201. Shahverdian A, Torabzadeh S, Watts D, Porwollik S, Padilla M, Lee JS, Perez G, Jafari M. Comparison of Mineral Levels in Blood and Hair Samples of Healthy Adults: Evaluating the Clinical Utility of Hair Mineral Analysis. *Biol Trace Elem Res.* 2026 Mar;204(3):1915-1927. doi: 10.1007/s12011-025-04793-w. Epub 2025 Nov 23. PMID: 41275064; PMCID: PMC12992362.
202. Ikizler TA, Burrowes JD, Byham-Gray LD, et al. KDOQI Clinical Practice Guideline for Nutrition in Chronic Kidney Disease: 2020 Update. *Am J Kidney Dis.* 2020;76(3)(suppl 1):S1-S107. doi:10.1053/j.ajkd.2020.05.006.
203. Weaver CM. Potassium and health. *Adv Nutr.* 2013 May 1;4(3):368S-77S. doi: 10.3945/an.112.003533. PMID: 23674806; PMCID: PMC3650509.
204. He FJ, MacGregor GA. Beneficial effects of potassium on human health. *Physiol Plant.* 2008 Aug;133(4):725-35. doi: 10.1111/j.1399-3054.2007.01033.x. PMID: 18724413.
205. Gumz ML, Rabinowitz L, Wingo CS. An integrated view of potassium homeostasis. *N Engl J Med.* 2015;373(1):60-72. doi:10.1056/NEJMra1313341.
206. Pani, A., Floris, M., Rosner, M.H. and Ronco, C. (2014), Hyperkalemia in Hemodialysis Patients. *Semin Dial*, 27: 571-576. <https://doi.org/10.1111/sdi.12272>
207. Ferreira JP, Butler J, Rossignol P, Pitt B, Anker SD, Kosiborod M, Lund LH, Bakris GL, Weir MR, Zannad F. Abnormalities of Potassium in Heart Failure: JACC State-of-the-Art Review. *J Am Coll Cardiol.* 2020 Jun 9;75(22):2836-2850. doi: 10.1016/j.jacc.2020.04.021. PMID: 32498812.
208. Palmer BF. A physiologic-based approach to the evaluation of a patient with hypokalemia. *Am J Kidney Dis.* 2010 Dec;56(6):1184-90. doi: 10.1053/j.ajkd.2010.07.010. Epub 2010 Sep 15. PMID: 20828906.
209. Viera AJ, Wouk N. Potassium Disorders: Hypokalemia and Hyperkalemia. *Am Fam Physician.* 2015 Sep 15;92(6):487-95. PMID: 26371733.
210. Sandau KE, Funk M, Auerbach A, et al; American Heart Association Council on Cardiovascular and Stroke Nursing; Council on Clinical Cardiology; Council on Cardiovascular Disease in the Young. Update to practice standards for electrocardiographic monitoring in hospital settings: a scientific statement from the American Heart Association. *Circulation.* 2017;136(19):e273-e344. doi:10.1161/CIR.0000000000000527
211. He FJ, MacGregor GA. Beneficial effects of potassium on human health. *Physiol Plant.* 2008 Aug;133(4):725-35. doi: 10.1111/j.1399-3054.2007.01033.x. PMID: 18724413.

212. Jones, D, Ferdinand, K, Taler, S. et al. 2025 AHA/ACC/AANP/AAPA/ABC/ACCP/ACPM/AGS/AMA/ASPC/NMA/PCNA/SGIM Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. *JACC*. 2025 Nov, 86 (18) 1567-1678. <https://doi.org/10.1016/j.jacc.2025.05.007>
213. Jones, D, Ferdinand, K, Taler, S. et al. 2025 AHA/ACC/AANP/AAPA/ABC/ACCP/ACPM/AGS/AMA/ASPC/NMA/PCNA/SGIM Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. *JACC*. 2025 Nov, 86 (18) 1567-1678. <https://doi.org/10.1016/j.jacc.2025.05.007>
214. Noori M, Nejadghaderi SA, Sullman MJM, Carson-Chahhoud K, Kolahi A-A, Safiri S. Epidemiology, prognosis and management of potassium disorders in Covid-19. *Rev Med Virol*. 2022; 32(1):e2262. <https://doi.org/10.1002/rmv.2262>
215. Ferreira JP, Butler J, Rossignol P, Pitt B, Anker SD, Kosiborod M, Lund LH, Bakris GL, Weir MR, Zannad F. Abnormalities of Potassium in Heart Failure: JACC State-of-the-Art Review. *J Am Coll Cardiol*. 2020 Jun 9;75(22):2836-2850. doi: 10.1016/j.jacc.2020.04.021. PMID: 32498812.
216. Palmer BF, Carrero JJ, Clegg DJ, Colbert GB, Emmett M, Fishbane S, Hain DJ, Lerma E, Onuigbo M, Rastogi A, Roger SD, Spinowitz BS, Weir MR. Clinical Management of Hyperkalemia. *Mayo Clin Proc*. 2021 Mar;96(3):744-762. doi: 10.1016/j.mayocp.2020.06.014. Epub 2020 Nov 5. PMID: 33160639.
217. Brown RS. Potassium homeostasis and clinical implications. *Am J Med*. 1984 Nov 5;77(5A):3-10. doi: 10.1016/s0002-9343(84)80002-9. PMID: 6388326.
218. Morimoto N, Jamil H, Alakkari M, Joyama Y, Anzai T, Takahashi K, Iimori S. Associations between dietary potassium intake and urinary potassium excretion: a protocol for systematic review and meta-analysis. *Syst Rev*. 2024 Jul 17;13(1):185. doi: 10.1186/s13643-024-02603-3. PMID: 39020425; PMCID: PMC11253472.
219. Shivambu A, Chiromba AK, van Zyl T. Potassium intake assessed by dietary recall and urinary excretion in young South African adults: findings from the African-PREDICT study. *BMC Public Health*. 2026 Jul 21. doi: 10.1186/s12889-026-28605-5. Epub ahead of print. PMID: 42477665.
220. Olde Engberink RH, van den Born BH, Peters-Sengers H, Vogt L. Estimation of potassium intake: single versus repeated measurements and the associated cardiorenal risk. *Eur J Clin Nutr*. 2022 Feb;76(2):309-316. doi: 10.1038/s41430-021-00951-0. Epub 2021 Jun 15. PMID: 34131298.
221. Birukov A, Rakova N, Lerchl K, Olde Engberink RH, Johannes B, Wabel P, Moissl U, Rauh M, Luft FC, Titze J. Ultra-long-term human salt balance studies reveal interrelations between sodium, potassium, and chloride intake and excretion. *Am J Clin Nutr*. 2016 Jul;104(1):49-57. doi: 10.3945/ajcn.116.132951. Epub 2016 May 25. PMID: 27225435; PMCID: PMC4919532.
222. Li J, Ma H, Lei Y, Wan Q. Diagnostic value of parameters from a spot urine sample for renal potassium loss in hypokalemia. *Clin Chim Acta*. 2020 Dec;511:221-226. doi: 10.1016/j.cca.2020.10.024. Epub 2020 Oct 20. PMID: 33096028.
223. Wang, Xinyi, Ding, Fei, Huang, Xinyi, He, Yong, Li, Guixing, The Diagnostic Value of the Random Urine Potassium- Creatinine Ratio to the Synchronous Serum Potassium Concentration Squared for Renal Potassium Loss in Hypokalemia Patients, *International Journal of Endocrinology*, 2025, 9911400, 8 pages, 2025. <https://doi.org/10.1155/ije/9911400>
224. Palmer BF. A physiologic-based approach to the evaluation of a patient with hypokalemia. *Am J Kidney Dis*. 2010 Dec;56(6):1184-90. doi: 10.1053/j.ajkd.2010.07.010. Epub 2010 Sep 15. PMID: 20828906.
225. Gumz ML, Rabinowitz L, Wingo CS. An integrated view of potassium homeostasis. *N Engl J Med*. 2015;373(1):60-72. doi:10.1056/NEJMra1313341.
226. Shahverdian A, Torabzadeh S, Watts D, Porwollik S, Padilla M, Lee JS, Perez G, Jafari M. Comparison of Mineral Levels in Blood and Hair Samples of Healthy Adults: Evaluating the Clinical Utility of Hair Mineral Analysis. *Biol Trace Elem Res*. 2026 Mar;204(3):1915-1927. doi: 10.1007/s12011-025-04793-w. Epub 2025 Nov 23. PMID: 41275064; PMCID: PMC12992362.
227. Uthus EO, Seaborn CD. Deliberations and evaluations of the approaches, endpoints and paradigms for dietary recommendations of the other trace elements. *J Nutr*. 1996 Sep;126(9 Suppl):2452S-2459S. doi: 10.1093/jn/126.suppl_9.2452S. PMID: 8811811.

228. Nielsen FH. How should dietary guidance be given for mineral elements with beneficial actions or suspected of being essential? *J Nutr.* 1996 Sep;126(9 Suppl):2377S-2385S. doi: 10.1093/jn/126.suppl_9.2377S. PMID: 8811801.
229. Kot FS. On the rubidium and lithium content and availability in the sub-arid south-eastern Mediterranean: potential health implications. *Environ Geochem Health.* 2018 Oct;40(5):1841-1851. doi: 10.1007/s10653-018-0134-8. Epub 2018 Jun 14. PMID: 29948536.
230. van der Bijl P, Gulati M, Saraste A, Marwick T, Kwong R, Blankstein R, Nieman K, Sengupta PP, van Rosendael A, Knuuti J, Bangalore S, Bax JJ. Contemporary, non-invasive imaging diagnosis of chronic coronary artery disease. *Lancet.* 2025 Nov 29;406(10519):2577-2587. doi: 10.1016/S0140-6736(25)01586-7. PMID: 41318214.
231. Full Document Preview
232. Kot FS. On the rubidium and lithium content and availability in the sub-arid south-eastern Mediterranean: potential health implications. *Environ Geochem Health.* 2018 Oct;40(5):1841-1851. doi: 10.1007/s10653-018-0134-8. Epub 2018 Jun 14. PMID: 29948536.
233. DailyMed - RUBY-FILL- rubidium rb 82 injection, solution
234. DailyMed - CARDIOGEN-82- rubidium chloride rb-82 injection, solution
235. Rahimi N, Hassanipour M, Yarmohammadi F, Faghir-Ghanesefat H, Pourshadi N, Bahramnejad E, Dehpour AR. Nitric oxide and glutamate are contributors of anti-seizure activity of rubidium chloride: A comparison with lithium. *Neurosci Lett.* 2019 Aug 24;708:134349. doi: 10.1016/j.neulet.2019.134349. Epub 2019 Jun 22. PMID: 31238129.
236. Kordjazy N, Haj-Mirzaian A, Amiri S, Ostadhadi S, Kordjazy M, Sharifzadeh M, Dehpour AR. Elevated level of nitric oxide mediates the anti-depressant effect of rubidium chloride in mice. *Eur J Pharmacol.* 2015 Sep 5;762:411-8. doi: 10.1016/j.ejphar.2015.06.030. Epub 2015 Jun 20. PMID: 26101064.
237. Yung CY. Neuropsychiatric manifestations of alkali metal deficiency and excess. *Pharmacol Biochem Behav.* 1984;21 Suppl 1:71-5. doi: 10.1016/0091-3057(84)90166-7. PMID: 6395136.
238. Beck FX, Dörge A, Giebisch G, Thurau K. Studies on the mechanism of rubidium-induced kaliuresis. *Kidney Int.* 1989 Aug;36(2):175-82. doi: 10.1038/ki.1989.177. PMID: 2779091.
239. Jenner FA, Lee CR, Paschalis C, Hill SE, Burkinshaw L, Jennings G. Electrolyte metabolism in patients with periodic affective disorders during treatment with rubidium. *Psychopharmacology (Berl).* 1983;81(4):301-9. doi: 10.1007/BF00427567. PMID: 6419259.
240. Usuda K, Kono R, Ueno T, Ito Y, Dote T, Yokoyama H, Kono K, Tamaki J. Risk assessment visualization of rubidium compounds: comparison of renal and hepatic toxicities, in vivo. *Biol Trace Elem Res.* 2014 Jun;159(1-3):263-8. doi: 10.1007/s12011-014-9937-3. Epub 2014 Apr 12. PMID: 24728875.
241. Barbosa F Jr, Devoz PP, Cavalcante MRN, Gallimberti M, Cruz JC, Domingo JL, Simões EJ, Lotufo P, Liu S, Bensenor I. Urinary levels of 30 metal/metalloids in the Brazilian southeast population: Findings from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). *Environ Res.* 2023 May 15;225:115624. doi: 10.1016/j.envres.2023.115624. Epub 2023 Mar 5. PMID: 36878270.
242. Komaromy-Hiller G, Ash KO, Costa R, Howerton K. Comparison of representative ranges based on U.S. patient population and literature reference intervals for urinary trace elements. *Clin Chim Acta.* 2000 Jun;296(1-2):71-90. doi: 10.1016/s0009-8981(00)00205-9. PMID: 10807972.
243. Phiri FP, Ander EL, Lark RM, Bailey EH, Chilima B, Gondwe J, Joy EJM, Kalimbira AA, Phuka JC, Suchdev PS, Middleton DRS, Hamilton EM, Watts MJ, Young SD, Broadley MR. Urine selenium concentration is a useful biomarker for assessing population level selenium status. *Environ Int.* 2020 Jan;134:105218. doi: 10.1016/j.envint.2019.105218. Epub 2019 Nov 9. PMID: 31715489.
244. Huang, Jing, Xie, Ling, Song, Anni, Zhang, Chun, Selenium Status and Its Antioxidant Role in Metabolic Diseases, *Oxidative Medicine and Cellular Longevity*, 2022, 7009863, 15 pages, 2022. <https://doi.org/10.1155/2022/7009863>
245. Sliwa K, Viljoen CA, Hasan B, Ntusi NAB. Nutritional Heart Disease and Cardiomyopathies: JACC Focus Seminar 4/4. *J Am Coll Cardiol.* 2022 Dec 7:S0735-1097(22)07308-9. doi: 10.1016/j.jacc.2022.08.812. Epub ahead of print. PMID: 36599756.

246. Huang, Jing, Xie, Ling, Song, Anni, Zhang, Chun, Selenium Status and Its Antioxidant Role in Metabolic Diseases, *Oxidative Medicine and Cellular Longevity*, 2022, 7009863, 15 pages, 2022. <https://doi.org/10.1155/2022/7009863>
247. Niu S, Wang Z, Yin X, Liu X, Qin L, Farooq MR, Danso OP, Zhang Z, Luo Q, Sun C, Song J. A preliminary predictive model for selenium nutritional status in residents based on three selenium biomarkers. *J Trace Elem Med Biol*. 2024 Jan;81:127347. doi: 10.1016/j.jtemb.2023.127347. Epub 2023 Nov 19. PMID: 37995511.
248. Ashton K, Hooper L, Harvey LJ, Hurst R, Casgrain A, Fairweather-Tait SJ. Methods of assessment of selenium status in humans: a systematic review. *Am J Clin Nutr*. 2009 Jun;89(6):2025S-2039S. doi: 10.3945/ajcn.2009.27230F. Epub 2009 May 6. PMID: 19420095.
249. Strazzullo P, Abate V. Sodium. *Adv Nutr*. 2025 May;16(5):100409. doi: 10.1016/j.advnut.2025.100409. Epub 2025 Mar 12. PMID: 40086509; PMCID: PMC12002814.
250. Seay NW, Lehrich RW, Greenberg A. Diagnosis and Management of Disorders of Body Tonicity-Hyponatremia and Hypernatremia: Core Curriculum 2020. *Am J Kidney Dis*. 2020 Feb;75(2):272-286. doi: 10.1053/j.ajkd.2019.07.014. Epub 2019 Oct 10. PMID: 31606238.
251. Carey RM, Muntner P, Bosworth HB, Whelton PK. Reprint of: Prevention and Control of Hypertension: JACC Health Promotion Series. *J Am Coll Cardiol*. 2018 Dec 11;72(23 Pt B):2996-3011. doi: 10.1016/j.jacc.2018.10.022. PMID: 30522633.
252. Centers for Disease Control and Prevention (CDC). Vital signs: food categories contributing the most to sodium consumption - United States, 2007-2008. *MMWR Morb Mortal Wkly Rep*. 2012 Feb 10;61(5):92-8. PMID: 22318472.
253. Woodruff RC, Zhao L, Ahuja JKC, Gillespie C, Goldman J, Harris DM, Jackson SL, Moshfegh A, Rhodes D, Sebastian RS, Terry A, Cogswell ME. Top Food Category Contributors to Sodium and Potassium Intake - United States, 2015-2016. *MMWR Morb Mortal Wkly Rep*. 2020 Aug 14;69(32):1064-1069. doi: 10.15585/mmwr.mm6932a3. PMID: 32790654; PMCID: PMC7440115.
254. Strazzullo P, Abate V. Sodium. *Adv Nutr*. 2025 May;16(5):100409. doi: 10.1016/j.advnut.2025.100409. Epub 2025 Mar 12. PMID: 40086509; PMCID: PMC12002814.
255. He FJ, Tan M, Ma Y, MacGregor GA. Salt Reduction to Prevent Hypertension and Cardiovascular Disease: JACC State-of-the-Art Review. *J Am Coll Cardiol*. 2020 Feb 18;75(6):632-647. doi: 10.1016/j.jacc.2019.11.055. PMID: 32057379.
256. Adrogué HJ, Tucker BM, Madias NE. Diagnosis and Management of Hyponatremia: A Review. *JAMA*. 2022;328(3):280-291. doi:10.1001/jama.2022.11176
257. Adrogué HJ, Madias NE. The syndrome of inappropriate antidiuresis. *N Engl J Med*. 2023;389(16):1499-1509. doi:10.1056/NEJMc2210411
258. Seay NW, Lehrich RW, Greenberg A. Diagnosis and Management of Disorders of Body Tonicity-Hyponatremia and Hypernatremia: Core Curriculum 2020. *Am J Kidney Dis*. 2020 Feb;75(2):272-286. doi: 10.1053/j.ajkd.2019.07.014. Epub 2019 Oct 10. PMID: 31606238.
259. He FJ, Tan M, Ma Y, MacGregor GA. Salt Reduction to Prevent Hypertension and Cardiovascular Disease: JACC State-of-the-Art Review. *J Am Coll Cardiol*. 2020 Feb 18;75(6):632-647. doi: 10.1016/j.jacc.2019.11.055. PMID: 32057379.
260. Nista F, Gatto F, Albertelli M, Musso N. Sodium Intake and Target Organ Damage in Hypertension-An Update about the Role of a Real Villain. *Int J Environ Res Public Health*. 2020 Apr 19;17(8):2811. doi: 10.3390/ijerph17082811. PMID: 32325839; PMCID: PMC7215960.
261. Kidney Disease: Improving Global Outcomes (KDIGO) Diabetes Work Group. KDIGO 2022 clinical practice guideline for diabetes management in chronic kidney disease. *Kidney Int*. 2022;102(5S):S1-S127. doi:10.1016/j.kint.2022.06.008
262. Miller NE, Rushlow D, Stacey SK. Diagnosis and management of sodium disorders: hyponatremia and hypernatremia. *Am Fam Physician*. 2023;108(5):476-486.
263. McLean R, Cameron C, Butcher E, Cook NR, Woodward M, Campbell NRC. Comparison of 24-hour urine and 24-hour diet recall for estimating dietary sodium intake in populations: A systematic review and meta-analysis. *J Clin Hypertens*. 2019; 21: 1753-1762. <https://doi.org/10.1111/jch.13729>

264. Campbell NRC, He FJ, Tan M, et al. The International Consortium for Quality Research on Dietary Sodium/Salt (TRUE) position statement on the use of 24-hour, spot, and short duration (<24 hours) timed urine collections to assess dietary sodium intake. *J Clin Hypertens*. 2019; 21: 700–709. <https://doi.org/10.1111/jch.13551>
265. Eljovich F, Weinberger MH, Anderson CAM, et al. Salt sensitivity of blood pressure: a scientific statement from the American Heart Association. *Hypertension*. 2016;68(3). doi:10.1161/HYP.0000000000000047
266. Adrogué HJ, Tucker BM, Madias NE. Diagnosis and Management of Hyponatremia: A Review. *JAMA*. 2022;328(3):280–291. doi:10.1001/jama.2022.11176
267. Sterns RH. Disorders of plasma sodium—causes, consequences, and correction. *N Engl J Med*. 2015;372(1):55–65. doi:10.1056/NEJMra1404489
268. Kurtz I, Nguyen MK. Evolving concepts in the quantitative analysis of the determinants of the plasma water sodium concentration and the pathophysiology and treatment of the dysnatremias. *Kidney Int*. 2005 Nov;68(5):1982–93. doi: 10.1111/j.1523-1755.2005.00652.x. Erratum in: *Kidney Int*. 2005 Dec;68(6):2934. PMID: 16221198.
269. Nguyen MK, Nguyen DS, Nguyen MK. Osmotically inactive sodium and potassium storage: lessons learned from the Edelman and Boling data. *Am J Physiol Renal Physiol*. 2016 Sep 1;311(3):F539–47. doi: 10.1152/ajprenal.00215.2016. Epub 2016 Jun 8. PMID: 27279486.
270. Adrogué HJ, Tucker BM, Madias NE. Diagnosis and Management of Hyponatremia: A Review. *JAMA*. 2022;328(3):280–291. doi:10.1001/jama.2022.11176
271. Tueller DJ, Eggett DL, Parker TL. A preliminary study of a Peruvian diet using dietary analysis and hair mineral content as indicators. *Biol Trace Elem Res*. 2013 Nov;155(2):161–8. doi: 10.1007/s12011-013-9774-9. Epub 2013 Aug 7. PMID: 23918167.
272. Wołowiec P, Michalak I, Chojnacka K, Mikulewicz M. Hair analysis in health assessment. *Clin Chim Acta*. 2013 Apr 18;419:139–71. doi: 10.1016/j.cca.2013.02.001. Epub 2013 Feb 13. PMID: 23415695.
273. Shahverdian A, Torabzadeh S, Watts D, Porwollik S, Padilla M, Lee JS, Perez G, Jafari M. Comparison of Mineral Levels in Blood and Hair Samples of Healthy Adults: Evaluating the Clinical Utility of Hair Mineral Analysis. *Biol Trace Elem Res*. 2026 Mar;204(3):1915–1927. doi: 10.1007/s12011-025-04793-w. Epub 2025 Nov 23. PMID: 41275064; PMCID: PMC12992362.
274. Pors Nielsen S. The biological role of strontium. *Bone*. 2004 Sep;35(3):583–8. doi: 10.1016/j.bone.2004.04.026. PMID: 15336592.
275. Ru X, Yang L, Shen G, Wang K, Xu Z, Bian W, Zhu W, Guo Y. Microelement strontium and human health: comprehensive analysis of the role in inflammation and non-communicable diseases (NCDs). *Front Chem*. 2024 Mar 28;12:1367395. doi: 10.3389/fchem.2024.1367395. PMID: 38606081; PMCID: PMC11007224.
276. González-Weller D, Rubio C, Gutiérrez ÁJ, González GL, Caballero Mesa JM, Revert Gironés C, Burgos Ojeda A, Hardisson A. Dietary intake of barium, bismuth, chromium, lithium, and strontium in a Spanish population (Canary Islands, Spain). *Food Chem Toxicol*. 2013 Dec;62:856–8. PMID: 24416776.
277. Zhao Q, Ni Y, Wei H, et al. Ion incorporation into bone grafting materials. *Periodontol 2000*. 2024; 94: 213–230. doi:10.1111/prd.12533
278. Frankær CG, Raffalt AC, Stahl K. Strontium localization in bone tissue studied by X-ray absorption spectroscopy. *Calcif Tissue Int*. 2014 Feb;94(2):248–57. doi: 10.1007/s00223-013-9806-7. Epub 2013 Oct 8. PMID: 24101232.
279. Zhao Q, Ni Y, Wei H, et al. Ion incorporation into bone grafting materials. *Periodontol 2000*. 2024; 94: 213–230. doi:10.1111/prd.12533
280. Saidak Z, Marie PJ. Strontium signaling: molecular mechanisms and therapeutic implications in osteoporosis. *Pharmacol Ther*. 2012 Nov;136(2):216–26. doi: 10.1016/j.pharmthera.2012.07.009. Epub 2012 Jul 20. PMID: 22820094.
281. Allen LH. Micronutrients—assessment, requirements, deficiencies, and interventions. *N Engl J Med*. 2025;392(10):1006–1016. doi:10.1056/NEJMra2314150

282. Nielsen FH. How should dietary guidance be given for mineral elements with beneficial actions or suspected of being essential? *J Nutr.* 1996 Sep;126(9 Suppl):2377S-2385S. doi: 10.1093/jn/126.suppl_9.2377S. PMID: 8811801.
283. Nielsen FH. How should dietary guidance be given for mineral elements with beneficial actions or suspected of being essential? *J Nutr.* 1996 Sep;126(9 Suppl):2377S-2385S. doi: 10.1093/jn/126.suppl_9.2377S. PMID: 8811801.
284. Nielsen FH. How should dietary guidance be given for mineral elements with beneficial actions or suspected of being essential? *J Nutr.* 1996 Sep;126(9 Suppl):2377S-2385S. doi: 10.1093/jn/126.suppl_9.2377S. PMID: 8811801.
285. Omdahl JL, DeLuca HF. Strontium induced rickets: metabolic basis. *Science.* 1971 Nov 26;174(4012):949-51. doi: 10.1126/science.174.4012.949. PMID: 4330835.
286. Oste L, Bervoets AR, Behets GJ, Dams G, Marijnissen RL, Geryl H, Lamberts LV, Verberckmoes SC, Van Hoof VO, De Broe ME, D'Haese PC. Time-evolution and reversibility of strontium-induced osteomalacia in chronic renal failure rats. *Kidney Int.* 2005 Mar;67(3):920-30. doi: 10.1111/j.1523-1755.2005.00156.x. PMID: 15698431.
287. Cohen-Solal M. Strontium overload and toxicity: impact on renal osteodystrophy. *Nephrol Dial Transplant.* 2002;17 Suppl 2:30-4. doi: 10.1093/ndt/17.suppl_2.30. PMID: 11904356.
288. Ali MS, Berencsi K, Marinier K, Deltour N, Perez-Guthann S, Pedersen L, Rijnbeek P, Lapi F, Simonetti M, Reyes C, Van der Lei J, Sturkenboom M, Prieto-Alhambra D. Comparative cardiovascular safety of strontium ranelate and bisphosphonates: a multi-database study in 5 EU countries by the EU-ADR Alliance. *Osteoporos Int.* 2020 Dec;31(12):2425-2438. doi: 10.1007/s00198-020-05580-0. Epub 2020 Aug 5. PMID: 32757044.
289. O'Donnell S, Cranney A, Wells GA, Adachi J, Reginster J-Y. Strontium ranelate for preventing and treating postmenopausal osteoporosis. *Cochrane Database of Systematic Reviews* 2006, Issue 4. Art. No.: CD005326. DOI: 10.1002/14651858.CD005326.pub3
290. Abrahamsen B, Grove EL, Vestergaard P. Nationwide registry-based analysis of cardiovascular risk factors and adverse outcomes in patients treated with strontium ranelate. *Osteoporos Int.* 2014 Feb;25(2):757-62. doi: 10.1007/s00198-013-2469-4. Epub 2013 Aug 14. PMID: 24322475.
291. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
292. Leeuwenkamp OR, van der Vijgh WJ, Hüsken BC, Lips P, Netelenbos JC. Quantification of strontium in plasma and urine with flameless atomic absorption spectrometry. *Clin Chem.* 1989 Sep;35(9):1911-4. PMID: 2776316.
293. D'Haese PC, Van Landeghem GF, Lamberts LV, Bekaert VA, Schrooten I, De Broe ME. Measurement of strontium in serum, urine, bone, and soft tissues by Zeeman atomic absorption spectrometry. *Clin Chem.* 1997 Jan;43(1):121-8. PMID: 8990233.
294. Oste L, Bervoets AR, Behets GJ, Dams G, Marijnissen RL, Geryl H, Lamberts LV, Verberckmoes SC, Van Hoof VO, De Broe ME, D'Haese PC. Time-evolution and reversibility of strontium-induced osteomalacia in chronic renal failure rats. *Kidney Int.* 2005 Mar;67(3):920-30. doi: 10.1111/j.1523-1755.2005.00156.x. PMID: 15698431.
295. Cohen-Solal M. Strontium overload and toxicity: impact on renal osteodystrophy. *Nephrol Dial Transplant.* 2002;17 Suppl 2:30-4. doi: 10.1093/ndt/17.suppl_2.30. PMID: 11904356.
296. Rodrigues JL, Batista BL, Nunes JA, Passos CJ, Barbosa F Jr. Evaluation of the use of human hair for biomonitoring the deficiency of essential and exposure to toxic elements. *Sci Total Environ.* 2008 Nov 1;405(1-3):370-6. doi: 10.1016/j.scitotenv.2008.06.002. Epub 2008 Jul 15. PMID: 18632136.
297. Christensen JR, LaBine GO. Microchemistry of Single Hair Strands Below and Above the Scalp: Impacts of External Contamination on Cuticle and Cortex Layers. *Biol Trace Elem Res.* 2024 Sep;202(9):3910-3922. doi: 10.1007/s12011-023-03973-w. Epub 2023 Dec 8. PMID: 38066310.
298. Prejac J, Višnjević V, Skalný AA, Grabeklis AR, Mimica N, Momčilović B. Hair for a long-term biological indicator tissue for assessing the strontium nutritional status of men and women. *J Trace Elem Med Biol.* 2017 Jul;42:11-17. doi: 10.1016/j.jtemb.2017.02.015. Epub 2017 Mar 4. PMID: 28595782.

299. Francioso, Antonio, Baseggio Conrado, Alessia, Mosca, Luciana, Fontana, Mario, Chemistry and Biochemistry of Sulfur Natural Compounds: Key Intermediates of Metabolism and Redox Biology, Oxidative Medicine and Cellular Longevity, 2020, 8294158, 27 pages, 2020. <https://doi.org/10.1155/2020/8294158>
300. Hill CR, Shafaei A, Balmer L, Lewis JR, Hodgson JM, Millar AH, Blekkenhorst LC. Sulfur compounds: From plants to humans and their role in chronic disease prevention. *Crit Rev Food Sci Nutr.* 2023;63(27):8616-8638. doi: 10.1080/10408398.2022.2057915. Epub 2022 Apr 5. PMID: 35380479.
301. Francioso, Antonio, Baseggio Conrado, Alessia, Mosca, Luciana, Fontana, Mario, Chemistry and Biochemistry of Sulfur Natural Compounds: Key Intermediates of Metabolism and Redox Biology, Oxidative Medicine and Cellular Longevity, 2020, 8294158, 27 pages, 2020. <https://doi.org/10.1155/2020/8294158>
302. Jung YS. Metabolism of Sulfur-Containing Amino Acids in the Liver: A Link between Hepatic Injury and Recovery. *Biol Pharm Bull.* 2015;38(7):971-4. doi: 10.1248/bpb.b15-00244. PMID: 26133705.
303. Lu SC. S-Adenosylmethionine. *Int J Biochem Cell Biol.* 2000 Apr;32(4):391-5. doi: 10.1016/s1357-2725(99)00139-9. PMID: 10762064.
304. Gasmi A, Nasreen A, Lenchyk L, Lysiuk R, Peana M, Shapovalova N, Piscopo S, Komisarenko M, Shanaida M, Smetanina K, Antonyak H, Fira L, Lykhatskyi P, Fira D, Björklund G. An Update on Glutathione's Biosynthesis, Metabolism, Functions, and Medicinal Purposes. *Curr Med Chem.* 2024;31(29):4579-4601. doi: 10.2174/0109298673251025230919105818. PMID: 37921175.
305. Nkabyo YS, Gu LH, Jones DP, Ziegler TR. Thiol/disulfide redox status is oxidized in plasma and small intestinal and colonic mucosa of rats with inadequate sulfur amino acid intake. *J Nutr.* 2006 May;136(5):1242-8. doi: 10.1093/jn/136.5.1242. PMID: 16614411.
306. Tesseraud S, Métayer Coustard S, Collin A, Seiliez I. Role of sulfur amino acids in controlling nutrient metabolism and cell functions: implications for nutrition. *Br J Nutr.* 2009 Apr;101(8):1132-9. doi: 10.1017/S0007114508159025. Epub 2008 Dec 15. PMID: 19079841.
307. Olsen T, Elshorbagy A, Johnson JE, Nichenametla SN, Dong Z, Sambamurti K, Richie JP Jr, Vinknes KJ. Sulfur amino acids, metabolic health and beyond: Recent advances, translational implications, and future research considerations. *Anal Biochem.* 2026 Feb;709:116008. doi: 10.1016/j.ab.2025.116008. Epub 2025 Nov 5. PMID: 41202947.
308. Karmin O, Siow YL. Metabolic Imbalance of Homocysteine and Hydrogen Sulfide in Kidney Disease. *Curr Med Chem.* 2018 Jan 30;25(3):367-377. doi: 10.2174/0929867324666170509145240. PMID: 28486919.
309. Olsen T, Elshorbagy A, Johnson JE, Nichenametla SN, Dong Z, Sambamurti K, Richie JP Jr, Vinknes KJ. Sulfur amino acids, metabolic health and beyond: Recent advances, translational implications, and future research considerations. *Anal Biochem.* 2026 Feb;709:116008. doi: 10.1016/j.ab.2025.116008. Epub 2025 Nov 5. PMID: 41202947.
310. Lakshmanan FL, Perera WD, Scrimshaw NS, Young VR. Plasma and urinary amino acids and selected sulfur metabolites in young men fed a diet devoid of methionine and cystine. *Am J Clin Nutr.* 1976 Dec;29(12):1367-71. doi: 10.1093/ajcn/29.12.1367. PMID: 998547.
311. Nakamura H, Kajikawa R, Ubuka T. A study on the estimation of sulfur-containing amino acid metabolism by the determination of urinary sulfate and taurine. *Amino Acids.* 2002;23(4):427-31. doi: 10.1007/s00726-002-0208-9. PMID: 12436211.
312. Yu J, Yu DW, Checkla DM, Freedberg IM, Bertolino AP. Human hair keratins. *J Invest Dermatol.* 1993 Jul;101(1 Suppl):56S-59S. doi: 10.1111/1523-1747.ep12362635. PMID: 7686952.
313. Nielsen FH. How should dietary guidance be given for mineral elements with beneficial actions or suspected of being essential? *J Nutr.* 1996 Sep;126(9 Suppl):2377S-2385S. doi: 10.1093/jn/126.suppl_9.2377S. PMID: 8811801.
314. Nielsen FH. Nutritional requirements for boron, silicon, vanadium, nickel, and arsenic: current knowledge and speculation. *FASEB J.* 1991 Sep;5(12):2661-7. PMID: 1916090.
315. Badmaev V, Prakash S, Majeed M. Vanadium: a review of its potential role in the fight against diabetes. *J Altern Complement Med.* 1999 Jun;5(3):273-91. doi: 10.1089/acm.1999.5.273. PMID: 10381252.
316. Zwolak, Iwona, Protective Effects of Dietary Antioxidants against Vanadium-Induced Toxicity: A Review, Oxidative Medicine and Cellular Longevity, 2020, 1490316, 14 pages, 2020. <https://doi.org/10.1155/2020/1490316>

317. Srivastava AK, Mehdi MZ. Insulino-mimetic and anti-diabetic effects of vanadium compounds. *Diabet Med*. 2005 Jan;22(1):2-13. doi: 10.1111/j.1464-5491.2004.01381.x. PMID: 15606684.
318. Treviño S, Diaz A. Vanadium and insulin: Partners in metabolic regulation. *J Inorg Biochem*. 2020 Jul;208:111094. doi: 10.1016/j.jinorgbio.2020.111094. Epub 2020 Apr 30. PMID: 32438270.
319. Kasama, R.K. (2010), Trace Minerals in Patients with End-Stage Renal Disease. *Seminars in Dialysis*, 23: 561-570. <https://doi.org/10.1111/j.1525-139X.2010.00793.x>
320. French RJ, Jones PJ. Role of vanadium in nutrition: metabolism, essentiality and dietary considerations. *Life Sci*. 1993;52(4):339-46. doi: 10.1016/0024-3205(93)90146-t. PMID: 8421433.
321. Ghalichi F, Ostadrahimi A, Saghafi-Asl M. Vanadium and diabetic dyslipidemia: A systematic review of animal studies. *J Trace Elem Med Biol*. 2022 May;71:126955. doi: 10.1016/j.jtemb.2022.126955. Epub 2022 Feb 26. PMID: 35303513.
322. Poucheret P, Verma S, Grynepas MD, McNeill JH. Vanadium and diabetes. *Mol Cell Biochem*. 1998 Nov;188(1-2):73-80. PMID: 9823013.
323. Zwolak, Iwona, Protective Effects of Dietary Antioxidants against Vanadium-Induced Toxicity: A Review, *Oxidative Medicine and Cellular Longevity*, 2020, 1490316, 14 pages, 2020. <https://doi.org/10.1155/2020/1490316>
324. Wang X, Xing C, Li G, Dai X, Gao X, Zhuang Y, Cao H, Hu G, Guo X, Yang F. The key role of proteostasis at mitochondria-associated endoplasmic reticulum membrane in vanadium-induced nephrotoxicity using a proteomic strategy. *Sci Total Environ*. 2023 Apr 15;869:161741. doi: 10.1016/j.scitotenv.2023.161741. Epub 2023 Jan 21. PMID: 36693574.
325. Ścibior, Agnieszka, Wojda, Iwona, Wnuk, Ewa, Pietrzyk, Łukasz, Plewa, Zbigniew, Response of Cytoprotective and Detoxifying Proteins to Vanadate and/or Magnesium in the Rat Liver: The Nrf2-Keap1 System, *Oxidative Medicine and Cellular Longevity*, 2021, 8447456, 15 pages, 2021. <https://doi.org/10.1155/2021/8447456>
326. Gylseth B, Leira HL, Steinnes E, Thomassen Y. Vanadium in the blood and urine of workers in a ferroalloy plant. *Scand J Work Environ Health*. 1979 Sep;5(3):188-94. doi: 10.5271/sjweh.3092. PMID: 20120566.
327. Kiviluoto M, Pyy L, Pakarinen A. Serum and urinary vanadium of workers processing vanadium pentoxide. *Int Arch Occup Environ Health*. 1981;48(3):251-6. doi: 10.1007/BF00405612. PMID: 6972918.
328. Kucera J, Lener J, Mnuková J. Vanadium levels in urine and cystine levels in fingernails and hair of exposed and normal persons. *Biol Trace Elem Res*. 1994 Fall;43-45:327-34. doi: 10.1007/BF02917332. PMID: 7710844.
329. Gao Y, Kagawa T, Chen W, Harusato A, Naito H, Tazaki A, Tamura T, Wakai K, Kato M. Emerging Inverse Association Between Low Exposure to Vanadium and Kidney Function Impairment: a Cross-Sectional Analysis of Japanese Residents. *Biol Trace Elem Res*. 2026 Sep;204(9):7027-7037. doi: 10.1007/s12011-026-05170-x. Epub 2026 Jun 4. PMID: 42240954.
330. Jiang S, Zhou S, Liu H, Peng C, Zhang X, Zhou H, Wang Z, Lu Q. Concentrations of vanadium in urine with hypertension prevalence and blood pressure levels. *Ecotoxicol Environ Saf*. 2021 Apr 15;213:112028. doi: 10.1016/j.ecoenv.2021.112028. Epub 2021 Feb 16. PMID: 33607335.
331. Waidyanatha S, Weber FX, Fallacara DM, Harrington JM, Levine K, Robinson VG, Sparrow BR, Stout MD, Fernando R, Hooth MJ, Xie G, Roberts GK. Systemic exposure and urinary excretion of vanadium following perinatal subchronic exposure to vanadyl sulfate and sodium metavanadate via drinking water. *Toxicol Lett*. 2022 May 1;360:53-61. doi: 10.1016/j.toxlet.2022.03.004. Epub 2022 Mar 21. Erratum in: *Toxicol Lett*. 2023 Jan 15;373:210. doi: 10.1016/j.toxlet.2022.11.008. PMID: 35331842; PMCID: PMC9036617.
332. Kucera J, Byrne AR, Mravcová A, Lener J. Vanadium levels in hair and blood of normal and exposed persons. *Sci Total Environ*. 1992 Apr 30;115(3):191-205. doi: 10.1016/0048-9697(92)90329-q. PMID: 1604305.
333. Naylor GJ, Smith AH, Bryce-Smith D, Ward NI. Tissue vanadium levels in manic-depressive psychosis. *Psychol Med*. 1984 Nov;14(4):767-72. doi: 10.1017/s0033291700019735. PMID: 6545411.
334. Kawai T, Seiji K, Wantanabe T, Nakatsuka H, Ikeda M. Urinary vanadium as a biological indicator of exposure to vanadium. *Int Arch Occup Environ Health*. 1989;61(4):283-7. doi: 10.1007/BF00381427. PMID: 2722251.
335. Lim NC, Freake HC, Brückner C. Illuminating zinc in biological systems. *Chemistry*. 2004 Dec 17;11(1):38-49. doi: 10.1002/chem.200400599. PMID: 15484196.

336. Fahim SM, Huey SL, Palma Molina XE, Agarwal N, Ridwan P, Ji N, Kibbee M, Kuriyan R, Finkelstein JL, Mehta S. Gut microbiome- based interventions for the management of obesity in children and adolescents aged up to 19 years. *Cochrane Database of Systematic Reviews* 2025, Issue 7. Art. No.: CD015875. DOI: 10.1002/14651858.CD015875.
337. Stefanache, Alina, Lungu, Ionut-Iulian, Butnariu, Ioan-Adrian, Calin, Gabriela, Gutu, Cristian, Marcu, Constantin, Grierosu, Carmen, Bogdan Goroftei, Elena Roxana, Duceac, Letitia-Doina, Dabija, Marius Gabriel, Popa, Florina, Damir, Daniela, Understanding How Minerals Contribute to Optimal Immune Function, *Journal of Immunology Research*, 2023, 3355733, 26 pages, 2023. <https://doi.org/10.1155/2023/3355733>
338. Stefanache, Alina, Lungu, Ionut-Iulian, Butnariu, Ioan-Adrian, Calin, Gabriela, Gutu, Cristian, Marcu, Constantin, Grierosu, Carmen, Bogdan Goroftei, Elena Roxana, Duceac, Letitia-Doina, Dabija, Marius Gabriel, Popa, Florina, Damir, Daniela, Understanding How Minerals Contribute to Optimal Immune Function, *Journal of Immunology Research*, 2023, 3355733, 26 pages, 2023. <https://doi.org/10.1155/2023/3355733>
339. Chasapis CT, Ntoupa PA, Spiliopoulou CA, Stefanidou ME. Recent aspects of the effects of zinc on human health. *Arch Toxicol.* 2020 May;94(5):1443-1460. doi: 10.1007/s00204-020-02702-9. Epub 2020 May 12. PMID: 32394086.
340. Imdad A, Rogner J, Sherwani RN, et al. Zinc supplementation for preventing mortality, morbidity, and growth failure in children aged 6 months to 12 years. *Cochrane Database Syst Rev.* 2023;3(3). doi:10.1002/14651858.CD009384.pub3
341. King JC, Brown KH, Gibson RS, Krebs NF, Lowe NM, Siekmann JH, Raiten DJ. Biomarkers of Nutrition for Development (BOND)-Zinc Review. *J Nutr.* 2015 Apr 1;146(4):858S-885S. doi: 10.3945/jn.115.220079. PMID: 26962190; PMCID: PMC4807640.
342. Shah D, Sachdev HS, Gera T, De- Regil LM, Peña- Rosas JP. Fortification of staple foods with zinc for improving zinc status and other health outcomes in the general population. *Cochrane Database of Systematic Reviews* 2016, Issue 6. Art. No.: CD010697. DOI: 10.1002/14651858.CD010697.pub2.
343. Saper RB, Rash R. Zinc: an essential micronutrient. *Am Fam Physician.* 2009 May 1;79(9):768-72. PMID: 20141096; PMCID: PMC2820120.
344. Sabbioni E, Kuèera J, Pietra R, Vesterberg O. A critical review on normal concentrations of vanadium in human blood, serum, and urine. *Sci Total Environ.* 1996 Sep 20;188(1):49-58. doi: 10.1016/0048-9697(96)05164-9. PMID: 8810089.
345. Wessells KR, King JC, Brown KH. Development of a plasma zinc concentration cutoff to identify individuals with severe zinc deficiency based on results from adults undergoing experimental severe dietary zinc restriction and individuals with acrodermatitis enteropathica. *J Nutr.* 2014 Aug;144(8):1204-10. doi: 10.3945/jn.114.191585. Epub 2014 May 21. PMID: 24850624.
346. Fosmire GJ. Zinc toxicity. *Am J Clin Nutr.* 1990 Feb;51(2):225-7. doi: 10.1093/ajcn/51.2.225. PMID: 2407097.
347. Lanska DJ, Remler B. Myelopathy among zinc-smelter workers in Upper Silesia during the late 19th century. *Neurology.* 2014 Apr 1;82(13):1175-9. doi: 10.1212/WNL.0000000000000270. PMID: 24688096.
348. Dutta A, Chaudhary V, Kumari S, Rohita, Sharma KK, Pal B. Zinc-Induced Hematologic Toxicities: A Systematic Review of Descriptive Studies. *Biol Trace Elem Res.* 2026 Sep;204(9):6628-6642. doi: 10.1007/s12011-026-05136-z. Epub 2026 May 6. PMID: 42087025.
349. National Center for Environmental Health. National Report on Human Exposure to Environmental Chemicals. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. 2022. Updated August 2026. <https://dx.doi.org/10.15620/cdc:133100>
350. The National Health and Nutrition Examination Survey (NHANES) utilizes urine as the primary specimen for assessing strontium status.
351. Lowe NM, Fekete K, Decsi T. Methods of assessment of zinc status in humans: a systematic review. *Am J Clin Nutr.* 2009 Jun;89(6):2040S-2051S. doi: 10.3945/ajcn.2009.27230G. Epub 2009 May 6. PMID: 19420098.
352. Tural E, Meral C, Suleymanoglu S, Karademir F, Aydinöz S, Ozkaya H, Gültepe M, Ipcioglu OM, Gocmen I. Renal zinc clearance/glomerular filtration rate ratio as an indicator of marginal zinc deficiency associated with iron deficiency in childhood. *J Am Coll Nutr.* 2010 Apr;29(2):107-12. doi: 10.1080/07315724.2010.10719823. PMID:

353. Lowe NM, Fekete K, Decsi T. Methods of assessment of zinc status in humans: a systematic review. *Am J Clin Nutr*. 2009 Jun;89(6):2040S-2051S. doi: 10.3945/ajcn.2009.27230G. Epub 2009 May 6. PMID: 19420098.
354. King JC, Brown KH, Gibson RS, Krebs NF, Lowe NM, Siekmann JH, Raiten DJ. Biomarkers of Nutrition for Development (BOND)-Zinc Review. *J Nutr*. 2015 Apr 1;146(4):858S-885S. doi: 10.3945/jn.115.220079. PMID: 26962190; PMCID: PMC4807640.
355. Lowe NM. Assessing zinc in humans. *Curr Opin Clin Nutr Metab Care*. 2016 Sep;19(5):321-327. doi: 10.1097/MCO.0000000000000298. PMID: 27348152.
356. Jeejeebhoy K. Zinc: an essential trace element for parenteral nutrition. *Gastroenterology*. 2009 Nov;137(5 Suppl):S7-12. doi: 10.1053/j.gastro.2009.08.014. PMID: 19874952.
357. Ghosh S, Sharma A, Talukder G. Zirconium. An abnormal trace element in biology. *Biol Trace Elem Res*. 1992 Dec;35(3):247-71. doi: 10.1007/BF02783770. PMID: 1283692.
358. Nielsen FH. How should dietary guidance be given for mineral elements with beneficial actions or suspected of being essential? *J Nutr*. 1996 Sep;126(9 Suppl):2377S-2385S. doi: 10.1093/jn/126.suppl_9.2377S. PMID: 8811801.
359. Chen YW, Moussi J, Drury JL, Wataha JC. Zirconia in biomedical applications. *Expert Rev Med Devices*. 2016 Oct;13(10):945-963. doi: 10.1080/17434440.2016.1230017. Epub 2016 Sep 16. PMID: 27635794.
360. Lee DB, Roberts M, Bluchel CG, Odell RA. Zirconium: biomedical and nephrological applications. *ASAIO J*. 2010 Nov-Dec;56(6):550-6. doi: 10.1097/MAT.0b013e3181e73f20. PMID: 21245802.
361. Shahid M, Ferrand E, Schreck E, Dumat C. Behavior and impact of zirconium in the soil-plant system: plant uptake and phytotoxicity. *Rev Environ Contam Toxicol*. 2013;221:107-27. doi: 10.1007/978-1-4614-4448-0_2. PMID: 23090631.
362. Greiter MB, Giussani A, Höllriegel V, Li WB, Oeh U. Human biokinetic data and a new compartmental model of zirconium--a tracer study with enriched stable isotopes. *Sci Total Environ*. 2011 Sep 1;409(19):3701-10. doi: 10.1016/j.scitotenv.2011.06.031. Epub 2011 Jul 2. PMID: 21724239.
363. Ghosh S, Sharma A, Talukder G. Zirconium. An abnormal trace element in biology. *Biol Trace Elem Res*. 1992 Dec;35(3):247-71. doi: 10.1007/BF02783770. PMID: 1283692.
364. Chen Y, Roohani-Esfahani SI, Lu Z, Zreiqat H, Dunstan CR. Zirconium ions up-regulate the BMP/SMAD signaling pathway and promote the proliferation and differentiation of human osteoblasts. *PLoS One*. 2015 Jan 20;10(1):e0113426. doi: 10.1371/journal.pone.0113426. PMID: 25602473; PMCID: PMC4300214.
365. Li WB, Greiter M, Oeh U, Hoeschen C. Reliability of a new biokinetic model of zirconium in internal dosimetry: part II, parameter sensitivity analysis. *Health Phys*. 2011 Dec;101(6):677-92. doi: 10.1097/HP.0b013e318226edc0. PMID: 22048486.
366. Ghosh S, Sharma A, Talukder G. Zirconium. An abnormal trace element in biology. *Biol Trace Elem Res*. 1992 Dec;35(3):247-71. doi: 10.1007/BF02783770. PMID: 1283692.
367. Lee DB, Roberts M, Bluchel CG, Odell RA. Zirconium: biomedical and nephrological applications. *ASAIO J*. 2010 Nov-Dec;56(6):550-6. doi: 10.1097/MAT.0b013e3181e73f20. PMID: 21245802.
368. He X, Reichl FX, Milz S, Michalke B, Wu X, Sprecher CM, Yang Y, Gahlert M, Röhling S, Kniha H, Hickel R, Högg C. Titanium and zirconium release from titanium- and zirconia implants in mini pig maxillae and their toxicity in vitro. *Dent Mater*. 2020 Mar;36(3):402-412. doi: 10.1016/j.dental.2020.01.013. Epub 2020 Jan 25. PMID: 31992485.
369. Barut G, Çelik A. Gene expression profiles related to apoptosis and levels of DNA oxidative damage in primary dermal fibroblast cells (ATCC® PCS-201-012TM) treated with zirconium oxide nanoparticles. *Food Chem Toxicol*. 2025 Jul;201:115446. doi: 10.1016/j.fct.2025.115446. Epub 2025 Apr 18. PMID: 40252907.
370. Molaei M, Attarzadeh N, Fattah-Alhosseini A. Tailoring the biological response of zirconium implants using zirconia bioceramic coatings: A systematic review. *J Trace Elem Med Biol*. 2021 Jul;66:126756. doi: 10.1016/j.jtemb.2021.126756. Epub 2021 Apr 2. PMID: 33831798.

371. Chen YW, Moussi J, Drury JL, Wataha JC. Zirconia in biomedical applications. *Expert Rev Med Devices*. 2016 Oct;13(10):945-963. doi: 10.1080/17434440.2016.1230017. Epub 2016 Sep 16. PMID: 27635794.
372. Greiter MB, Giussani A, Höllriegl V, Li WB, Oeh U. Human biokinetic data and a new compartmental model of zirconium--a tracer study with enriched stable isotopes. *Sci Total Environ*. 2011 Sep 1;409(19):3701-10. doi: 10.1016/j.scitotenv.2011.06.031. Epub 2011 Jul 2. PMID: 21724239.
373. Veronese I, Giussani A, Cantone MC, Maggioni T, Birattari C, Groppi F, Werner E, Roth P, Höllriegl V. A re-evaluation of the biokinetics of zirconium in humans. *Appl Radiat Isot*. 2003 Apr;58(4):431-9. doi: 10.1016/s0969-8043(03)00024-1. PMID: 12672620.
374. Schmidl D, Hug S, Li WB, Greiter MB, Theis FJ. Bayesian model selection validates a biokinetic model for zirconium processing in humans. *BMC Syst Biol*. 2012 Aug 5;6:95. doi: 10.1186/1752-0509-6-95. PMID: 22863152; PMCID: PMC3529705.
375. Rakow A, Kowski A, Treskatsch S, et al. Metal Concentrations in Blood and Cerebrospinal Fluid of Patients With Arthroplasty Implants. *JAMA Netw Open*. 2025;8(3):e252281. doi:10.1001/jamanetworkopen.2025.2281



Metals & Elements

TOXIC + ESSENTIAL

All trademarks are owned by the company and its affiliates.
©2026 Mosaic Diagnostics. All Rights Reserved. MDX_METAL-HAIR-GUIDE 10-2026 v1

Visit MosaicDX.com for more resources
(800) 288-0383 customerservice@mosaicdx.com

