








































	Cholestyr amine	Charcoal	Clays	Glucoma nnan	Chlorell a	Humic Acid	Peach Stone	Micro Chitosan	Mucilage (Fiber, Okra, and Other Vegetables)	Probiotics	N-Acetyl Cysteine* (not a direct binder)
Aflatoxins	 i	 ii	 iii	 iv, v	 vi	 vii, viii	 ix	 x, xi	 xii	 xiii, xiv, xv	
Ochratoxin A (OTA)	 xvi, xvii, xviii	 xix	 xx	 xxi, xxii		 xxiii	 xxiv	 xxv, xxvi	 xxvii	 xxviii, xxix	
Trichothecenes		 xxx, xxxi		 xxxii, xxxiii			 xxxiv	 xxxv, xxxvi	 xxxvii	 xxxviii, xxxix, xl	
Zearalenone (ZEA)	 xli	 xlii	 xliii	 xliv, xlv		 xlvi, xlvii	 xlviii	 xlix, l	 li	 lij, liii	 liv
Chaetoglobosin A (CHA)											
Citrinin											
Enniatin B			 lv								
Gliotoxin										 lvi, lvii	 lviii
Mycophenolic Acid (MPA)											
erigmatocystin										 lix	

-
- ⁱ Yu A, Wang H, Cheng Q, Rajput SA, Qi D. The Effects of Aflatoxin B₁ on Liver Cholestasis and Its Nutritional Regulation in Ducks. *Toxins (Basel)*. 2024 May 24;16(6):239. doi: 10.3390/toxins16060239. PMID: 38922135; PMCID: PMC11209606
- ⁱⁱ Hojati M, Norouzian MA, Assadi Alamouti A, Afzalzadeh A. *In vitro* evaluation of binding capacity of different binders to adsorb aflatoxin. *Vet Res Forum*. 2021 Spring;12(2):211-215. doi: 10.30466/vrf.2019.99431.2369. Epub 2021 Jun 15. PMID: 34345388; PMCID: PMC8328244.
- ⁱⁱⁱ Oguz H, Bahcivan E, Erdogan T, Yalcin NF, Ozdas A, Isik MK, Altunbas O. In vitro mycotoxin binding capacities of clays, glucomannan and their combinations. *Toxicon*. 2022 Jul 30;214:93-103. doi: 10.1016/j.toxicon.2022.05.006. Epub 2022 May 18. PMID: 35597522.
- ^{iv} Oguz H, Bahcivan E, Erdogan T, Yalcin NF, Ozdas A, Isik MK, Altunbas O. In vitro mycotoxin binding capacities of clays, glucomannan and their combinations. *Toxicon*. 2022 Jul 30;214:93-103. doi: 10.1016/j.toxicon.2022.05.006. Epub 2022 May 18. PMID: 35597522.
- ^v Mohaghegh A, Chamani M, Shivazad M, Sadeghi AA, Afzali N. Effect of esterified glucomannan on broilers exposed to natural mycotoxin-contaminated diets. *Journal of Applied Animal Research*. 2017;45(1):285-91.
- ^{vi} Abdelnour SA, Mahasneh ZMH, Barakat RA, Alkahtani AM, Madkour M. Microalgae: A promising strategy for aflatoxin control in poultry feeds. *Toxicon*. 2024 Jun;244:107770. doi: 10.1016/j.toxicon.2024.107770. Epub 2024 May 18. PMID: 38768829.
- ^{vii} Maguey-González JA, Nava-Ramírez MJ, Gómez-Rosales S, Ángeles ML, Solís-Cruz B, Hernández-Patlán D, Merino-Guzmán R, Hernández-Velasco X, Figueroa-Cárdenas JD, Vázquez-Durán A, Hargis BM, Téllez-Isaías G, Méndez-Albores A. Humic Acids Preparation, Characterization, and Their Potential Adsorption Capacity for Aflatoxin B₁ in an In Vitro Poultry Digestive Model. *Toxins (Basel)*. 2023 Jan 17;15(2):83. doi: 10.3390/toxins15020083. PMID: 36828398; PMCID: PMC9962053.
- ^{viii} Xu P, Dong S, Luo X, Wei B, Zhang C, Ji X, Zhang J, Zhu X, Meng G, Jia B, Zhang J. Humic acids alleviate aflatoxin B₁-induced hepatic injury by reprogramming gut microbiota and absorbing toxin. *Ecotoxicol Environ Saf*. 2023 Jul 1;259:115051. doi: 10.1016/j.ecoenv.2023.115051. Epub 2023 May 23. PMID: 37224783.
- ^{ix} Lopčič RZ, Bocarov-Stancic SA, Stojanovic DM, Milojkovic VJ, Pantic RV, Adamovic JM. In vitro evaluation of the efficacy of peach stones as mycotoxin binders. *Zbornik Matice Srpske Za Prirodne Nauke*. 2013;287-96.
- ^x Abbasi Pirouz A, Selamat J, Zafar Iqbal S, Iskandar Putra Samsudin N. Efficient and Simultaneous Chitosan-Mediated Removal of 11 Mycotoxins from Palm Kernel Cake. *Toxins (Basel)*. 2020;12(2).
- ^{xi} Solís-Cruz B, Hernández-Patlán D, Beyssac E, Latorre JD, Hernandez-Velasco X, Merino-Guzman R, et al. Evaluation of Chitosan and Cellulosic Polymers as Binding Adsorbent Materials to Prevent Aflatoxin B₁, Fumonisin B₁, Ochratoxin, Trichothecene, Deoxynivalenol, and Zearalenone Mycotoxicoses Through an In Vitro Gastrointestinal Model for Poultry. *Polymers (Basel)*. 2017;9(10).
- ^{xii} Trowell, H. C., Suckling, K. E., Story, J. A., Rossi, S. S., Kritchevsky, D., Kahlon, T. S., Hofmann, A. F., Hecht, S. S., Gautam, M., Eastwood, M. A., Diwanay, S., Daggy, B. P., Carey, M. C., Balmer, J., Ames, B. N., & Anderson, J. W. (2006, October 6). *In vitro binding of bile acids by okra, beets, asparagus, eggplant, turnips, green beans, carrots, and cauliflower*. *Food Chemistry*.
- ^{xiii} Armando MR, Pizzolitto RP, Dogi CA, Cristofolini A, Merkis C, Poloni V, et al. Adsorption of ochratoxin A and zearalenone by potential probiotic *Saccharomyces cerevisiae* strains and its relation with cell wall thickness. *J Appl Microbiol*. 2012;113(2):256-64.
- ^{xiv} Qin X, Su X, Tu T, Zhang J, Wang X, Wang Y, et al. Enzymatic Degradation of Multiple Major Mycotoxins by Dye-Decolorizing Peroxidase from *Bacillus subtilis*. *Toxins (Basel)*. 2021;13(6).
- ^{xv} A, C. K. K. (n.d.). *Antifungal activity of bacillus coagulans against Fusarium SP*. *Acta microbiologica Polonica*. <https://pubmed.ncbi.nlm.nih.gov/12588102/>
- ^{xvi} Hope J. A Review of the Mechanism of Injury and Treatment Approaches for Illness Resulting from Exposure to Water-Damaged Buildings, Mold, and Mycotoxins. *The Scientific World Journal*. 2013;2013:1-20.

-
- ^{xvii} Kerkadi A, Barriault C, Tuchweber B, Frohlich AA, Marquardt RR, Bouchard G, et al. Dietary cholestyramine reduces ochratoxin A-induced nephrotoxicity in the rat by decreasing plasma levels and enhancing fecal excretion of the toxin. *J Toxicol Environ Health A*. 1998;53(3):231-50.
- ^{xviii} Sana Riaz SJ. Cholestyramine Resin. *StatPearls*. 2023.
- ^{xix} Lauterburg BH, Dickson ER, Pineda AA, Carlson GL, Taswell HF. Removal of bile acids and bilirubin by plasmapheresis of U.S.P. charcoal-coated glass beads. *J Lab Clin Med*. 1979;94(4):585-92.
- ^{xx} Oguz H, Bahcivan E, Erdogan T, Yalcin NF, Ozdas A, Isik MK, Altunbas O. In vitro mycotoxin binding capacities of clays, glucomannan and their combinations. *Toxicon*. 2022 Jul 30;214:93-103. doi: 10.1016/j.toxicon.2022.05.006. Epub 2022 May 18. PMID: 35597522.
- ^{xxi} Oguz H, Bahcivan E, Erdogan T, Yalcin NF, Ozdas A, Isik MK, Altunbas O. In vitro mycotoxin binding capacities of clays, glucomannan and their combinations. *Toxicon*. 2022 Jul 30;214:93-103. doi: 10.1016/j.toxicon.2022.05.006. Epub 2022 May 18. PMID: 35597522.
- ^{xxii} Mohaghegh A, Chamani M, Shivazad M, Sadeghi AA, Afzali N. Effect of esterified glucomannan on broilers exposed to natural mycotoxin-contaminated diets. *Journal of Applied Animal Research*. 2017;45(1):285-91.
- ^{xxiii} Santos RR, Vermeulen S, Haritova A, Fink-Gremmels J. Isotherm modeling of organic activated bentonite and humic acid polymer used as mycotoxin adsorbents. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 2011 Nov;28(11):1578-89. doi: 10.1080/19440049.2011.595014. Epub 2011 Jul 20. PMID: 21770846.
- ^{xxiv} Lopacic RZ, Bocarov-Stancic SA, Stojanovic DM, Milojkovic VJ, Pantic RV, Adamovic JM. In vitro evaluation of the efficacy of peach stones as mycotoxin binders. *Zbornik Matice Srpske Za Prirodne Nauke*. 2013:287-96.
- ^{xxv} Abbasi Pirouz A, Selamat J, Zafar Iqbal S, Iskandar Putra Samsudin N. Efficient and Simultaneous Chitosan-Mediated Removal of 11 Mycotoxins from Palm Kernel Cake. *Toxins (Basel)*. 2020;12(2).
- ^{xxvi} Solís-Cruz B, Hernández-Patlán D, Beyssac E, Latorre JD, Hernandez-Velasco X, Merino-Guzman R, et al. Evaluation of Chitosan and Cellulosic Polymers as Binding Adsorbent Materials to Prevent Aflatoxin B1, Fumonisin B1, Ochratoxin, Trichothecene, Deoxynivalenol, and Zearalenone Mycotoxicoses Through an In Vitro Gastrointestinal Model for Poultry. *Polymers (Basel)*. 2017;9(10).
- ^{xxvii} Trowell, H. C., Suckling, K. E., Story, J. A., Rossi, S. S., Kritchevsky, D., Kahlon, T. S., Hofmann, A. F., Hecht, S. S., Gautam, M., Eastwood, M. A., Diwanay, S., Daggy, B. P., Carey, M. C., Balmer, J., Ames, B. N., & Anderson, J. W. (2006, October 6). *In vitro binding of bile acids by okra, beets, asparagus, eggplant, turnips, green beans, carrots, and cauliflower*. *Food Chemistry*.
- ^{xxviii} Armando MR, Pizzolitto RP, Dogi CA, Cristofolini A, Merkis C, Poloni V, et al. Adsorption of ochratoxin A and zearalenone by potential probiotic *Saccharomyces cerevisiae* strains and its relation with cell wall thickness. *J Appl Microbiol*. 2012;113(2):256-64
- ^{xxix} Agawane SB, Lonkar PS. Effect of probiotic containing *Saccharomyces boulardii* on experimental ochratoxicosis in broilers: hematobiochemical studies. *Journal of veterinary science*. 2004;5 4:359-67.
- ^{xxx} Kihal A, Rodríguez-Prado M, Calsamiglia S. The efficacy of mycotoxin binders to control mycotoxins in feeds and the potential risk of interactions with nutrient: a review. *J Anim Sci*. 2022 Nov 1;100(11):skac328. doi: 10.1093/jas/skac328. PMID: 36208465; PMCID: PMC9685567.
- ^{xxxi} Avantaggiato G, Havenaar R, Visconti A. Evaluation of the intestinal absorption of deoxynivalenol and nivalenol by an in vitro gastrointestinal model, and the binding efficacy of activated carbon and other adsorbent materials. *Food Chem Toxicol*. 2004 May;42(5):817-24. doi: 10.1016/j.fct.2004.01.004. PMID: 15046828.
- ^{xxxii} Oguz H, Bahcivan E, Erdogan T, Yalcin NF, Ozdas A, Isik MK, Altunbas O. In vitro mycotoxin binding capacities of clays, glucomannan and their combinations. *Toxicon*. 2022 Jul 30;214:93-103. doi: 10.1016/j.toxicon.2022.05.006. Epub 2022 May 18. PMID: 35597522.
- ^{xxxiii} Mohaghegh A, Chamani M, Shivazad M, Sadeghi AA, Afzali N. Effect of esterified glucomannan on broilers exposed to natural mycotoxin-contaminated diets. *Journal of Applied Animal Research*. 2017;45(1):285-91.

-
- ^{xxxiv} Lopčič RZ, Bocarov-Stancić SA, Stojanović DM, Milojković VJ, Pantić RV, Adamović JM. In vitro evaluation of the efficacy of peach stones as mycotoxin binders. *Zbornik Matice Srpske Za Prirodne Nauke*. 2013;287-96.
- ^{xxxv} Abbasi Pirouz A, Selamat J, Zafar Iqbal S, Iskandar Putra Samsudin N. Efficient and Simultaneous Chitosan-Mediated Removal of 11 Mycotoxins from Palm Kernel Cake. *Toxins (Basel)*. 2020;12(2).
- ^{xxxvi} Solís-Cruz B, Hernández-Patlán D, Beyssac E, Latorre JD, Hernández-Velasco X, Merino-Guzmán R, et al. Evaluation of Chitosan and Cellulosic Polymers as Binding Adsorbent Materials to Prevent Aflatoxin B1, Fumonisin B1, Ochratoxin, Trichothecene, Deoxynivalenol, and Zearalenone Mycotoxicoses Through an In Vitro Gastrointestinal Model for Poultry. *Polymers (Basel)*. 2017;9(10).
- ^{xxxvii} Trowell, H. C., Suckling, K. E., Story, J. A., Rossi, S. S., Kritchevsky, D., Kahlon, T. S., Hofmann, A. F., Hecht, S. S., Gautam, M., Eastwood, M. A., Diwanay, S., Daggy, B. P., Carey, M. C., Balmer, J., Ames, B. N., & Anderson, J. W. (2006, October 6). *In vitro binding of bile acids by okra, beets, asparagus, eggplant, turnips, green beans, carrots, and cauliflower*. *Food Chemistry*.
- ^{xxxviii} Qin X, Su X, Tu T, Zhang J, Wang X, Wang Y, et al. Enzymatic Degradation of Multiple Major Mycotoxins by Dye-Decolorizing Peroxidase from *Bacillus subtilis*. *Toxins (Basel)*. 2021;13(6).
- ^{xxxix} Czaczyk K, Trojanowska K, Mueller A. Antifungal activity of *Bacillus coagulans* against *Fusarium* sp. *Acta Microbiol Pol*. 2002;51(3):275-83.
- ^{xl} Janik E, Niemcewicz M, Podogrocki M, Ceremuga M, Stela M, Bijak M. T-2 Toxin-The Most Toxic Trichothecene Mycotoxin: Metabolism, Toxicity, and Decontamination Strategies. *Molecules*. 2021;26(22).
- ^{xli} Döll S, Dänicke S, Valenta H, Flachowsky G. In vitro studies on the evaluation of mycotoxin decontaminating agents. *Mycotoxin Res*. 2001 Jun;17 Suppl 2:214-8. doi: 10.1007/BF03036439. PMID: 23605875.
- ^{xlii} Bueno DJ, Di Marco L, Oliver G, Bardón A. In vitro binding of zearalenone to different adsorbents. *J Food Prot*. 2005 Mar;68(3):613-5. doi: 10.4315/0362-028x-68.3.613. PMID: 15771192.
- ^{xliii} Oguz H, Bahcivan E, Erdogan T, Yalcin NF, Ozdas A, Isik MK, Altunbas O. In vitro mycotoxin binding capacities of clays, glucomannan and their combinations. *Toxicon*. 2022 Jul 30;214:93-103. doi: 10.1016/j.toxicon.2022.05.006. Epub 2022 May 18. PMID: 35597522
- ^{xliv} Oguz H, Bahcivan E, Erdogan T, Yalcin NF, Ozdas A, Isik MK, Altunbas O. In vitro mycotoxin binding capacities of clays, glucomannan and their combinations. *Toxicon*. 2022 Jul 30;214:93-103. doi: 10.1016/j.toxicon.2022.05.006. Epub 2022 May 18. PMID: 35597522
- ^{xlv} Mohaghegh A, Chamani M, Shivazad M, Sadeghi AA, Afzali N. Effect of esterified glucomannan on broilers exposed to natural mycotoxin-contaminated diets. *Journal of Applied Animal Research*. 2017;45(1):285-91.
- ^{xlvi} Sabater-Vilar M, Malekinejad H, Selman MH, van der Doelen MA, Fink-Gremmels J. In vitro assessment of adsorbents aiming to prevent deoxynivalenol and zearalenone mycotoxicoses. *Mycopathologia*. 2007 Feb;163(2):81-90. doi: 10.1007/s11046-007-0093-6. Epub 2007 Feb 10. PMID: 17294292; PMCID: PMC2799631.
- ^{xlvii} Santos RR, Vermeulen S, Haritova A, Fink-Gremmels J. Isotherm modeling of organic activated bentonite and humic acid polymer used as mycotoxin adsorbents. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 2011 Nov;28(11):1578-89. doi: 10.1080/19440049.2011.595014. Epub 2011 Jul 20. PMID: 21770846.
- ^{xlviii} Lopčič RZ, Bocarov-Stancić SA, Stojanović DM, Milojković VJ, Pantić RV, Adamović JM. In vitro evaluation of the efficacy of peach stones as mycotoxin binders. *Zbornik Matice Srpske Za Prirodne Nauke*. 2013;287-96.
- ^{xlix} Abbasi Pirouz A, Selamat J, Zafar Iqbal S, Iskandar Putra Samsudin N. Efficient and Simultaneous Chitosan-Mediated Removal of 11 Mycotoxins from Palm Kernel Cake. *Toxins (Basel)*. 2020;12(2).
- ^l Solís-Cruz B, Hernández-Patlán D, Beyssac E, Latorre JD, Hernández-Velasco X, Merino-Guzmán R, et al. Evaluation of Chitosan and Cellulosic Polymers as Binding Adsorbent Materials to Prevent Aflatoxin B1, Fumonisin B1, Ochratoxin, Trichothecene, Deoxynivalenol, and Zearalenone Mycotoxicoses Through an In Vitro Gastrointestinal Model for Poultry. *Polymers (Basel)*. 2017;9(10).

-
- ^{li} Trowell, H. C., Suckling, K. E., Story, J. A., Rossi, S. S., Kritchevsky, D., Kahlon, T. S., Hofmann, A. F., Hecht, S. S., Gautam, M., Eastwood, M. A., Diwanay, S., Daggy, B. P., Carey, M. C., Balmer, J., Ames, B. N., & Anderson, J. W. (2006, October 6). *In vitro binding of bile acids by okra, beets, asparagus, eggplant, turnips, green beans, carrots, and cauliflower*. *Food Chemistry*.
- ^{lii} Armando MR, Pizzolitto RP, Dogi CA, Cristofolini A, Merkis C, Poloni V, et al. Adsorption of ochratoxin A and zearalenone by potential probiotic *Saccharomyces cerevisiae* strains and its relation with cell wall thickness. *J Appl Microbiol*. 2012;113(2):256-64.
- ^{liii} Qin X, Su X, Tu T, Zhang J, Wang X, Wang Y, et al. Enzymatic Degradation of Multiple Major Mycotoxins by Dye-Decolorizing Peroxidase from *Bacillus subtilis*. *Toxins (Basel)*. 2021;13(6).
- ^{liv} Zhang W, Zhang S, Zhang M, et al. Individual and combined effects of Fusarium toxins on apoptosis in PK15 cells and the protective role of N-acetylcysteine. *Food Chem Toxicol*. 2018;111:27-43. doi:10.1016/j.fct.2017.10.057
- ^{lv} Debevere S, Schatzmayr D, Reisinger N, Aleschko M, Haesaert G, Rychlik M, Croubels S, Fievez V. Evaluation of the Efficacy of Mycotoxin Modifiers and Mycotoxin Binders by Using an In Vitro Rumen Model as a First Screening Tool. *Toxins (Basel)*. 2020 Jun 19;12(6):405. doi: 10.3390/toxins12060405. PMID: 32575465; PMCID: PMC7354577
- ^{lvi} Średnicka P, Juszcuk-Kubiak E, Wójcicki M, Akimowicz M, Roszko MŁ. Probiotics as a biological detoxification tool of food chemical contamination: A review. *Food Chem Toxicol*. 2021;153:112306. doi:10.1016/j.fct.2021.112306
- ^{lvii} Petrova P, Arsov A, Tsvetanova F, et al. The Complex Role of Lactic Acid Bacteria in Food Detoxification. *Nutrients*. 2022;14(10):2038. Published 2022 May 12. doi:10.3390/nu14102038
- ^{lviii} Chen J, Lou Q, He L, et al. Reduced-gliotoxin induces ROS-mediated anoikis in human colorectal cancer cells. *Int J Oncol*. 2018;52(3):1023-1032. doi:10.3892/ijo.2018.4264
- ^{lix} Kosztik J, Mörtl M, Székács A, Kukolya J, Bata-Vidács I. Aflatoxin B1 and Sterigmatocystin Binding Potential of Lactobacilli. *Toxins (Basel)*. 2020 Nov 30;12(12):756. doi: 10.3390/toxins12120756. PMID: 33266172; PMCID: PMC7760014